



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8063	0.140		0.025		3.56		0.63		FKM/Viton
8391	0.134	0.005	0.028	0.003	3.40	0.13	0.70	0.08	FKM/Viton
8163	0.171	0.005	0.028	0.001	4.34	0.13	0.71	0.03	FKM/Viton
8122	0.118	0.005	0.031	0.003	3.00	0.13	0.79	0.08	FKM/Viton
8611	0.239	0.005	0.031	0.003	6.07	0.13	0.79	0.08	FKM/Viton
8392	0.071	0.009	0.032	0.003	1.80	0.23	0.81	0.08	FKM/Viton
8160	0.110	0.005	0.032	0.003	2.79	0.13	0.81	0.08	FKM/Viton
8258	0.102	0.005	0.035	0.003	2.60	0.13	0.90	0.08	FKM/Viton
8004	0.158		0.039		4.01		0.99		FKM/Viton
8005	0.236		0.039		5.99		0.99		FKM/Viton
8001	0.750		0.039		19.05		0.99		FKM/Viton
8213	1.417	0.013	0.039	0.003	35.99	0.33	0.99	0.08	FKM/Viton
8212	1.575	0.013	0.039	0.003	40.00	0.33	0.99	0.08	FKM/Viton
8228	0.256	0.005	0.039	0.004	6.50	0.13	1.00	0.10	FKM/Viton
8431	0.500	0.005	0.039	0.003	12.70	0.13	1.00	0.07	FKM/Viton
8028	0.170		0.040		4.32		1.02		FKM/Viton
8224	0.176	0.005	0.040	0.003	4.47	0.13	1.02	0.08	FKM/Viton
8198	0.180	0.005	0.040	0.003	4.57	0.13	1.02	0.08	FKM/Viton
8047	0.239		0.040		6.07		1.02		FKM/Viton
8059	0.242	0.005	0.040	0.003	6.15	0.13	1.02	0.08	FKM/Viton
8315	0.370	0.005	0.040	0.003	9.40	0.13	1.02	0.08	FKM/Viton
8060	0.395	0.005	0.040	0.003	10.03	0.13	1.02	0.08	FKM/Viton
8230	0.427	0.005	0.040	0.003	10.85	0.13	1.02	0.08	FKM/Viton
8140	0.432	0.007	0.040	0.003	10.97	0.18	1.02	0.08	FKM/Viton
8134	0.439	0.005	0.040	0.003	11.15	0.13	1.02	0.08	FKM/Viton
8328	0.459	0.005	0.040	0.003	11.66	0.13	1.02	0.08	FKM/Viton
8430	0.578	0.007	0.040	0.003	14.68	0.18	1.02	0.08	FKM/Viton
8012	0.618		0.040		15.70		1.02		FKM/Viton
8162	1.063	0.010	0.040	0.003	27.00	0.25	1.02	0.07	FKM/Viton
8142	0.157	0.005	0.041	0.003	4.00	0.13	1.04	0.08	FKM/Viton
8117	0.290	0.005	0.043	0.003	7.37	0.13	1.09	0.08	FKM/Viton
8241	0.488	0.005	0.047	0.003	12.40	0.12	1.20	0.07	FKM/Viton
8121	0.032	0.004	0.050	0.003	0.81	0.10	1.27	0.08	FKM/Viton
8003	0.138		0.050		3.50		1.27		FKM/Viton
8104	0.176	0.005	0.050	0.003	4.47	0.13	1.27	0.08	FKM/Viton
8002	0.330		0.050		8.38		1.27		FKM/Viton
8055	0.239		0.051		6.07		1.29		FKM/Viton
8147	0.447	0.005	0.052	0.003	11.35	0.13	1.32	0.08	FKM/Viton
8463	0.230	0.005	0.055	0.003	5.84	0.13	1.40	0.08	FKM/Viton
8016	0.575		0.055		14.60		1.40		FKM/Viton
8019	0.810		0.055		20.57		1.40		FKM/Viton
8039	0.138	0.031	0.059	0.003	3.50	0.80	1.50	0.08	FKM/Viton
8137	0.256	0.005	0.059	0.003	6.50	0.13	1.50	0.08	FKM/Viton
8247	0.315	0.005	0.059	0.003	8.00	0.13	1.50	0.08	FKM/Viton
8029	0.335		0.059		8.50		1.50		FKM/Viton
8651	0.457		0.059		11.60		1.50		FKM/Viton
8131	0.531	0.005	0.059	0.003	13.50	0.13	1.50	0.08	FKM/Viton
8136	0.571	0.005	0.059	0.003	14.50	0.13	1.50	0.08	FKM/Viton
8652	0.579		0.059		14.70		1.50		FKM/Viton
8010	0.805		0.059		20.45		1.50		FKM/Viton
8632	0.941		0.059	0.004	23.90		1.50	0.10	FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8649	0.941		0.059	0.004	23.90		1.50	0.10	FKM/Viton
8211	2.087	0.018	0.059	0.003	53.00	0.46	1.50	0.08	FKM/Viton
8249	2.087	0.018	0.059	0.003	53.01	0.46	1.50	0.08	FKM/Viton
8367	2.087	0.017	0.059	0.003	53.00	0.43	1.50	0.08	FKM/Viton
8250	2.559	0.020	0.059	0.003	65.00	0.51	1.50	0.08	FKM/Viton
8210	2.598		0.059		66.00		1.50		FKM/Viton
8207	3.071	0.024	0.059		78.00	0.61	1.50		FKM/Viton
8251	3.071	0.024	0.059	0.003	78.00	0.61	1.50	0.08	FKM/Viton
8011	0.500		0.062		12.70		1.57		FKM/Viton
8143	0.124	0.005	0.063	0.003	3.15	0.13	1.60	0.08	FKM/Viton
8102	0.208		0.063		5.28		1.60		FKM/Viton
8129	0.555	0.007	0.063	0.003	14.10	0.18	1.60	0.08	FKM/Viton
8006	0.594	0.005	0.063	0.003	15.09	0.13	1.60	0.08	FKM/Viton
8216	0.752	0.016	0.063	0.003	19.10	0.40	1.60	0.07	FKM/Viton
8511	0.988	0.010	0.063	0.003	25.10	0.25	1.60	0.08	FKM/Viton
8429	4.154	0.030	0.063	0.003	105.50	0.76	1.60	0.08	FKM/Viton
8427	4.488	0.030	0.063	0.003	114.00	0.76	1.60	0.08	FKM/Viton
8164	5.625	0.035	0.063	0.003	142.88	0.89	1.60	0.07	FKM/Viton
8428	5.650	0.035	0.063	0.003	143.50	0.89	1.60	0.08	FKM/Viton
8009	2.198		0.066		55.83		1.68		FKM/Viton
8014	2.198		0.066		55.83		1.68		FKM/Viton
8358	0.543	0.005	0.068	0.005	13.80	0.13	1.73	0.13	FKM/Viton
8656	1.280		0.068		32.51		1.73		FKM/Viton
8509	0.335	0.005	0.069	0.003	8.50	0.13	1.75	0.08	FKM/Viton
8106	0.123	0.005	0.070	0.003	3.12	0.13	1.78	0.08	FKM/Viton
8107	0.125	0.005	0.070	0.003	3.18	0.13	1.78	0.08	FKM/Viton
8159	0.132	0.005	0.070	0.003	3.35	0.13	1.78	0.08	FKM/Viton
8658	0.230		0.070		5.84		1.78		FKM/Viton
8607	0.250	0.005	0.070	0.003	6.35	0.13	1.78	0.08	FKM/Viton
8351	0.313	0.006	0.070	0.003	7.94	0.16	1.78	0.08	FKM/Viton
8202	0.315	0.005	0.070	0.003	8.00	0.13	1.78	0.08	FKM/Viton
8357	0.437	0.007	0.070	0.003	11.11	0.18	1.78	0.08	FKM/Viton
8048	0.440	0.006	0.070	0.003	11.17	0.16	1.78	0.08	FKM/Viton
8199	0.458	0.005	0.070	0.003	11.63	0.13	1.78	0.08	FKM/Viton
8200	0.572	0.007	0.070	0.003	14.53	0.18	1.78	0.08	FKM/Viton
8111	0.652	0.009	0.070	0.003	16.56	0.23	1.78	0.08	FKM/Viton
8148	0.783	0.009	0.070	0.003	19.89	0.23	1.78	0.08	FKM/Viton
8092	1.220	0.011	0.070	0.003	30.99	0.28	1.78	0.08	FKM/Viton
8388	1.390	0.013	0.070	0.003	35.30	0.33	1.78	0.08	FKM/Viton
8455	1.799	0.015	0.070	0.003	45.69	0.38	1.78	0.07	FKM/Viton
8526	2.172	0.018	0.070	0.003	55.17	0.46	1.78	0.08	FKM/Viton
8185	2.381	0.018	0.070	0.003	60.48	0.46	1.78	0.07	FKM/Viton
8460	2.559	0.020	0.070	0.003	65.00	0.51	1.78	0.08	FKM/Viton
8545	3.110	0.024	0.070	0.003	79.00	0.61	1.78	0.08	FKM/Viton
8237	3.125	0.024	0.070	0.003	79.38	0.61	1.78	0.08	FKM/Viton
8578	3.860		0.070		98.05		1.78		FKM/Viton
8414	4.150	0.030	0.070	0.003	105.40	0.76	1.78	0.08	FKM/Viton
8236	4.360	0.031	0.070	0.003	110.74	0.80	1.78	0.08	FKM/Viton
8240	4.446	0.031	0.070	0.003	112.93	0.80	1.78	0.08	FKM/Viton
8232	4.570	0.030	0.070	0.003	116.08	0.76	1.78	0.08	FKM/Viton
8150	5.364	0.037	0.070	0.003	136.25	0.94	1.78	0.08	FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8461	5.470	0.037	0.070	0.003	138.94	0.94	1.78	0.08	FKM/Viton
8235	5.500	0.035	0.070	0.003	139.70	0.90	1.78	0.08	FKM/Viton
8478	5.604		0.070		142.34		1.78		FKM/Viton
8364	5.625	0.035	0.070	0.005	142.88	0.89	1.78	0.13	FKM/Viton
8408	5.669	0.035	0.070	0.003	144.00	0.89	1.78	0.08	FKM/Viton
8556	5.720		0.070		145.29		1.78		FKM/Viton
8191	5.739	0.037	0.070	0.003	145.77	0.94	1.78	0.08	FKM/Viton
8203	5.985	0.040	0.070	0.003	152.02	1.02	1.78	0.08	FKM/Viton
8477	5.990		0.070		152.15		1.78		FKM/Viton
8050	6.250		0.070		158.75		1.78		FKM/Viton
8476	6.474		0.070		164.43		1.78		FKM/Viton
8234	6.510	0.040	0.070	0.003	165.35	1.02	1.78	0.08	FKM/Viton
8194	7.842	0.050	0.070	0.003	199.19	1.27	1.78	0.08	FKM/Viton
8618	15.363	0.070	0.070	0.003	390.22	1.78	1.78	0.08	FKM/Viton
8432	15.686	0.075	0.070	0.003	398.43	1.90	1.78	0.08	FKM/Viton
8505	17.584		0.070		446.63		1.78		FKM/Viton
8638	0.124	0.005	0.071	0.003	3.15	0.13	1.80	0.08	FKM/Viton
8326	0.134	0.008	0.071	0.003	3.40	0.20	1.80	0.08	FKM/Viton
8053	0.146		0.071		3.70		1.80		FKM/Viton
8447	0.501		0.071		12.73		1.80		FKM/Viton
8149	0.874	0.009	0.073	0.003	22.20	0.23	1.85	0.08	FKM/Viton
8333	0.401	0.005	0.074	0.003	10.19	0.13	1.88	0.08	FKM/Viton
8353	0.102	0.005	0.075	0.003	2.60	0.13	1.90	0.08	FKM/Viton
8183	0.571	0.007	0.075	0.003	14.50	0.17	1.90	0.07	FKM/Viton
8329	1.528	0.006	0.075	0.003	38.80	0.15	1.90	0.07	FKM/Viton
8457	4.969	0.035	0.075	0.003	126.20	0.89	1.90	0.08	FKM/Viton
8266	5.433	0.035	0.075	0.003	138.00	0.89	1.90	0.08	FKM/Viton
8269	5.551	0.035	0.075	0.003	141.00	0.89	1.90	0.08	FKM/Viton
8239	2.864	0.020	0.076	0.003	72.75	0.51	1.93	0.08	FKM/Viton
8085	0.959	0.005	0.077	0.003	24.36	0.13	1.96	0.08	FKM/Viton
8023	1.103		0.078		28.01		1.97		FKM/Viton
8587	0.150		0.079		3.80		2.00		FKM/Viton
8352	0.256	0.007	0.079	0.004	6.50	0.17	2.00	0.09	FKM/Viton
8255	0.264	0.005	0.079	0.003	6.70	0.13	2.00	0.08	FKM/Viton
8368	0.319	0.005	0.079	0.003	8.10	0.13	2.00	0.08	FKM/Viton
8098	0.335	0.005	0.079	0.003	8.50	0.13	2.00	0.08	FKM/Viton
8363	0.366	0.005	0.079	0.003	9.30	0.13	2.00	0.08	FKM/Viton
8260	0.413	0.005	0.079	0.003	10.50	0.13	2.00	0.08	FKM/Viton
8362	0.445	0.005	0.079	0.003	11.30	0.13	2.00	0.08	FKM/Viton
8040	0.512	0.007	0.079	0.003	13.00	0.18	2.00	0.08	FKM/Viton
8261	0.512	0.005	0.079	0.003	13.00	0.13	2.00	0.08	FKM/Viton
8361	0.524	0.005	0.079	0.003	13.30	0.13	2.00	0.08	FKM/Viton
8262	0.531	0.005	0.079	0.003	13.50	0.13	2.00	0.08	FKM/Viton
8086	0.591	0.008	0.079	0.003	15.00	0.20	2.00	0.08	FKM/Viton
8133	0.630	0.009	0.079	0.003	16.00	0.23	2.00	0.08	FKM/Viton
8108	0.669	0.009	0.079	0.003	17.00	0.23	2.00	0.08	FKM/Viton
8130	0.748	0.009	0.079	0.003	19.00	0.23	2.00	0.08	FKM/Viton
8399	0.906	0.009	0.079	0.003	23.00	0.23	2.00	0.08	FKM/Viton
8259	1.339	0.012	0.079	0.003	34.00	0.30	2.00	0.08	FKM/Viton
8196	1.378	0.012	0.079	0.003	35.00	0.30	2.00	0.08	FKM/Viton
8124	1.496		0.079		38.00		2.00		FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8633	1.528		0.079	0.004	38.80		2.00	0.10	FKM/Viton
8650	1.528		0.079	0.004	38.80		2.00	0.10	FKM/Viton
8496	1.654	0.015	0.079	0.003	42.00	0.38	2.00	0.08	FKM/Viton
8227	1.949	0.018	0.079	0.004	49.51	0.46	2.00	0.10	FKM/Viton
8225	2.087	0.018	0.079	0.003	53.00	0.46	2.00	0.08	FKM/Viton
8222	2.756	0.024	0.079	0.003	70.00	0.60	2.00	0.08	FKM/Viton
8248	3.091	0.024	0.079	0.003	78.50	0.61	2.00	0.08	FKM/Viton
8469	4.213		0.079		107.00		2.00		FKM/Viton
8401	5.039	0.037	0.079	0.003	128.00	0.94	2.00	0.08	FKM/Viton
8488	21.424	0.100	0.079	0.003	544.18	2.54	2.00	0.08	FKM/Viton
8187	0.197	0.005	0.079	0.003	5.00	0.13	2.01	0.08	FKM/Viton
8022	0.591	0.009	0.079	0.003	15.01	0.23	2.01	0.08	FKM/Viton
8209	3.937	0.028	0.079	0.003	100.00	0.71	2.01	0.08	FKM/Viton
8252	3.937	0.027	0.079	0.003	100.00	0.69	2.01	0.08	FKM/Viton
8008	0.768		0.080		19.51		2.03		FKM/Viton
8151	1.170	0.011	0.080	0.003	29.72	0.28	2.03	0.08	FKM/Viton
8057	1.176	0.011	0.080	0.003	29.87	0.28	2.03	0.08	FKM/Viton
8267	5.433	0.035	0.083	0.004	138.00	0.89	2.10	0.10	FKM/Viton
8138	0.130	0.005	0.083	0.003	3.30	0.13	2.11	0.08	FKM/Viton
8078	0.601	0.007	0.086	0.004	15.27	0.18	2.18	0.10	FKM/Viton
8152	0.366	0.008	0.087	0.003	9.30	0.20	2.20	0.08	FKM/Viton
8283	0.366	0.005	0.087	0.003	9.30	0.13	2.20	0.08	FKM/Viton
8154	0.445	0.008	0.087	0.003	11.30	0.20	2.20	0.08	FKM/Viton
8284	0.602	0.009	0.087	0.003	15.30	0.23	2.20	0.08	FKM/Viton
8286	0.760	0.009	0.087	0.003	19.30	0.23	2.20	0.08	FKM/Viton
8518	0.366	0.008	0.087	0.003	9.30	0.20	2.21	0.08	FKM/Viton
8275	0.676	0.009	0.087	0.003	17.17	0.23	2.21	0.08	FKM/Viton
8532	3.501	0.024	0.093	0.003	88.93	0.61	2.36	0.08	FKM/Viton
8135	0.425	0.005	0.094	0.003	10.80	0.13	2.39	0.08	FKM/Viton
8226	2.346	0.020	0.094	0.003	59.59	0.51	2.39	0.08	FKM/Viton
8304	0.287	0.005	0.094	0.003	7.30	0.13	2.40	0.08	FKM/Viton
8100	0.583	0.009	0.094	0.003	14.80	0.23	2.40	0.08	FKM/Viton
8512	0.850	0.009	0.094	0.003	21.60	0.23	2.40	0.08	FKM/Viton
8365	0.929	0.010	0.094	0.003	23.60	0.25	2.40	0.08	FKM/Viton
8446	0.984	0.010	0.094	0.003	25.00	0.25	2.40	0.08	FKM/Viton
8215	1.575	0.015	0.094	0.003	40.00	0.38	2.40	0.08	FKM/Viton
8030	2.717		0.094		69.00		2.40		FKM/Viton
8320	5.551	0.035	0.094	0.003	141.00	0.89	2.40	0.08	FKM/Viton
8500	0.366	0.005	0.095	0.003	9.30	0.13	2.41	0.08	FKM/Viton
8083	0.277	0.005	0.096	0.003	7.04	0.13	2.44	0.08	FKM/Viton
8551	1.216	0.012	0.096	0.003	30.89	0.30	2.44	0.08	FKM/Viton
8155	0.728	0.009	0.098	0.003	18.49	0.23	2.49	0.08	FKM/Viton
8201	3.247	0.024	0.098	0.003	82.47	0.61	2.49	0.08	FKM/Viton
8276	3.425	0.024	0.098	0.003	86.99	0.61	2.49	0.08	FKM/Viton
8214	5.079	0.035	0.098	0.003	129.00	0.89	2.49	0.08	FKM/Viton
8253	5.079	0.035	0.098	0.003	129.01	0.89	2.49	0.08	FKM/Viton
8334	0.531	0.005	0.098	0.003	13.50	0.13	2.50	0.08	FKM/Viton
8192	0.728	0.009	0.098	0.003	18.50	0.23	2.50	0.08	FKM/Viton
8071	1.339	0.016	0.098	0.004	34.00	0.40	2.50	0.09	FKM/Viton
8385	1.358	0.012	0.098	0.003	34.50	0.30	2.50	0.08	FKM/Viton
8157	3.425		0.098		87.00		2.50		FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8109	3.937	0.030	0.098	0.003	100.00	0.76	2.50	0.08	FKM/Viton
8110	4.094	0.030	0.098	0.003	104.00	0.76	2.50	0.08	FKM/Viton
8412	5.193	0.035	0.098	0.003	131.90	0.89	2.50	0.08	FKM/Viton
8417	6.657	0.040	0.098	0.003	169.09	1.02	2.50	0.08	FKM/Viton
8171	0.728		0.100		18.49		2.54		FKM/Viton
8173	0.746		0.100		18.95		2.54		FKM/Viton
8660	1.079		0.101		27.41		2.57		FKM/Viton
8471	5.705		0.102		144.90		2.58		FKM/Viton
8084	0.808	0.005	0.102	0.003	20.52	0.13	2.59	0.08	FKM/Viton
8621	0.585	0.007	0.102	0.003	14.85	0.18	2.60	0.08	FKM/Viton
8175	0.728	0.003	0.102	0.002	18.49	0.07	2.60	0.04	FKM/Viton
8584	0.391	0.005	0.103	0.003	9.92	0.13	2.62	0.08	FKM/Viton
8046	0.469	0.005	0.103	0.003	11.91	0.13	2.62	0.08	FKM/Viton
8565	0.594		0.103		15.08		2.62		FKM/Viton
8661	0.758		0.103		19.25		2.62		FKM/Viton
8533	0.937	0.010	0.103	0.003	23.81	0.25	2.62	0.08	FKM/Viton
8657	1.062		0.103		26.97		2.62		FKM/Viton
8600	1.077	0.012	0.103	0.003	27.36	0.30	2.62	0.08	FKM/Viton
8386	1.213	0.012	0.103	0.003	30.80	0.30	2.62	0.08	FKM/Viton
8184	2.258	0.020	0.103	0.003	57.35	0.51	2.62	0.08	FKM/Viton
8035	2.715	0.022	0.103	0.003	68.96	0.56	2.62	0.08	FKM/Viton
8525	2.880	0.022	0.103	0.003	73.15	0.56	2.62	0.08	FKM/Viton
8024	2.925		0.103		74.29		2.62		FKM/Viton
8572	3.173	0.024	0.103	0.003	80.60	0.61	2.62	0.08	FKM/Viton
8037	3.291	0.024	0.103	0.003	83.59	0.61	2.62	0.08	FKM/Viton
8480	3.575	0.028	0.103	0.003	90.80	0.71	2.62	0.08	FKM/Viton
8647	3.929	0.028	0.103	0.003	99.80	0.71	2.62	0.08	FKM/Viton
8038	4.153	0.030	0.103	0.003	105.49	0.76	2.62	0.08	FKM/Viton
8278	4.179	0.030	0.103	0.003	106.15	0.76	2.62	0.08	FKM/Viton
8034	4.219	0.030	0.103	0.003	107.16	0.76	2.62	0.08	FKM/Viton
8494	4.275	0.030	0.103	0.003	108.59	0.76	2.62	0.08	FKM/Viton
8041	4.305	0.030	0.103	0.003	109.35	0.76	2.62	0.08	FKM/Viton
8036	4.783	0.030	0.103	0.003	121.49	0.76	2.62	0.08	FKM/Viton
8061	4.850	0.031	0.103	0.003	123.19	0.80	2.62	0.08	FKM/Viton
8042	4.937	0.035	0.103	0.003	125.40	0.89	2.62	0.08	FKM/Viton
8056	5.625	0.103	0.103	0.003	142.88	2.61	2.62	0.08	FKM/Viton
8449	6.181	0.035	0.103	0.003	157.00	0.90	2.62	0.08	FKM/Viton
8233	6.230	0.040	0.103	0.003	158.24	1.02	2.62	0.08	FKM/Viton
8381	6.575	0.040	0.103	0.003	167.00	1.02	2.62	0.08	FKM/Viton
8597	10.424	0.055	0.103	0.003	264.76	1.40	2.62	0.08	FKM/Viton
8043	11.780	0.055	0.103	0.003	299.21	1.40	2.62	0.08	FKM/Viton
8546	13.000	0.065	0.103	0.003	330.20	1.65	2.62	0.08	FKM/Viton
8557	14.000		0.103		355.60		2.62		FKM/Viton
8639	0.748	0.005	0.104	0.003	19.00	0.13	2.65	0.08	FKM/Viton
8653	0.835	0.010	0.104	0.003	21.20	0.25	2.65	0.08	FKM/Viton
8220	1.575	0.015	0.104	0.003	40.00	0.38	2.65	0.08	FKM/Viton
8172	0.728		0.106	0.003	18.49		2.69	0.08	FKM/Viton
8174	0.746		0.106		18.95		2.69		FKM/Viton
8659	0.952		0.106		24.18		2.69		FKM/Viton
8335	0.413	0.005	0.106	0.003	10.50	0.13	2.70	0.08	FKM/Viton
8205	0.549	0.007	0.108	0.003	13.94	0.18	2.74	0.08	FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8646	0.966	0.010	0.108	0.003	24.54	0.25	2.74	0.08	FKM/Viton
8517	0.886	0.010	0.110	0.003	22.50	0.25	2.80	0.08	FKM/Viton
8095	1.053	0.010	0.110	0.003	26.75	0.25	2.80	0.08	FKM/Viton
8238	3.120	0.024	0.112	0.003	79.25	0.61	2.85	0.08	FKM/Viton
8514	0.929	0.010	0.114	0.003	23.60	0.25	2.90	0.08	FKM/Viton
8287	1.520	0.015	0.114	0.003	38.60	0.38	2.90	0.08	FKM/Viton
8515	1.756	0.015	0.114	0.003	44.60	0.38	2.90	0.08	FKM/Viton
8619	0.931	0.010	0.117	0.004	23.65	0.25	2.96	0.10	FKM/Viton
8015	1.024		0.118		26.01		2.99		FKM/Viton
8114	0.276	0.005	0.118	0.004	7.00	0.13	3.00	0.10	FKM/Viton
8054	0.374		0.118		9.50		3.00		FKM/Viton
8448	0.433	0.005	0.118	0.004	11.00	0.13	3.00	0.10	FKM/Viton
8186	0.551	0.007	0.118	0.003	13.99	0.18	3.00	0.08	FKM/Viton
8089	0.575	0.009	0.118	0.004	14.60	0.23	3.00	0.10	FKM/Viton
8628	0.630	0.009	0.118	0.003	16.00	0.22	3.00	0.08	FKM/Viton
8113	0.669	0.009	0.118	0.004	17.00	0.23	3.00	0.10	FKM/Viton
8307	0.748	0.009	0.118	0.004	19.00	0.23	3.00	0.10	FKM/Viton
8630	0.748	0.010	0.118	0.003	19.00	0.25	3.00	0.08	FKM/Viton
8127	0.756	0.009	0.118		19.20	0.23	3.00		FKM/Viton
8308	0.768	0.009	0.118	0.004	19.50	0.23	3.00	0.10	FKM/Viton
8339	0.768	0.010	0.118	0.004	19.50	0.25	3.00	0.10	FKM/Viton
8088	0.807	0.010	0.118	0.004	20.50	0.25	3.00	0.10	FKM/Viton
8629	0.827	0.010	0.118	0.003	21.00	0.25	3.00	0.08	FKM/Viton
8300	0.945	0.010	0.118	0.004	24.00	0.25	3.00	0.10	FKM/Viton
8219	1.653	0.015	0.118	0.004	41.99	0.38	3.00	0.10	FKM/Viton
8501	1.740		0.118		44.20		3.00		FKM/Viton
8190	2.283	0.020	0.118	0.003	58.00	0.51	3.00	0.08	FKM/Viton
8298	2.677	0.024	0.118	0.004	68.00	0.61	3.00	0.10	FKM/Viton
8073	3.228	0.031	0.118	0.004	82.00	0.80	3.00	0.09	FKM/Viton
8221	3.307	0.027	0.118	0.004	84.00	0.69	3.00	0.09	FKM/Viton
8482	3.543		0.118		90.00		3.00		FKM/Viton
8033	4.606	0.030	0.118	0.004	116.99	0.76	3.00	0.10	FKM/Viton
8508	5.984		0.118		152.00		3.00		FKM/Viton
8208	7.008	0.040	0.118	0.004	178.00	1.02	3.00	0.10	FKM/Viton
8254	7.008	0.040	0.118	0.004	178.00	1.02	3.00	0.10	FKM/Viton
8123	7.140	0.045	0.118	0.004	181.36	1.14	3.00	0.10	FKM/Viton
8405	8.268	0.050	0.118	0.004	210.00	1.27	3.00	0.10	FKM/Viton
8462	8.622	0.050	0.118	0.004	219.00	1.27	3.00	0.10	FKM/Viton
8404	9.055	0.055	0.118	0.004	230.00	1.40	3.00	0.10	FKM/Viton
8593	1.158	0.012	0.119	0.004	29.41	0.30	3.02	0.10	FKM/Viton
8594	1.287	0.012	0.119	0.004	32.69	0.30	3.02	0.10	FKM/Viton
8550	1.350	0.012	0.119	0.003	34.29	0.30	3.02	0.08	FKM/Viton
8371	0.327	0.005	0.121	0.004	8.31	0.13	3.07	0.10	FKM/Viton
8387	1.331	0.012	0.122	0.004	33.80	0.30	3.10	0.10	FKM/Viton
8025	2.535		0.122		64.40		3.10		FKM/Viton
8026	3.520		0.122		89.40		3.10		FKM/Viton
8290	3.717	0.028	0.122	0.004	94.40	0.71	3.10	0.10	FKM/Viton
8027	4.110		0.122		104.40		3.10		FKM/Viton
8295	4.232	0.030	0.122	0.004	107.50	0.76	3.10	0.10	FKM/Viton
8452	1.358	0.012	0.123	0.004	34.49	0.30	3.12	0.10	FKM/Viton
8139	0.250	0.005	0.124	0.003	6.35	0.13	3.15	0.08	FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8655	0.630	0.009	0.124	0.004	16.00	0.23	3.15	0.10	FKM/Viton
8654	1.319	0.012	0.124	0.004	33.50	0.30	3.15	0.10	FKM/Viton
8081	0.486	0.005	0.125	0.003	12.34	0.13	3.17	0.08	FKM/Viton
8433	0.500	0.005	0.125	0.003	12.70	0.13	3.17	0.08	FKM/Viton
8031	4.193		0.126		106.50		3.20		FKM/Viton
8487	2.156		0.128		54.75		3.24		FKM/Viton
8245	2.859	0.024	0.134	0.004	72.62	0.61	3.40	0.10	FKM/Viton
8244	5.234	0.035	0.134	0.004	132.94	0.89	3.40	0.10	FKM/Viton
8521	0.913	0.010	0.137	0.004	23.19	0.25	3.48	0.10	FKM/Viton
8303	0.394	0.005	0.138	0.004	10.00	0.13	3.50	0.10	FKM/Viton
8165	5.512	0.035	0.138	0.004	140.00	0.89	3.50	0.10	FKM/Viton
8072	16.732	0.124	0.138	0.004	425.00	3.15	3.50	0.10	FKM/Viton
8257	0.786	0.010	0.139	0.004	19.96	0.25	3.53	0.10	FKM/Viton
8577	1.016		0.139		25.80		3.53		FKM/Viton
8585	1.625	0.015	0.139	0.004	41.28	0.38	3.53	0.10	FKM/Viton
8642	1.813	0.015	0.139	0.004	46.04	0.38	3.53	0.10	FKM/Viton
8541	1.875	0.018	0.139	0.004	47.63	0.46	3.53	0.10	FKM/Viton
8576	2.000	0.018	0.139	0.004	50.80	0.46	3.53	0.10	FKM/Viton
8537	2.063	0.018	0.139	0.004	52.39	0.46	3.53	0.10	FKM/Viton
8181	2.065	0.018	0.139	0.004	52.45	0.46	3.53	0.10	FKM/Viton
8554	2.375		0.139	0.004	60.33		3.53	0.10	FKM/Viton
8566	2.437	0.020	0.139	0.004	61.90	0.51	3.53	0.10	FKM/Viton
8571	2.563	0.020	0.139	0.004	65.10	0.51	3.53	0.10	FKM/Viton
8570	2.625	0.020	0.139	0.004	66.67	0.51	3.53	0.10	FKM/Viton
8538	2.687	0.020	0.139	0.004	68.26	0.51	3.53	0.10	FKM/Viton
8539	2.813	0.024	0.139	0.004	71.44	0.61	3.53	0.10	FKM/Viton
8520	8.346	0.050	0.139	0.004	212.00	1.27	3.53	0.10	FKM/Viton
8370	10.232	0.055	0.139	0.004	259.89	1.40	3.53	0.10	FKM/Viton
8543	12.500	0.065	0.139	0.004	317.50	1.65	3.53	0.10	FKM/Viton
8620	12.559	0.065	0.139	0.004	319.00	1.65	3.53	0.10	FKM/Viton
8637	15.591	0.070	0.139	0.004	396.00	1.78	3.53	0.10	FKM/Viton
8299	35.079	0.194	0.139	0.004	891.00	4.92	3.53	0.10	FKM/Viton
8622	7.283		0.140		185.00		3.55		FKM/Viton
8513	1.177	0.012	0.142	0.004	29.89	0.30	3.60	0.10	FKM/Viton
8393	4.734	0.024	0.144		120.24	0.60	3.66		FKM/Viton
8268	5.512	0.035	0.150	0.005	140.00	0.89	3.80	0.13	FKM/Viton
8270	5.669	0.035	0.150	0.005	144.00	0.89	3.80	0.13	FKM/Viton
8080	0.305	0.010	0.150		7.75	0.25	3.81		FKM/Viton
8087	1.484	0.015	0.150	0.004	37.69	0.38	3.81	0.10	FKM/Viton
8082	0.810	0.010	0.153	0.003	20.57	0.25	3.89	0.08	FKM/Viton
8424	5.669	0.037	0.154	0.005	144.00	0.94	3.90	0.13	FKM/Viton
8472	5.787		0.155		147.00		3.94		FKM/Viton
8423	5.138	0.035	0.156	0.005	130.50	0.89	3.95	0.13	FKM/Viton
8204	0.880	0.010	0.156	0.004	22.35	0.25	3.96	0.10	FKM/Viton
8076	10.709	0.065	0.157	0.004	272.01	1.65	3.99	0.10	FKM/Viton
8096	0.906	0.009	0.157	0.004	23.00	0.23	4.00	0.10	FKM/Viton
8301	1.063	0.010	0.157	0.004	27.00	0.25	4.00	0.10	FKM/Viton
8340	1.063	0.012	0.157	0.004	27.00	0.30	4.00	0.10	FKM/Viton
8397	2.165		0.157		55.00		4.00		FKM/Viton
8398	2.362	0.020	0.157	0.004	60.00	0.51	4.00	0.10	FKM/Viton
8420	2.362	0.020	0.157	0.004	60.00	0.51	4.00	0.10	FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8229	2.559	0.020	0.157	0.004	65.00	0.51	4.00	0.10	FKM/Viton
8189	2.835	0.024	0.157	0.004	72.00	0.61	4.00	0.10	FKM/Viton
8231	3.937	0.033	0.157	0.004	100.00	0.84	4.00	0.10	FKM/Viton
8242	4.094	0.028	0.157	0.005	104.00	0.71	4.00	0.13	FKM/Viton
8406	4.567	0.030	0.157	0.004	116.00	0.76	4.00	0.10	FKM/Viton
8403	4.724	0.030	0.157	0.004	120.00	0.76	4.00	0.10	FKM/Viton
8264	4.921	0.035	0.157	0.004	125.00	0.89	4.00	0.10	FKM/Viton
8263	5.039	0.035	0.157	0.004	128.00	0.89	4.00	0.10	FKM/Viton
8459	5.197	0.037	0.157	0.004	132.00	0.94	4.00	0.10	FKM/Viton
8271	5.512	0.035	0.157	0.005	140.00	0.89	4.00	0.13	FKM/Viton
8425	5.531	0.035	0.157	0.005	140.50	0.89	4.00	0.13	FKM/Viton
8322	5.630	0.037	0.157	0.005	143.00	0.94	4.00	0.13	FKM/Viton
8265	5.669	0.035	0.157	0.005	144.00	0.89	4.00	0.13	FKM/Viton
8223	5.709	0.043	0.157	0.004	145.00	1.10	4.00	0.10	FKM/Viton
8400	7.874		0.157		200.00		4.00		FKM/Viton
8091	2.450	0.025	0.160	0.004	62.23	0.63	4.06	0.10	FKM/Viton
8456	2.661		0.167		67.59		4.24		FKM/Viton
8158	6.398	0.040	0.167	0.004	162.51	1.02	4.24	0.10	FKM/Viton
8120	1.372	0.016	0.171	0.005	34.85	0.40	4.35	0.13	FKM/Viton
8598	0.507	0.007	0.176	0.005	12.88	0.18	4.47	0.13	FKM/Viton
8062	1.850	0.015	0.176	0.004	46.99	0.38	4.47	0.10	FKM/Viton
8347	6.890	0.040	0.177	0.005	175.00	1.02	4.50	0.13	FKM/Viton
8346	8.110	0.050	0.177	0.005	206.00	1.27	4.50	0.13	FKM/Viton
8599	1.450	0.013	0.178	0.005	36.83	0.33	4.52	0.13	FKM/Viton
8103	0.304	0.005	0.183	0.010	7.72	0.13	4.65	0.25	FKM/Viton
8182	1.596	0.015	0.185	0.005	40.54	0.38	4.70	0.13	FKM/Viton
8497	5.488	0.035	0.185	0.005	139.40	0.89	4.70	0.13	FKM/Viton
8243	16.504	0.045	0.185	0.005	419.20	1.14	4.70	0.12	FKM/Viton
8169	4.350	0.030	0.186	0.005	110.49	0.76	4.72	0.13	FKM/Viton
8608	1.181	0.012	0.187	0.004	30.00	0.30	4.75	0.10	FKM/Viton
8277	1.265	0.012	0.193	0.005	32.13	0.30	4.90	0.13	FKM/Viton
8168	4.350	0.030	0.194	0.005	110.49	0.76	4.93	0.13	FKM/Viton
8115	1.102	0.012	0.197	0.006	28.00	0.30	5.00	0.15	FKM/Viton
8379	1.225	0.012	0.197	0.005	31.12	0.30	5.00	0.13	FKM/Viton
8070	1.339	0.016	0.197	0.005	34.00	0.40	5.00	0.13	FKM/Viton
8116	1.654	0.016	0.197	0.006	42.00	0.40	5.00	0.15	FKM/Viton
8464	4.350	0.030	0.197	0.005	110.50	0.76	5.00	0.13	FKM/Viton
8007	5.709		0.197		145.01		5.00		FKM/Viton
8402	6.102	0.040	0.197	0.005	155.00	1.02	5.00	0.13	FKM/Viton
8090	11.890	0.065	0.197	0.005	302.01	1.65	5.00	0.12	FKM/Viton
8293	18.791	0.090	0.209	0.005	477.30	2.29	5.30	0.13	FKM/Viton
8444	0.281		0.210		7.14		5.33		FKM/Viton
8560	2.938	0.024	0.210	0.005	74.63	0.61	5.33	0.13	FKM/Viton
8605	3.531	0.028	0.210	0.005	89.69	0.71	5.33	0.13	FKM/Viton
8197	4.039	0.028	0.210	0.005	102.59	0.71	5.33	0.13	FKM/Viton
8588	6.350	0.040	0.210	0.005	161.30	1.02	5.33	0.13	FKM/Viton
8643	7.087	0.045	0.210	0.005	180.00	1.14	5.33	0.13	FKM/Viton
8625	10.236		0.210		260.00		5.33		FKM/Viton
8349	11.299	0.060	0.210	0.005	287.00	1.52	5.33	0.13	FKM/Viton
8573	13.500	0.070	0.210	0.005	342.90	1.78	5.33	0.13	FKM/Viton
8544	13.750	0.070	0.210	0.005	349.25	1.78	5.33	0.13	FKM/Viton





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8534	14.600	0.070	0.210	0.005	370.84	1.78	5.33	0.13	FKM/Viton
8350	16.601	0.080	0.210	0.005	421.67	2.03	5.33	0.13	FKM/Viton
8626	18.110		0.210		460.00		5.33		FKM/Viton
8306	31.890		0.210	0.005	810.00		5.33	0.13	FKM/Viton
8314	57.756		0.210	0.004	1467.00		5.33	0.10	FKM/Viton
8305	75.787		0.210		1925.00		5.33		FKM/Viton
8291	110.630	0.610	0.210	0.005	2810.00	15.50	5.33	0.13	FKM/Viton
8604	14.250	0.070	0.210	0.005	361.95	1.78	5.34	0.13	FKM/Viton
8644	10.669	0.060	0.215	0.005	271.00	1.52	5.46	0.13	FKM/Viton
8282	52.047	0.118	0.215		1322.00	3.00	5.47		FKM/Viton
8309	0.984	0.010	0.217	0.005	25.00	0.25	5.50	0.13	FKM/Viton
8296	70.787	0.390	0.217	0.005	1798.00	9.90	5.50	0.13	FKM/Viton
8458	5.256	0.037	0.220	0.006	133.50	0.94	5.60	0.15	FKM/Viton
8341	1.740	0.015	0.224	0.005	44.20	0.38	5.70	0.13	FKM/Viton
8032	4.906		0.224		124.60		5.70		FKM/Viton
8410	5.217	0.037	0.228	0.006	132.50	0.94	5.80	0.15	FKM/Viton
8407	4.547	0.030	0.232	0.006	115.50	0.76	5.90	0.15	FKM/Viton
8411	5.283	0.037	0.232	0.006	134.20	0.94	5.90	0.15	FKM/Viton
8409	6.201	0.040	0.232	0.006	157.50	1.02	5.90	0.15	FKM/Viton
8193	1.845	0.015	0.235	0.005	46.86	0.38	5.97	0.13	FKM/Viton
8274	4.094	0.033	0.236	0.006	104.00	0.84	6.00	0.15	FKM/Viton
8413	4.260	0.030	0.236	0.006	108.20	0.76	6.00	0.15	FKM/Viton
8176	6.102	0.040	0.236	0.005	155.00	1.02	6.00	0.13	FKM/Viton
8177	7.480	0.045	0.236	0.005	190.00	1.14	6.00	0.13	FKM/Viton
8272	12.657	0.065	0.236	0.005	321.50	1.65	6.00	0.13	FKM/Viton
8302	17.638	0.085	0.236	0.005	448.00	2.16	6.00	0.13	FKM/Viton
8342	17.638	0.085	0.236	0.006	448.00	2.16	6.00	0.15	FKM/Viton
8256	1.470	0.015	0.237	0.005	37.34	0.38	6.02	0.13	FKM/Viton
8273	1.063	0.012	0.250	0.006	27.00	0.31	6.35	0.15	FKM/Viton
8045	8.475		0.275		215.26		6.98		FKM/Viton
8531	1.975	0.018	0.275	0.006	50.17	0.46	6.99	0.15	FKM/Viton
8288	2.530	0.020	0.275	0.006	64.26	0.51	6.99	0.15	FKM/Viton
8077	3.445	0.024	0.275	0.008	87.50	0.61	6.99	0.20	FKM/Viton
8068	3.500		0.275		88.90		6.99		FKM/Viton
8105	3.560	0.033	0.275	0.008	90.42	0.84	6.99	0.20	FKM/Viton
8017	3.600		0.275		91.44		6.99		FKM/Viton
8069	3.975	0.033	0.275	0.006	100.96	0.84	6.99	0.15	FKM/Viton
8188	3.975		0.275		100.97		6.99		FKM/Viton
8297	4.224	0.030	0.275	0.005	107.30	0.76	6.99	0.13	FKM/Viton
8555	8.250		0.275	0.006	209.55		6.99	0.15	FKM/Viton
8610	8.250	0.050	0.275	0.006	209.55	1.27	6.99	0.15	FKM/Viton
8549	9.225	0.055	0.275	0.006	234.32	1.40	6.99	0.15	FKM/Viton
8617	9.983	0.055	0.275	0.006	253.57	1.40	6.99	0.15	FKM/Viton
8636	11.224		0.275		285.10		6.99		FKM/Viton
8631	12.724		0.275		323.20		6.99		FKM/Viton
8640	17.061	0.085	0.275	0.006	433.36	2.16	6.99	0.15	FKM/Viton
8336	31.120	0.171	0.275	0.006	790.45	4.34	6.99	0.15	FKM/Viton
8285	43.307		0.275	0.006	1100.00		6.99	0.15	FKM/Viton
8612	10.225	0.058	0.276	0.006	259.72	1.48	7.00	0.15	FKM/Viton
8044	18.898		0.276		480.00		7.00		FKM/Viton
8561	19.290	0.090	0.315	0.006	489.97	2.29	8.00	0.15	FKM/Viton



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
8079	8.232		0.331		209.10		8.40		FKM/Viton
8097	8.232	0.063	0.331	0.006	209.10	1.61	8.40	0.15	FKM/Viton
8020	24.016		0.394		610.00		10.00		FKM/Viton
8021	27.953		0.394		710.00		10.00		FKM/Viton
8323	18.000	0.085	0.406	0.011	457.20	2.16	10.31	0.28	FKM/Viton
8289	62.992	0.315	0.425	0.008	1600.00	8.00	10.80	0.20	FKM/Viton
8312	64.016		0.433		1626.00		11.00		FKM/Viton
9127	0.055				1.40		0.00		NBR/EPDM/CR
9195	0.197				5.00		0.00		NBR/EPDM/CR
9116	0.394		0.014		10.00		0.35		NBR/EPDM/CR
9982	0.047	0.004	0.016	0.003	1.20	0.10	0.40	0.08	NBR/EPDM/CR
9983	0.055	0.004	0.016	0.003	1.40	0.10	0.40	0.08	NBR/EPDM/CR
9409	0.650		0.016		16.51		0.41		NBR/EPDM/CR
9408	0.748		0.016		19.00		0.41		NBR/EPDM/CR
9407	0.953		0.016		24.21		0.41		NBR/EPDM/CR
9351	0.039		0.020		1.00		0.50		NBR/EPDM/CR
5003205	0.126	0.004	0.020	0.003	3.20	0.10	0.50	0.08	NBR/EPDM/CR
9759	0.165		0.024	0.003	4.20		0.60	0.08	NBR/EPDM/CR
9255	0.098		0.026		2.49		0.66		NBR/EPDM/CR
90474	0.118	0.005	0.027	0.003	3.00	0.13	0.68	0.08	NBR/EPDM/CR
9005	0.102		0.030		2.59		0.76		NBR/EPDM/CR
9549	0.102	0.005	0.030	0.002	2.59	0.13	0.76	0.06	NBR/EPDM/CR
9105	0.112		0.030		2.84		0.76		NBR/EPDM/CR
9541	0.440	0.005	0.030	0.003	11.18	0.13	0.76	0.08	NBR/EPDM/CR
90020	0.062	0.004	0.031	0.003	1.57	0.10	0.79	0.08	NBR/EPDM/CR
9283	0.157		0.031	0.002	3.99		0.79	0.05	NBR/EPDM/CR
9289	0.409	0.005	0.031	0.003	10.39	0.13	0.79	0.07	NBR/EPDM/CR
90143	0.800	0.010	0.031	1.234	20.32	0.25	0.79	31.35	NBR/EPDM/CR
90142	0.813	0.010	0.031		20.64	0.25	0.79		NBR/EPDM/CR
9135	1.751		0.031		44.47		0.79		NBR/EPDM/CR
90081	0.055	0.004	0.031	0.003	1.40	0.10	0.80	0.08	NBR/EPDM/CR
5002308	0.091	0.005	0.031	0.003	2.30	0.13	0.80	0.08	NBR/EPDM/CR
9984	0.094	0.005	0.031	0.003	2.40	0.13	0.80	0.08	NBR/EPDM/CR
5006708	0.264	0.005	0.031	0.003	6.70	0.13	0.80	0.08	NBR/EPDM/CR
5008008	0.315	0.005	0.031	0.003	8.00	0.13	0.80	0.08	NBR/EPDM/CR
5013008	0.512	0.005	0.031	0.003	13.00	0.13	0.80	0.08	NBR/EPDM/CR
9854	0.354	0.010	0.032	0.005	8.99	0.25	0.81	0.13	NBR/EPDM/CR
9591	0.079	0.005	0.033	0.003	2.00	0.13	0.84	0.08	NBR/EPDM/CR
90557	0.236	0.005	0.033	0.003	6.00	0.13	0.84	0.08	NBR/EPDM/CR
90473	0.114	0.005	0.033	0.003	2.90	0.13	0.85	0.08	NBR/EPDM/CR
9114	0.118		0.033		3.00		0.85		NBR/EPDM/CR
90426	0.138	0.005	0.035	0.003	3.51	0.13	0.89	0.08	NBR/EPDM/CR
9028	0.301		0.038		7.64		0.96		NBR/EPDM/CR
9061	0.301		0.038		7.64		0.96		NBR/EPDM/CR
90183	0.100		0.038		2.54		0.97		NBR/EPDM/CR
90501	1.162	0.011	0.038	0.003	29.51	0.28	0.97	0.08	NBR/EPDM/CR
9092	0.069		0.039		1.75		0.99		NBR/EPDM/CR
9091	0.079		0.039		2.01		0.99		NBR/EPDM/CR
9141	0.293	0.005	0.039	0.003	7.44	0.13	0.99	0.07	NBR/EPDM/CR
9293	1.412	0.013	0.039	0.003	35.86	0.33	0.99	0.07	NBR/EPDM/CR
9967	0.059	0.004	0.039	0.003	1.50	0.10	1.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5001610	0.063	0.004	0.039	0.003	1.60	0.10	1.00	0.08	NBR/EPDM/CR
90079	0.077	0.005	0.039	0.003	1.95	0.13	1.00	0.08	NBR/EPDM/CR
5002010	0.079	0.005	0.039	0.003	2.00	0.13	1.00	0.08	NBR/EPDM/CR
5002210	0.087	0.005	0.039	0.003	2.20	0.13	1.00	0.08	NBR/EPDM/CR
5002510	0.098	0.005	0.039	0.003	2.50	0.13	1.00	0.08	NBR/EPDM/CR
5002710	0.106	0.005	0.039	0.003	2.70	0.13	1.00	0.08	NBR/EPDM/CR
90484	0.110	0.005	0.039	0.003	2.79	0.13	1.00	0.08	NBR/EPDM/CR
5003010	0.118	0.005	0.039	0.003	3.00	0.13	1.00	0.08	NBR/EPDM/CR
9914	0.138	0.006	0.039	0.003	3.50	0.15	1.00	0.08	NBR/EPDM/CR
9029	0.157	0.005	0.039	0.003	4.00	0.13	1.00	0.08	NBR/EPDM/CR
5004510	0.177	0.005	0.039	0.003	4.50	0.13	1.00	0.08	NBR/EPDM/CR
5004710	0.185	0.005	0.039	0.003	4.70	0.13	1.00	0.08	NBR/EPDM/CR
90098	0.197	0.005	0.039	0.003	5.00	0.13	1.00	0.08	NBR/EPDM/CR
9600	0.217	0.005	0.039	0.003	5.50	0.13	1.00	0.08	NBR/EPDM/CR
5006010	0.236	0.005	0.039	0.003	6.00	0.13	1.00	0.08	NBR/EPDM/CR
9658	0.236	0.005	0.039	0.003	6.00	0.13	1.00	0.08	NBR/EPDM/CR
5007010	0.276	0.005	0.039	0.003	7.00	0.13	1.00	0.08	NBR/EPDM/CR
5007510	0.295	0.005	0.039	0.003	7.50	0.13	1.00	0.08	NBR/EPDM/CR
9414	0.315	0.005	0.039	0.003	8.00	0.13	1.00	0.08	NBR/EPDM/CR
5008510	0.335	0.005	0.039	0.003	8.50	0.13	1.00	0.08	NBR/EPDM/CR
5009010	0.354	0.005	0.039	0.003	9.00	0.13	1.00	0.08	NBR/EPDM/CR
5010010	0.394	0.005	0.039	0.003	10.00	0.13	1.00	0.08	NBR/EPDM/CR
5011010	0.433	0.005	0.039	0.003	11.00	0.13	1.00	0.08	NBR/EPDM/CR
5011510	0.453	0.005	0.039	0.003	11.50	0.13	1.00	0.08	NBR/EPDM/CR
90210	0.472	0.006	0.039	0.003	12.00	0.14	1.00	0.08	NBR/EPDM/CR
9085	0.488	0.006	0.039	0.003	12.40	0.15	1.00	0.07	NBR/EPDM/CR
5012510	0.492	0.005	0.039	0.003	12.50	0.13	1.00	0.08	NBR/EPDM/CR
90099	0.512	0.005	0.039	0.003	13.00	0.13	1.00	0.08	NBR/EPDM/CR
5013510	0.531	0.005	0.039	0.003	13.50	0.13	1.00	0.08	NBR/EPDM/CR
5014010	0.551	0.005	0.039	0.003	14.00	0.13	1.00	0.08	NBR/EPDM/CR
5015010	0.591	0.007	0.039	0.003	15.00	0.18	1.00	0.08	NBR/EPDM/CR
5015510	0.610	0.009	0.039	0.003	15.50	0.23	1.00	0.08	NBR/EPDM/CR
5016010	0.630	0.009	0.039	0.003	16.00	0.23	1.00	0.08	NBR/EPDM/CR
5016510	0.650	0.009	0.039	0.003	16.50	0.23	1.00	0.08	NBR/EPDM/CR
5017010	0.669	0.009	0.039	0.003	17.00	0.23	1.00	0.08	NBR/EPDM/CR
5018010	0.709	0.009	0.039	0.003	18.00	0.23	1.00	0.08	NBR/EPDM/CR
5018510	0.728	0.009	0.039	0.003	18.50	0.23	1.00	0.08	NBR/EPDM/CR
5019010	0.748	0.009	0.039	0.003	19.00	0.23	1.00	0.08	NBR/EPDM/CR
9481	0.787	0.006	0.039	0.003	20.00	0.15	1.00	0.08	NBR/EPDM/CR
5022010	0.866	0.010	0.039	0.003	22.00	0.25	1.00	0.08	NBR/EPDM/CR
5024010	0.945	0.010	0.039	0.003	24.00	0.25	1.00	0.08	NBR/EPDM/CR
5025010	0.984	0.010	0.039	0.003	25.00	0.25	1.00	0.08	NBR/EPDM/CR
5026010	1.024	0.010	0.039	0.003	26.00	0.25	1.00	0.08	NBR/EPDM/CR
5027010	1.063	0.010	0.039	0.003	27.00	0.25	1.00	0.08	NBR/EPDM/CR
5028010	1.102	0.010	0.039	0.003	28.00	0.25	1.00	0.08	NBR/EPDM/CR
5029010	1.142	0.010	0.039	0.003	29.00	0.25	1.00	0.08	NBR/EPDM/CR
5029910	1.177	0.012	0.039	0.003	29.90	0.30	1.00	0.08	NBR/EPDM/CR
5030010	1.181	0.012	0.039	0.003	30.00	0.30	1.00	0.08	NBR/EPDM/CR
5030510	1.201	0.012	0.039	0.003	30.50	0.30	1.00	0.08	NBR/EPDM/CR
5031010	1.220	0.012	0.039	0.003	31.00	0.30	1.00	0.08	NBR/EPDM/CR
5032010	1.260	0.012	0.039	0.003	32.00	0.30	1.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5033010	1.299	0.012	0.039	0.003	33.00	0.30	1.00	0.08	NBR/EPDM/CR
5034010	1.339	0.012	0.039	0.003	34.00	0.30	1.00	0.08	NBR/EPDM/CR
5035010	1.378	0.013	0.039	0.003	35.00	0.33	1.00	0.08	NBR/EPDM/CR
5036010	1.417	0.013	0.039	0.003	36.00	0.33	1.00	0.08	NBR/EPDM/CR
5036510	1.437	0.013	0.039	0.003	36.50	0.33	1.00	0.08	NBR/EPDM/CR
5037010	1.457	0.013	0.039	0.003	37.00	0.33	1.00	0.08	NBR/EPDM/CR
5038010	1.496	0.015	0.039	0.003	38.00	0.38	1.00	0.08	NBR/EPDM/CR
5039010	1.535	0.015	0.039	0.003	39.00	0.38	1.00	0.08	NBR/EPDM/CR
5040010	1.575	0.015	0.039	0.003	40.00	0.38	1.00	0.08	NBR/EPDM/CR
5041010	1.614	0.015	0.039	0.003	41.00	0.38	1.00	0.08	NBR/EPDM/CR
5042010	1.654	0.015	0.039	0.003	42.00	0.38	1.00	0.08	NBR/EPDM/CR
5043010	1.693	0.015	0.039	0.003	43.00	0.38	1.00	0.08	NBR/EPDM/CR
5045010	1.772	0.015	0.039	0.003	45.00	0.38	1.00	0.08	NBR/EPDM/CR
5046010	1.811	0.015	0.039	0.003	46.00	0.38	1.00	0.08	NBR/EPDM/CR
5047010	1.850	0.015	0.039	0.003	47.00	0.38	1.00	0.08	NBR/EPDM/CR
5048010	1.890	0.015	0.039	0.003	48.00	0.38	1.00	0.08	NBR/EPDM/CR
5049010	1.929	0.018	0.039	0.003	49.00	0.46	1.00	0.08	NBR/EPDM/CR
5050010	1.969	0.018	0.039	0.003	50.00	0.46	1.00	0.08	NBR/EPDM/CR
5052010	2.047	0.018	0.039	0.003	52.00	0.46	1.00	0.08	NBR/EPDM/CR
5054010	2.126	0.018	0.039	0.003	54.00	0.46	1.00	0.08	NBR/EPDM/CR
5055010	2.165	0.018	0.039	0.003	55.00	0.46	1.00	0.08	NBR/EPDM/CR
5056010	2.205	0.018	0.039	0.003	56.00	0.46	1.00	0.08	NBR/EPDM/CR
5057010	2.244	0.018	0.039	0.003	57.00	0.46	1.00	0.08	NBR/EPDM/CR
5057510	2.264	0.018	0.039	0.003	57.50	0.46	1.00	0.08	NBR/EPDM/CR
5058010	2.283	0.018	0.039	0.003	58.00	0.46	1.00	0.08	NBR/EPDM/CR
9878	2.362	0.018	0.039	0.003	60.00	0.46	1.00	0.08	NBR/EPDM/CR
5061010	2.402	0.020	0.039	0.003	61.00	0.51	1.00	0.08	NBR/EPDM/CR
5062010	2.441	0.020	0.039	0.003	62.00	0.51	1.00	0.08	NBR/EPDM/CR
5063010	2.480	0.020	0.039	0.003	63.00	0.51	1.00	0.08	NBR/EPDM/CR
5064010	2.520	0.020	0.039	0.003	64.00	0.51	1.00	0.08	NBR/EPDM/CR
5065010	2.559	0.020	0.039	0.003	65.00	0.51	1.00	0.08	NBR/EPDM/CR
5068010	2.677	0.020	0.039	0.003	68.00	0.51	1.00	0.08	NBR/EPDM/CR
5070010	2.756	0.020	0.039	0.003	70.00	0.51	1.00	0.08	NBR/EPDM/CR
5071010	2.795	0.022	0.039	0.003	71.00	0.56	1.00	0.08	NBR/EPDM/CR
5072010	2.835	0.022	0.039	0.003	72.00	0.56	1.00	0.08	NBR/EPDM/CR
5075010	2.953	0.024	0.039	0.003	75.00	0.61	1.00	0.08	NBR/EPDM/CR
5076010	2.992	0.024	0.039	0.003	76.00	0.61	1.00	0.08	NBR/EPDM/CR
5077010	3.031	0.024	0.039	0.003	77.00	0.61	1.00	0.08	NBR/EPDM/CR
5078010	3.071	0.024	0.039	0.003	78.00	0.61	1.00	0.08	NBR/EPDM/CR
5078610	3.094	0.024	0.039	0.003	78.60	0.61	1.00	0.08	NBR/EPDM/CR
5082010	3.228	0.024	0.039	0.003	82.00	0.61	1.00	0.08	NBR/EPDM/CR
5083010	3.268	0.024	0.039	0.003	83.00	0.61	1.00	0.08	NBR/EPDM/CR
5085010	3.346	0.024	0.039	0.003	85.00	0.61	1.00	0.08	NBR/EPDM/CR
5088010	3.465	0.024	0.039	0.003	88.00	0.61	1.00	0.08	NBR/EPDM/CR
5090010	3.543	0.025	0.039	0.003	90.00	0.64	1.00	0.08	NBR/EPDM/CR
5094010	3.701	0.028	0.039	0.003	94.00	0.71	1.00	0.08	NBR/EPDM/CR
5095010	3.740	0.028	0.039	0.003	95.00	0.71	1.00	0.08	NBR/EPDM/CR
5098010	3.858	0.028	0.039	0.003	98.00	0.71	1.00	0.08	NBR/EPDM/CR
5100010	3.937	0.028	0.039	0.003	100.00	0.71	1.00	0.08	NBR/EPDM/CR
5106010	4.173	0.030	0.039	0.003	106.00	0.76	1.00	0.08	NBR/EPDM/CR
5115010	4.528	0.030	0.039	0.003	115.00	0.76	1.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5130010	5.118	0.037	0.039	0.003	130.00	0.94	1.00	0.08	NBR/EPDM/CR
5150010	5.906	0.037	0.039	0.003	150.00	0.94	1.00	0.08	NBR/EPDM/CR
5190010	7.480	0.045	0.039	0.003	190.00	1.14	1.00	0.08	NBR/EPDM/CR
90230	0.057	0.004	0.040	0.003	1.44	0.10	1.01	0.08	NBR/EPDM/CR
90256	0.070	0.005	0.040	0.003	1.78	0.13	1.02	0.08	NBR/EPDM/CR
9044	0.070		0.040		1.78		1.02		NBR/EPDM/CR
9285	0.120	0.005	0.040	0.003	3.05	0.13	1.02	0.08	NBR/EPDM/CR
90291	0.176	0.005	0.040	0.003	4.47	0.13	1.02	0.08	NBR/EPDM/CR
9421	0.180	0.005	0.040	0.003	4.57	0.13	1.02	0.08	NBR/EPDM/CR
90300	0.226	0.005	0.040	0.003	5.74	0.13	1.02	0.08	NBR/EPDM/CR
9148	0.242	0.006	0.040	0.003	6.15	0.15	1.02	0.08	NBR/EPDM/CR
90416	0.327	0.005	0.040	0.003	8.31	0.13	1.02	0.08	NBR/EPDM/CR
90417	0.440	0.005	0.040	0.003	11.18	0.13	1.02	0.08	NBR/EPDM/CR
9026	0.583	0.005	0.040	0.003	14.81	0.13	1.02	0.08	NBR/EPDM/CR
9009	1.425		0.040		36.19		1.02		NBR/EPDM/CR
9137	1.750	0.015	0.040	0.003	44.45	0.38	1.02	0.08	NBR/EPDM/CR
90375	2.550	0.020	0.040	0.003	64.77	0.51	1.02	0.08	NBR/EPDM/CR
9144	3.515	0.024	0.040	0.003	89.28	0.61	1.02	0.08	NBR/EPDM/CR
9749	0.490	0.005	0.041	0.003	12.45	0.13	1.04	0.08	NBR/EPDM/CR
90377	0.053	0.004	0.043	0.003	1.35	0.10	1.10	0.08	NBR/EPDM/CR
5001611	0.063	0.004	0.043	0.003	1.60	0.10	1.10	0.08	NBR/EPDM/CR
9120	0.110	0.005	0.043	0.003	2.80	0.12	1.10	0.07	NBR/EPDM/CR
9358	0.157	0.005	0.043	0.003	4.00	0.13	1.10	0.08	NBR/EPDM/CR
9411	0.425	0.006	0.043	0.003	10.80	0.15	1.10	0.07	NBR/EPDM/CR
9434	0.591		0.043	0.004	15.00		1.10	0.10	NBR/EPDM/CR
5017011	0.669	0.009	0.043	0.003	17.00	0.23	1.10	0.08	NBR/EPDM/CR
5096011	3.780	0.028	0.043	0.003	96.00	0.71	1.10	0.08	NBR/EPDM/CR
90415	0.277	0.005	0.044	0.003	7.04	0.13	1.12	0.08	NBR/EPDM/CR
9772	0.300	0.005	0.045	0.003	7.62	0.13	1.14	0.08	NBR/EPDM/CR
90050	0.301	0.005	0.045	0.003	7.65	0.13	1.14	0.08	NBR/EPDM/CR
9138	0.346	0.005	0.045	0.003	8.79	0.13	1.14	0.08	NBR/EPDM/CR
9250	0.156	0.005	0.045	0.003	3.97	0.13	1.15	0.08	NBR/EPDM/CR
9317	0.354		0.045		9.00		1.15		NBR/EPDM/CR
9084	0.638	0.004	0.045	0.003	16.20	0.10	1.15	0.07	NBR/EPDM/CR
9492	0.281	0.005	0.046	0.003	7.14	0.13	1.17	0.08	NBR/EPDM/CR
90335	0.070	0.005	0.047	0.003	1.78	0.13	1.19	0.08	NBR/EPDM/CR
9113	0.141	0.006	0.047	0.003	3.58	0.15	1.19	0.08	NBR/EPDM/CR
9060	0.244	0.005	0.047	0.003	6.20	0.13	1.19	0.08	NBR/EPDM/CR
9002	1.450		0.047		36.83		1.19		NBR/EPDM/CR
90045	1.453		0.047	0.003	36.91		1.19	0.08	NBR/EPDM/CR
9552	3.360	0.024	0.047	0.003	85.34	0.61	1.19	0.08	NBR/EPDM/CR
9773	0.049	0.004	0.047	0.003	1.25	0.10	1.20	0.08	NBR/EPDM/CR
90237	0.098	0.005	0.047	0.003	2.50	0.13	1.20	0.08	NBR/EPDM/CR
5004012	0.157	0.005	0.047	0.003	4.00	0.13	1.20	0.08	NBR/EPDM/CR
9789	0.170	0.005	0.047	0.003	4.32	0.13	1.20	0.08	NBR/EPDM/CR
5005012	0.197	0.005	0.047	0.003	5.00	0.13	1.20	0.08	NBR/EPDM/CR
5005512	0.217	0.004	0.047	0.003	5.50	0.10	1.20	0.08	NBR/EPDM/CR
90545	0.229	0.005	0.047	0.003	5.82	0.13	1.20	0.08	NBR/EPDM/CR
5006612	0.260	0.005	0.047	0.003	6.60	0.13	1.20	0.08	NBR/EPDM/CR
5007012	0.276	0.005	0.047	0.003	7.00	0.13	1.20	0.08	NBR/EPDM/CR
5007312	0.287	0.005	0.047	0.003	7.30	0.13	1.20	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5007612	0.299	0.005	0.047	0.003	7.60	0.13	1.20	0.08	NBR/EPDM/CR
5011012	0.433	0.005	0.047	0.003	11.00	0.13	1.20	0.08	NBR/EPDM/CR
5012012	0.472	0.005	0.047	0.003	12.00	0.13	1.20	0.08	NBR/EPDM/CR
9825	0.551	0.007	0.047	0.003	14.00	0.18	1.20	0.08	NBR/EPDM/CR
5022012	0.866	0.009	0.047	0.003	22.00	0.23	1.20	0.08	NBR/EPDM/CR
5023012	0.906	0.010	0.047	0.003	23.00	0.25	1.20	0.08	NBR/EPDM/CR
5024012	0.945	0.010	0.047	0.003	24.00	0.25	1.20	0.08	NBR/EPDM/CR
90397	1.102		0.047		28.00		1.20		NBR/EPDM/CR
5029512	1.161	0.011	0.047	0.003	29.50	0.28	1.20	0.08	NBR/EPDM/CR
5030012	1.181	0.012	0.047	0.003	30.00	0.30	1.20	0.08	NBR/EPDM/CR
5033012	1.299	0.012	0.047	0.003	33.00	0.30	1.20	0.08	NBR/EPDM/CR
5035012	1.378	0.013	0.047	0.003	35.00	0.33	1.20	0.08	NBR/EPDM/CR
5036812	1.449	0.013	0.047	0.003	36.80	0.33	1.20	0.08	NBR/EPDM/CR
5040012	1.575	0.015	0.047	0.003	40.00	0.38	1.20	0.08	NBR/EPDM/CR
5045012	1.772	0.015	0.047	0.003	45.00	0.38	1.20	0.08	NBR/EPDM/CR
5048012	1.890	0.015	0.047	0.003	48.00	0.38	1.20	0.08	NBR/EPDM/CR
5051012	2.008	0.018	0.047	0.003	51.00	0.46	1.20	0.08	NBR/EPDM/CR
9271	0.248		0.048		6.30		1.22		NBR/EPDM/CR
9286	0.248	0.006	0.048	0.003	6.30	0.15	1.22	0.08	NBR/EPDM/CR
9018	0.508		0.049		12.90		1.24		NBR/EPDM/CR
9462	1.080	0.010	0.049	0.003	27.43	0.25	1.24	0.08	NBR/EPDM/CR
90382	0.031	0.004	0.049	0.003	0.80	0.10	1.25	0.08	NBR/EPDM/CR
9803	0.114		0.049	0.003	2.90		1.25	0.08	NBR/EPDM/CR
90626	0.118	0.005	0.049	0.003	3.00	0.13	1.25	0.08	NBR/EPDM/CR
90261	0.150	0.005	0.049	0.003	3.80	0.13	1.25	0.08	NBR/EPDM/CR
90328	0.197	0.005	0.049	0.003	5.00	0.13	1.25	0.08	NBR/EPDM/CR
90292	0.315	0.005	0.049	0.003	8.00	0.13	1.25	0.08	NBR/EPDM/CR
90458	0.429	0.005	0.049	0.003	10.90	0.13	1.25	0.08	NBR/EPDM/CR
90251	0.512	0.007	0.049	0.003	13.00	0.18	1.25	0.08	NBR/EPDM/CR
90276	0.551	0.007	0.049	0.003	14.00	0.18	1.25	0.08	NBR/EPDM/CR
90281	0.630	0.009	0.049	0.003	16.00	0.23	1.25	0.08	NBR/EPDM/CR
90228	0.886	0.009	0.049	0.003	22.50	0.23	1.25	0.08	NBR/EPDM/CR
9159	0.128	0.004	0.050	0.003	3.25	0.10	1.27	0.08	NBR/EPDM/CR
9162	0.154	0.005	0.050	0.003	3.91	0.13	1.27	0.08	NBR/EPDM/CR
9388	0.176	0.005	0.050	0.003	4.47	0.13	1.27	0.08	NBR/EPDM/CR
9136	0.209		0.050		5.31		1.27		NBR/EPDM/CR
9444	0.228	0.005	0.050	0.003	5.79	0.13	1.27	0.08	NBR/EPDM/CR
90507	0.382	0.005	0.050	0.003	9.70	0.13	1.27	0.08	NBR/EPDM/CR
90075	0.426	0.005	0.050	0.006	10.82	0.13	1.27	0.15	NBR/EPDM/CR
9748	0.720	0.009	0.050	0.003	18.29	0.23	1.27	0.08	NBR/EPDM/CR
90154	1.100	0.010	0.050	0.003	27.94	0.25	1.27	0.08	NBR/EPDM/CR
9324	1.484	0.010	0.050	0.003	37.69	0.25	1.27	0.08	NBR/EPDM/CR
9189	2.974	0.028	0.050	0.004	75.54	0.71	1.27	0.10	NBR/EPDM/CR
9241	0.661		0.051		16.79		1.29		NBR/EPDM/CR
5002013	0.079	0.005	0.051	0.003	2.00	0.13	1.30	0.08	NBR/EPDM/CR
5002613	0.102	0.005	0.051	0.003	2.60	0.13	1.30	0.08	NBR/EPDM/CR
5003413	0.134	0.005	0.051	0.003	3.40	0.13	1.30	0.08	NBR/EPDM/CR
9082	0.169	0.005	0.051	0.003	4.30	0.12	1.30	0.07	NBR/EPDM/CR
9431	0.173		0.051		4.40		1.30		NBR/EPDM/CR
9123	0.197	0.005	0.051	0.003	5.00	0.12	1.30	0.07	NBR/EPDM/CR
9953	0.197	0.005	0.051	0.003	5.00	0.12	1.30	0.07	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9410	0.224	0.005	0.051	0.003	5.70	0.12	1.30	0.07	NBR/EPDM/CR
9443	0.240	0.005	0.051	0.003	6.10	0.12	1.30	0.07	NBR/EPDM/CR
5007613	0.299	0.005	0.051	0.003	7.60	0.13	1.30	0.08	NBR/EPDM/CR
9122	0.354	0.005	0.051	0.003	9.00	0.12	1.30	0.07	NBR/EPDM/CR
5010013	0.394	0.005	0.051	0.003	10.00	0.13	1.30	0.08	NBR/EPDM/CR
9182	0.417	0.005	0.051	0.003	10.60	0.12	1.30	0.07	NBR/EPDM/CR
5011013	0.433	0.005	0.051	0.003	11.00	0.13	1.30	0.08	NBR/EPDM/CR
5013013	0.512	0.005	0.051	0.003	13.00	0.13	1.30	0.08	NBR/EPDM/CR
9080	0.559	0.005	0.051	0.003	14.20	0.12	1.30	0.07	NBR/EPDM/CR
9437	0.563		0.051	0.003	14.30		1.30	0.07	NBR/EPDM/CR
5018013	0.709	0.009	0.051	0.003	18.00	0.23	1.30	0.08	NBR/EPDM/CR
5020013	0.787	0.009	0.051	0.003	20.00	0.23	1.30	0.08	NBR/EPDM/CR
9130	0.882		0.051		22.40		1.30		NBR/EPDM/CR
5028013	1.102	0.010	0.051	0.003	28.00	0.25	1.30	0.08	NBR/EPDM/CR
5031513	1.240	0.012	0.051	0.003	31.50	0.30	1.30	0.08	NBR/EPDM/CR
90158	1.287		0.051		32.70		1.30		NBR/EPDM/CR
9777	3.240	0.024	0.052	0.003	82.30	0.61	1.32	0.08	NBR/EPDM/CR
90331	0.235	0.005	0.053	0.003	5.97	0.13	1.35	0.08	NBR/EPDM/CR
9356	0.106	0.005	0.054	0.003	2.69	0.13	1.37	0.08	NBR/EPDM/CR
90414	0.158	0.005	0.054	0.003	4.01	0.13	1.37	0.08	NBR/EPDM/CR
9301	0.290	0.005	0.054	0.003	7.36	0.13	1.37	0.08	NBR/EPDM/CR
9739	0.413	0.006	0.055	0.003	10.50	0.15	1.39	0.07	NBR/EPDM/CR
90330	0.215	0.005	0.055	0.003	5.46	0.13	1.40	0.08	NBR/EPDM/CR
5010014	0.394	0.005	0.055	0.003	10.00	0.13	1.40	0.08	NBR/EPDM/CR
9760	0.453	0.005	0.055	0.003	11.50	0.13	1.40	0.08	NBR/EPDM/CR
9051	0.530	0.007	0.055	0.003	13.46	0.18	1.40	0.08	NBR/EPDM/CR
9036	1.000		0.055		25.40		1.40		NBR/EPDM/CR
90358	0.176		0.056		4.47		1.42		NBR/EPDM/CR
901	0.185	0.005	0.056	0.003	4.70	0.13	1.42	0.08	NBR/EPDM/CR
9371	0.447		0.056		11.35		1.43		NBR/EPDM/CR
9964	0.220	0.005	0.057	0.003	5.59	0.13	1.44	0.08	NBR/EPDM/CR
9415	0.593	0.009	0.057	0.003	15.05	0.23	1.45	0.08	NBR/EPDM/CR
90406	0.713	0.008	0.057	0.003	18.10	0.20	1.45	0.08	NBR/EPDM/CR
9373	0.178	0.005	0.058	0.003	4.52	0.13	1.47	0.08	NBR/EPDM/CR
9584	0.906	0.008	0.058	0.003	23.00	0.20	1.48	0.07	NBR/EPDM/CR
5001015	0.039	0.004	0.059	0.003	1.00	0.10	1.50	0.08	NBR/EPDM/CR
5001515	0.059	0.004	0.059	0.003	1.50	0.10	1.50	0.08	NBR/EPDM/CR
90082	0.059	0.004	0.059	0.003	1.50	0.10	1.50	0.08	NBR/EPDM/CR
90513	0.073	0.005	0.059	0.003	1.85	0.13	1.50	0.08	NBR/EPDM/CR
5002715	0.106	0.005	0.059	0.003	2.70	0.13	1.50	0.08	NBR/EPDM/CR
5002815	0.110	0.005	0.059	0.003	2.80	0.13	1.50	0.08	NBR/EPDM/CR
90091	0.118	0.005	0.059	0.003	3.00	0.13	1.50	0.08	NBR/EPDM/CR
9249	0.156	0.005	0.059	0.003	3.96	0.13	1.50	0.08	NBR/EPDM/CR
5004015	0.157	0.005	0.059	0.003	4.00	0.13	1.50	0.08	NBR/EPDM/CR
5004315	0.169	0.005	0.059	0.003	4.30	0.13	1.50	0.08	NBR/EPDM/CR
5004815	0.189	0.005	0.059	0.003	4.80	0.13	1.50	0.08	NBR/EPDM/CR
5005015	0.197	0.005	0.059	0.003	5.00	0.13	1.50	0.08	NBR/EPDM/CR
9071	0.197		0.059		5.00		1.50		NBR/EPDM/CR
9636	0.197	0.005	0.059	0.003	5.00	0.13	1.50	0.08	NBR/EPDM/CR
5005815	0.228	0.005	0.059	0.003	5.80	0.13	1.50	0.08	NBR/EPDM/CR
9630	0.236	0.005	0.059	0.003	6.00	0.13	1.50	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9875	0.256	0.005	0.059	0.003	6.50	0.13	1.50	0.08	NBR/EPDM/CR
9041	0.276		0.059		7.01		1.50		NBR/EPDM/CR
9327	0.276	0.005	0.059	0.003	7.00	0.13	1.50	0.08	NBR/EPDM/CR
5008015	0.315	0.005	0.059	0.003	8.00	0.13	1.50	0.08	NBR/EPDM/CR
9037	0.346		0.059		8.79		1.50		NBR/EPDM/CR
5009015	0.354	0.005	0.059	0.003	9.00	0.13	1.50	0.08	NBR/EPDM/CR
9338	0.354	0.005	0.059	0.003	8.99	0.13	1.50	0.08	NBR/EPDM/CR
5009815	0.386	0.005	0.059	0.003	9.80	0.13	1.50	0.08	NBR/EPDM/CR
5010015	0.394	0.005	0.059	0.003	10.00	0.13	1.50	0.08	NBR/EPDM/CR
5010515	0.413	0.005	0.059	0.003	10.50	0.13	1.50	0.08	NBR/EPDM/CR
5011015	0.433	0.005	0.059	0.003	11.00	0.13	1.50	0.08	NBR/EPDM/CR
5012515	0.492	0.007	0.059	0.003	12.50	0.18	1.50	0.08	NBR/EPDM/CR
9030	0.512	0.005	0.059	0.003	13.00	0.13	1.50	0.08	NBR/EPDM/CR
5014015	0.551	0.007	0.059	0.003	14.00	0.18	1.50	0.08	NBR/EPDM/CR
5015015	0.591	0.005	0.059	0.003	15.00	0.13	1.50	0.08	NBR/EPDM/CR
9017	0.610	0.009	0.059	0.003	15.49	0.23	1.50	0.08	NBR/EPDM/CR
5016015	0.630	0.009	0.059	0.003	16.00	0.23	1.50	0.08	NBR/EPDM/CR
5016515	0.650	0.009	0.059	0.003	16.50	0.23	1.50	0.08	NBR/EPDM/CR
5017015	0.669	0.009	0.059	0.003	17.00	0.23	1.50	0.08	NBR/EPDM/CR
9576	0.689	0.005	0.059	0.003	17.50	0.12	1.50	0.07	NBR/EPDM/CR
5018015	0.709	0.005	0.059	0.003	18.00	0.13	1.50	0.08	NBR/EPDM/CR
5018515	0.728	0.009	0.059	0.003	18.50	0.23	1.50	0.08	NBR/EPDM/CR
5019015	0.748	0.009	0.059	0.003	19.00	0.23	1.50	0.08	NBR/EPDM/CR
9961	0.762	0.009	0.059	0.003	19.36	0.23	1.50	0.08	NBR/EPDM/CR
5019515	0.768	0.009	0.059	0.003	19.50	0.23	1.50	0.08	NBR/EPDM/CR
9052	0.768	0.009	0.059	0.003	19.51	0.23	1.50	0.08	NBR/EPDM/CR
5020015	0.787	0.009	0.059	0.003	20.00	0.23	1.50	0.08	NBR/EPDM/CR
9070	0.787		0.059		19.99		1.50		NBR/EPDM/CR
5020515	0.807	0.010	0.059	0.003	20.50	0.25	1.50	0.08	NBR/EPDM/CR
5021015	0.827	0.010	0.059	0.003	21.00	0.25	1.50	0.08	NBR/EPDM/CR
9078	0.850	0.009	0.059	0.003	21.59	0.23	1.50	0.08	NBR/EPDM/CR
5022015	0.866	0.010	0.059	0.003	22.00	0.25	1.50	0.08	NBR/EPDM/CR
90396	0.866		0.059		22.00		1.50		NBR/EPDM/CR
9280	0.886		0.059	0.003	22.50		1.50	0.08	NBR/EPDM/CR
5023015	0.906	0.010	0.059	0.003	23.00	0.25	1.50	0.08	NBR/EPDM/CR
5023515	0.925	0.010	0.059	0.003	23.50	0.25	1.50	0.08	NBR/EPDM/CR
5024015	0.945	0.010	0.059	0.003	24.00	0.25	1.50	0.08	NBR/EPDM/CR
5024515	0.965	0.010	0.059	0.003	24.50	0.25	1.50	0.08	NBR/EPDM/CR
5024815	0.976	0.010	0.059	0.003	24.80	0.25	1.50	0.08	NBR/EPDM/CR
5025015	0.984	0.010	0.059	0.003	25.00	0.25	1.50	0.08	NBR/EPDM/CR
9281	1.003		0.059	0.003	25.48		1.50	0.08	NBR/EPDM/CR
5025515	1.004	0.010	0.059	0.003	25.50	0.25	1.50	0.08	NBR/EPDM/CR
5026015	1.024	0.010	0.059	0.003	26.00	0.25	1.50	0.08	NBR/EPDM/CR
5026515	1.043	0.010	0.059	0.003	26.50	0.25	1.50	0.08	NBR/EPDM/CR
5027015	1.063	0.010	0.059	0.003	27.00	0.25	1.50	0.08	NBR/EPDM/CR
5027515	1.083	0.010	0.059	0.003	27.50	0.25	1.50	0.08	NBR/EPDM/CR
5028015	1.102	0.010	0.059	0.003	28.00	0.25	1.50	0.08	NBR/EPDM/CR
5028515	1.122	0.010	0.059	0.003	28.50	0.25	1.50	0.08	NBR/EPDM/CR
5029015	1.142	0.010	0.059	0.003	29.00	0.25	1.50	0.08	NBR/EPDM/CR
5029515	1.161	0.010	0.059	0.003	29.50	0.25	1.50	0.08	NBR/EPDM/CR
5030015	1.181	0.012	0.059	0.003	30.00	0.30	1.50	0.08	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9066	1.220	0.011	0.059	0.003	30.99	0.28	1.50	0.08	NBR/EPDM/CR
9279	1.240		0.059	0.003	31.50		1.50	0.08	NBR/EPDM/CR
9294	1.260	0.011	0.059	0.003	32.00	0.28	1.50	0.08	NBR/EPDM/CR
9445	1.299	0.011	0.059	0.004	33.00	0.28	1.50	0.10	NBR/EPDM/CR
5034015	1.339	0.012	0.059	0.003	34.00	0.30	1.50	0.08	NBR/EPDM/CR
90395	1.339		0.059		34.00		1.50		NBR/EPDM/CR
5035015	1.378	0.013	0.059	0.003	35.00	0.33	1.50	0.08	NBR/EPDM/CR
9183	1.378		0.059		35.00		1.50		NBR/EPDM/CR
5035515	1.398	0.013	0.059	0.003	35.50	0.33	1.50	0.08	NBR/EPDM/CR
5036015	1.417	0.013	0.059	0.003	36.00	0.33	1.50	0.08	NBR/EPDM/CR
5037015	1.457	0.013	0.059	0.003	37.00	0.33	1.50	0.08	NBR/EPDM/CR
5038015	1.496	0.015	0.059	0.003	38.00	0.38	1.50	0.08	NBR/EPDM/CR
9278	1.555		0.059	0.003	39.50		1.50	0.08	NBR/EPDM/CR
5040015	1.575	0.015	0.059	0.003	40.00	0.38	1.50	0.08	NBR/EPDM/CR
5041015	1.614	0.015	0.059	0.003	41.00	0.38	1.50	0.08	NBR/EPDM/CR
5042015	1.654	0.015	0.059	0.003	42.00	0.38	1.50	0.08	NBR/EPDM/CR
5043015	1.693	0.015	0.059	0.003	43.00	0.38	1.50	0.08	NBR/EPDM/CR
5044015	1.732	0.015	0.059	0.003	44.00	0.38	1.50	0.08	NBR/EPDM/CR
90558	1.732	0.015	0.059	0.003	43.99	0.38	1.50	0.08	NBR/EPDM/CR
5045015	1.772	0.015	0.059	0.003	45.00	0.38	1.50	0.08	NBR/EPDM/CR
5046015	1.811	0.015	0.059	0.003	46.00	0.38	1.50	0.08	NBR/EPDM/CR
5047015	1.850	0.015	0.059	0.003	47.00	0.38	1.50	0.08	NBR/EPDM/CR
5048015	1.890	0.015	0.059	0.003	48.00	0.38	1.50	0.08	NBR/EPDM/CR
5049015	1.929	0.018	0.059	0.003	49.00	0.46	1.50	0.08	NBR/EPDM/CR
9277	1.949		0.059	0.003	49.50		1.50	0.08	NBR/EPDM/CR
5050015	1.969	0.018	0.059	0.003	50.00	0.46	1.50	0.08	NBR/EPDM/CR
5051015	2.008	0.018	0.059	0.003	51.00	0.46	1.50	0.08	NBR/EPDM/CR
5052015	2.047	0.018	0.059	0.003	52.00	0.46	1.50	0.08	NBR/EPDM/CR
5053015	2.087	0.018	0.059	0.003	53.00	0.46	1.50	0.08	NBR/EPDM/CR
5054015	2.126	0.018	0.059	0.003	54.00	0.46	1.50	0.08	NBR/EPDM/CR
5055015	2.165	0.018	0.059	0.003	55.00	0.46	1.50	0.08	NBR/EPDM/CR
5056015	2.205	0.018	0.059	0.003	56.00	0.46	1.50	0.08	NBR/EPDM/CR
5057015	2.244	0.018	0.059	0.003	57.00	0.46	1.50	0.08	NBR/EPDM/CR
5058015	2.283	0.018	0.059	0.003	58.00	0.46	1.50	0.08	NBR/EPDM/CR
5059015	2.323	0.018	0.059	0.003	59.00	0.46	1.50	0.08	NBR/EPDM/CR
5060015	2.362	0.020	0.059	0.003	60.00	0.51	1.50	0.08	NBR/EPDM/CR
5061015	2.402	0.020	0.059	0.003	61.00	0.51	1.50	0.08	NBR/EPDM/CR
5062015	2.441	0.020	0.059	0.003	62.00	0.51	1.50	0.08	NBR/EPDM/CR
9276	2.460		0.059	0.003	62.48		1.50	0.08	NBR/EPDM/CR
5063015	2.480	0.020	0.059	0.003	63.00	0.51	1.50	0.08	NBR/EPDM/CR
5064015	2.520	0.020	0.059	0.003	64.00	0.51	1.50	0.08	NBR/EPDM/CR
5066015	2.598	0.020	0.059	0.003	66.00	0.51	1.50	0.08	NBR/EPDM/CR
5067015	2.638	0.020	0.059	0.003	67.00	0.51	1.50	0.08	NBR/EPDM/CR
5068015	2.677	0.020	0.059	0.003	68.00	0.51	1.50	0.08	NBR/EPDM/CR
5069015	2.717	0.020	0.059	0.003	69.00	0.51	1.50	0.08	NBR/EPDM/CR
5070015	2.756	0.020	0.059	0.003	70.00	0.51	1.50	0.08	NBR/EPDM/CR
5071015	2.795	0.022	0.059	0.003	71.00	0.56	1.50	0.08	NBR/EPDM/CR
5071515	2.815	0.022	0.059	0.003	71.50	0.56	1.50	0.08	NBR/EPDM/CR
5072015	2.835	0.022	0.059	0.003	72.00	0.56	1.50	0.08	NBR/EPDM/CR
5073015	2.874	0.022	0.059	0.003	73.00	0.56	1.50	0.08	NBR/EPDM/CR
5074015	2.913	0.024	0.059	0.003	74.00	0.60	1.50	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5075015	2.953	0.024	0.059	0.003	75.00	0.61	1.50	0.08	NBR/EPDM/CR
5076015	2.992	0.024	0.059	0.003	76.00	0.61	1.50	0.08	NBR/EPDM/CR
5077015	3.031	0.024	0.059	0.003	77.00	0.61	1.50	0.08	NBR/EPDM/CR
5078015	3.071	0.024	0.059	0.003	78.00	0.61	1.50	0.08	NBR/EPDM/CR
5079015	3.110	0.024	0.059	0.003	79.00	0.61	1.50	0.08	NBR/EPDM/CR
5080015	3.150	0.024	0.059	0.003	80.00	0.61	1.50	0.08	NBR/EPDM/CR
5081015	3.189	0.024	0.059	0.003	81.00	0.61	1.50	0.08	NBR/EPDM/CR
5083015	3.268	0.024	0.059	0.003	83.00	0.61	1.50	0.08	NBR/EPDM/CR
5084015	3.307	0.024	0.059	0.003	84.00	0.61	1.50	0.08	NBR/EPDM/CR
5085015	3.346	0.024	0.059	0.003	85.00	0.61	1.50	0.08	NBR/EPDM/CR
5086015	3.386	0.024	0.059	0.003	86.00	0.61	1.50	0.08	NBR/EPDM/CR
5088015	3.465	0.024	0.059	0.003	88.00	0.61	1.50	0.08	NBR/EPDM/CR
5089015	3.504	0.025	0.059	0.003	89.00	0.64	1.50	0.08	NBR/EPDM/CR
5090015	3.543	0.025	0.059	0.003	90.00	0.64	1.50	0.08	NBR/EPDM/CR
5091015	3.583	0.028	0.059	0.003	91.00	0.71	1.50	0.08	NBR/EPDM/CR
5092015	3.622	0.028	0.059	0.003	92.00	0.71	1.50	0.08	NBR/EPDM/CR
5095015	3.740	0.028	0.059	0.003	95.00	0.71	1.50	0.08	NBR/EPDM/CR
5096015	3.780	0.028	0.059	0.003	96.00	0.71	1.50	0.08	NBR/EPDM/CR
5097015	3.819	0.028	0.059	0.003	97.00	0.71	1.50	0.08	NBR/EPDM/CR
5098015	3.858	0.028	0.059	0.003	98.00	0.71	1.50	0.08	NBR/EPDM/CR
5099015	3.898	0.028	0.059	0.003	99.00	0.71	1.50	0.08	NBR/EPDM/CR
5100015	3.937	0.028	0.059	0.003	100.00	0.71	1.50	0.08	NBR/EPDM/CR
5102015	4.016	0.028	0.059	0.003	102.00	0.71	1.50	0.08	NBR/EPDM/CR
5103015	4.055	0.028	0.059	0.003	103.00	0.71	1.50	0.08	NBR/EPDM/CR
5105015	4.134	0.028	0.059	0.003	105.00	0.71	1.50	0.08	NBR/EPDM/CR
5110015	4.331	0.030	0.059	0.031	110.00	0.76	1.50	0.80	NBR/EPDM/CR
5112015	4.409	0.030	0.059	0.003	112.00	0.76	1.50	0.08	NBR/EPDM/CR
5115015	4.528	0.030	0.059	0.003	115.00	0.76	1.50	0.08	NBR/EPDM/CR
5116015	4.567	0.030	0.059	0.003	116.00	0.76	1.50	0.08	NBR/EPDM/CR
5120015	4.724	0.030	0.059	0.003	120.00	0.76	1.50	0.08	NBR/EPDM/CR
5125015	4.921	0.030	0.059	0.003	125.00	0.76	1.50	0.08	NBR/EPDM/CR
5127015	5.000	0.037	0.059	0.003	127.00	0.94	1.50	0.08	NBR/EPDM/CR
5130015	5.118	0.037	0.059	0.003	130.00	0.94	1.50	0.08	NBR/EPDM/CR
5135015	5.315	0.037	0.059	0.003	135.00	0.94	1.50	0.08	NBR/EPDM/CR
5140015	5.512	0.037	0.059	0.003	140.00	0.94	1.50	0.08	NBR/EPDM/CR
5145015	5.709	0.037	0.059	0.003	145.00	0.94	1.50	0.08	NBR/EPDM/CR
5165015	6.496	0.040	0.059	0.003	165.00	1.02	1.50	0.08	NBR/EPDM/CR
5170015	6.693	0.040	0.059	0.003	170.00	1.02	1.50	0.08	NBR/EPDM/CR
5180015	7.087	0.040	0.059	0.003	180.00	1.02	1.50	0.08	NBR/EPDM/CR
5190015	7.480	0.045	0.059	0.003	190.00	1.14	1.50	0.08	NBR/EPDM/CR
9304	0.575	0.007	0.060	0.003	14.61	0.18	1.52	0.08	NBR/EPDM/CR
9275	3.130		0.060	0.003	79.50		1.52	0.08	NBR/EPDM/CR
9916	0.172		0.062		4.36		1.57		NBR/EPDM/CR
90034	0.218		0.062		5.54		1.57		NBR/EPDM/CR
9024	0.500		0.062		12.70		1.57		NBR/EPDM/CR
9149	0.562	0.008	0.062	0.003	14.27	0.20	1.57	0.08	NBR/EPDM/CR
9143	2.582	0.020	0.062	0.003	65.58	0.51	1.57	0.08	NBR/EPDM/CR
9152	3.164		0.062		80.37		1.57		NBR/EPDM/CR
9592	0.098	0.005	0.063	0.003	2.50	0.13	1.60	0.08	NBR/EPDM/CR
5003116	0.122	0.005	0.063	0.003	3.10	0.13	1.60	0.08	NBR/EPDM/CR
5003216	0.126	0.005	0.063	0.003	3.20	0.13	1.60	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9939	0.144	0.006	0.063	0.003	3.65	0.14	1.60	0.08	NBR/EPDM/CR
5004116	0.161	0.005	0.063	0.003	4.10	0.13	1.60	0.08	NBR/EPDM/CR
9685	0.161	0.006	0.063	0.003	4.10	0.15	1.60	0.08	NBR/EPDM/CR
5005116	0.201	0.005	0.063	0.003	5.10	0.13	1.60	0.08	NBR/EPDM/CR
5005516	0.217	0.005	0.063	0.003	5.50	0.13	1.60	0.08	NBR/EPDM/CR
5006116	0.240	0.005	0.063	0.003	6.10	0.13	1.60	0.08	NBR/EPDM/CR
5006516	0.256	0.005	0.063	0.003	6.50	0.13	1.60	0.08	NBR/EPDM/CR
5007116	0.280	0.005	0.063	0.003	7.10	0.13	1.60	0.08	NBR/EPDM/CR
5008016	0.315	0.005	0.063	0.003	8.00	0.13	1.60	0.08	NBR/EPDM/CR
9392	0.319	0.008	0.063	0.003	8.10	0.20	1.60	0.08	NBR/EPDM/CR
5008616	0.339	0.005	0.063	0.003	8.60	0.13	1.60	0.08	NBR/EPDM/CR
5009116	0.358	0.005	0.063	0.003	9.10	0.13	1.60	0.08	NBR/EPDM/CR
5009516	0.374	0.005	0.063	0.003	9.50	0.13	1.60	0.08	NBR/EPDM/CR
5010116	0.398	0.005	0.063	0.003	10.10	0.13	1.60	0.08	NBR/EPDM/CR
5011116	0.437	0.005	0.063	0.003	11.10	0.13	1.60	0.08	NBR/EPDM/CR
90111	0.437	0.005	0.063	0.003	11.10	0.13	1.60	0.08	NBR/EPDM/CR
5012116	0.476	0.005	0.063	0.003	12.10	0.13	1.60	0.08	NBR/EPDM/CR
90243	0.476	0.005	0.063	0.003	12.10	0.13	1.60	0.08	NBR/EPDM/CR
5013116	0.516	0.005	0.063	0.003	13.10	0.13	1.60	0.08	NBR/EPDM/CR
90223	0.555	0.007	0.063	0.003	14.10	0.18	1.60	0.08	NBR/EPDM/CR
5015116	0.594	0.009	0.063	0.003	15.10	0.23	1.60	0.08	NBR/EPDM/CR
5016116	0.634	0.009	0.063	0.003	16.10	0.23	1.60	0.08	NBR/EPDM/CR
5017116	0.673	0.009	0.063	0.003	17.10	0.23	1.60	0.08	NBR/EPDM/CR
9986	0.713	0.009	0.063	0.003	18.10	0.22	1.60	0.08	NBR/EPDM/CR
9590	0.750	0.011	0.063	0.003	19.05	0.28	1.60	0.08	NBR/EPDM/CR
5020116	0.791	0.010	0.063	0.003	20.10	0.25	1.60	0.08	NBR/EPDM/CR
5021116	0.831	0.010	0.063	0.003	21.10	0.25	1.60	0.08	NBR/EPDM/CR
9634	0.870	0.010	0.063	0.003	22.10	0.25	1.60	0.08	NBR/EPDM/CR
5025116	0.988	0.010	0.063	0.003	25.10	0.25	1.60	0.08	NBR/EPDM/CR
5025316	0.996	0.010	0.063	0.003	25.30	0.25	1.60	0.08	NBR/EPDM/CR
9611	1.000	0.010	0.063	0.003	25.40	0.25	1.60	0.08	NBR/EPDM/CR
5027116	1.067	0.010	0.063	0.003	27.10	0.25	1.60	0.08	NBR/EPDM/CR
5029116	1.146	0.010	0.063	0.003	29.10	0.25	1.60	0.08	NBR/EPDM/CR
5032116	1.264	0.012	0.063	0.003	32.10	0.30	1.60	0.08	NBR/EPDM/CR
5035116	1.382	0.013	0.063	0.003	35.10	0.33	1.60	0.08	NBR/EPDM/CR
5037116	1.461	0.013	0.063	0.003	37.10	0.33	1.60	0.08	NBR/EPDM/CR
5042016	1.654	0.015	0.063	0.003	42.00	0.38	1.60	0.08	NBR/EPDM/CR
5043016	1.693	0.015	0.063	0.003	43.00	0.38	1.60	0.08	NBR/EPDM/CR
5055016	2.165	0.018	0.063	0.003	55.00	0.46	1.60	0.08	NBR/EPDM/CR
5090516	3.563	0.028	0.063	0.003	90.50	0.71	1.60	0.08	NBR/EPDM/CR
902	0.239	0.005	0.064	0.003	6.07	0.13	1.63	0.08	NBR/EPDM/CR
903	0.301	0.005	0.064	0.003	7.65	0.13	1.63	0.08	NBR/EPDM/CR
90265	0.325	0.004	0.064	0.002	8.25	0.10	1.63	0.06	NBR/EPDM/CR
9321	0.187		0.065		4.75		1.65		NBR/EPDM/CR
9251	0.276	0.005	0.065	0.003	7.01	0.13	1.65	0.08	NBR/EPDM/CR
90155	1.500	0.013	0.065	0.003	38.10	0.33	1.65	0.08	NBR/EPDM/CR
9023	0.368	0.005	0.066	0.003	9.35	0.13	1.68	0.08	NBR/EPDM/CR
5004517	0.177	0.005	0.067	0.003	4.50	0.13	1.70	0.08	NBR/EPDM/CR
90074	0.197		0.067		5.00		1.70		NBR/EPDM/CR
5012117	0.476	0.005	0.067	0.003	12.10	0.13	1.70	0.08	NBR/EPDM/CR
5013017	0.512	0.005	0.067	0.003	13.00	0.13	1.70	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9809	0.669	0.009	0.067	0.003	17.00	0.23	1.70	0.08	NBR/EPDM/CR
9555	1.492	0.006	0.067	0.003	37.90	0.15	1.70	0.07	NBR/EPDM/CR
5132017	5.197	0.037	0.067	0.003	132.00	0.94	1.70	0.08	NBR/EPDM/CR
90275	0.157	0.005	0.069	0.003	4.00	0.13	1.75	0.08	NBR/EPDM/CR
90407	0.197	0.005	0.069	0.003	5.00	0.13	1.75	0.08	NBR/EPDM/CR
9585	0.350	0.005	0.069	0.003	8.90	0.13	1.75	0.08	NBR/EPDM/CR
90583	0.040	0.004	0.070	0.003	1.02	0.10	1.78	0.08	NBR/EPDM/CR
90505	0.056	0.004	0.070	0.003	1.42	0.10	1.78	0.08	NBR/EPDM/CR
9995	0.114	0.005	0.070	0.003	2.90	0.13	1.78	0.08	NBR/EPDM/CR
90598	0.125	0.005	0.070	0.003	3.17	0.13	1.78	0.08	NBR/EPDM/CR
9015	0.187	0.005	0.070	0.003	4.75	0.13	1.78	0.08	NBR/EPDM/CR
90514	0.187	0.005	0.070	0.003	4.76	0.13	1.78	0.08	NBR/EPDM/CR
9614	0.187	0.005	0.070	0.003	4.75	0.13	1.78	0.08	NBR/EPDM/CR
90574	0.250	0.005	0.070	0.003	6.35	0.13	1.78	0.08	NBR/EPDM/CR
90211	0.266	0.005	0.070	0.003	6.75	0.13	1.78	0.08	NBR/EPDM/CR
9328	0.270	0.005	0.070	0.003	6.86	0.13	1.78	0.07	NBR/EPDM/CR
9776	0.301	0.005	0.070	0.003	7.64	0.12	1.78	0.08	NBR/EPDM/CR
90529	0.319	0.005	0.070	0.003	8.10	0.13	1.78	0.08	NBR/EPDM/CR
90312	0.320	0.005	0.070	0.003	8.13	0.13	1.78	0.08	NBR/EPDM/CR
9268	0.330		0.070	0.003	8.38		1.78	0.08	NBR/EPDM/CR
9021	0.344		0.070		8.74		1.78		NBR/EPDM/CR
90182	0.375	0.005	0.070	0.003	9.52	0.13	1.78	0.08	NBR/EPDM/CR
90216	0.437	0.005	0.070	0.003	11.11	0.13	1.78	0.08	NBR/EPDM/CR
9003	0.458		0.070		11.63		1.78		NBR/EPDM/CR
90581	0.458	0.005	0.070	0.003	11.64	0.13	1.78	0.08	NBR/EPDM/CR
9252	0.472	0.005	0.070	0.003	11.99	0.13	1.78	0.08	NBR/EPDM/CR
90518	0.524	0.005	0.070	0.003	13.30	0.13	1.78	0.08	NBR/EPDM/CR
9211	0.559		0.070		14.21		1.78		NBR/EPDM/CR
9557	0.570	0.006	0.070	0.003	14.48	0.15	1.78	0.08	NBR/EPDM/CR
90313	0.598	0.009	0.070	0.003	15.20	0.23	1.78	0.08	NBR/EPDM/CR
90526	0.656	0.009	0.070	0.003	16.67	0.23	1.78	0.08	NBR/EPDM/CR
9602	0.709	0.008	0.070	0.003	18.00	0.20	1.78	0.08	NBR/EPDM/CR
90318	0.754	0.009	0.070	0.003	19.15	0.23	1.78	0.08	NBR/EPDM/CR
90584	0.780	0.009	0.070	0.003	19.80	0.23	1.78	0.08	NBR/EPDM/CR
9376	0.856	0.009	0.070	0.003	21.74	0.23	1.78	0.08	NBR/EPDM/CR
90443	0.894	0.009	0.070	0.003	22.70	0.23	1.78	0.08	NBR/EPDM/CR
90508	0.953	0.010	0.070	0.003	24.20	0.25	1.78	0.08	NBR/EPDM/CR
90374	1.142	0.011	0.070	0.003	29.00	0.28	1.78	0.08	NBR/EPDM/CR
9553	1.180	0.011	0.070	0.003	29.97	0.28	1.78	0.08	NBR/EPDM/CR
9267	1.185		0.070	0.003	30.10		1.78	0.08	NBR/EPDM/CR
90459	1.198	0.011	0.070	0.003	30.43	0.28	1.78	0.08	NBR/EPDM/CR
90604	1.417	0.013	0.070	0.003	36.00	0.33	1.78	0.08	NBR/EPDM/CR
90502	1.428	0.013	0.070	0.003	36.27	0.33	1.78	0.08	NBR/EPDM/CR
90410	1.553	0.013	0.070	0.003	39.45	0.33	1.78	0.08	NBR/EPDM/CR
9786	1.932	0.015	0.070	0.003	49.07	0.38	1.78	0.08	NBR/EPDM/CR
9156	2.685	0.020	0.070	0.003	68.20	0.51	1.78	0.08	NBR/EPDM/CR
9853	2.705	0.010	0.070	0.005	68.70	0.25	1.78	0.13	NBR/EPDM/CR
90546	2.913	0.022	0.070	0.003	73.99	0.56	1.78	0.08	NBR/EPDM/CR
9157	3.081	0.024	0.070	0.003	78.26	0.61	1.78	0.08	NBR/EPDM/CR
90424	3.110	0.024	0.070	0.003	79.00	0.61	1.78	0.08	NBR/EPDM/CR
90042	3.360	0.024	0.070	0.003	85.34	0.61	1.78	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9058	3.635	0.027	0.070	0.003	92.33	0.69	1.78	0.08	NBR/EPDM/CR
9567	4.527	0.030	0.070	0.003	114.99	0.76	1.78	0.08	NBR/EPDM/CR
9008	4.646	0.030	0.070	0.003	118.00	0.76	1.78	0.08	NBR/EPDM/CR
90552	5.094	0.037	0.070	0.003	129.40	0.94	1.78	0.08	NBR/EPDM/CR
90342	5.345	0.035	0.070	0.003	135.76	0.89	1.78	0.08	NBR/EPDM/CR
90383	5.531	0.039	0.070	0.003	140.50	0.98	1.78	0.08	NBR/EPDM/CR
90282	5.595	0.035	0.070	0.003	142.11	0.89	1.78	0.08	NBR/EPDM/CR
9154	5.985	0.037	0.070	0.003	152.02	0.94	1.78	0.08	NBR/EPDM/CR
90475	6.095	0.035	0.070	0.003	154.81	0.89	1.78	0.08	NBR/EPDM/CR
90367	6.220	0.037	0.070	0.003	158.00	0.94	1.78	0.08	NBR/EPDM/CR
9126	6.250		0.070		158.75		1.78		NBR/EPDM/CR
90592	6.595	0.040	0.070	0.003	167.51	1.02	1.78	0.08	NBR/EPDM/CR
90461	6.720	0.040	0.070	0.003	170.69	1.02	1.78	0.08	NBR/EPDM/CR
90306	7.795	0.045	0.070	0.003	198.00	1.14	1.78	0.08	NBR/EPDM/CR
5002018	0.079	0.005	0.071	0.003	2.00	0.13	1.80	0.08	NBR/EPDM/CR
5004018	0.157	0.005	0.071	0.003	4.00	0.13	1.80	0.08	NBR/EPDM/CR
5004818	0.189	0.005	0.071	0.003	4.80	0.13	1.80	0.08	NBR/EPDM/CR
5005018	0.197	0.005	0.071	0.003	5.00	0.13	1.80	0.08	NBR/EPDM/CR
9604	0.203	0.006	0.071	0.003	5.15	0.15	1.80	0.08	NBR/EPDM/CR
5005618	0.220	0.005	0.071	0.003	5.60	0.13	1.80	0.08	NBR/EPDM/CR
90184	0.256		0.071		6.50		1.80		NBR/EPDM/CR
90359	0.264		0.071		6.71		1.80		NBR/EPDM/CR
5007018	0.276	0.005	0.071	0.003	7.00	0.13	1.80	0.08	NBR/EPDM/CR
5007318	0.287	0.005	0.071	0.003	7.30	0.13	1.80	0.08	NBR/EPDM/CR
5008218	0.323	0.005	0.071	0.003	8.20	0.13	1.80	0.08	NBR/EPDM/CR
9032	0.346		0.071		8.79		1.80		NBR/EPDM/CR
9256	0.346	0.005	0.071	0.003	8.79	0.13	1.80	0.08	NBR/EPDM/CR
5009018	0.354	0.005	0.071	0.003	9.00	0.13	1.80	0.08	NBR/EPDM/CR
90587	0.354		0.071		9.00		1.80		NBR/EPDM/CR
9131	0.378		0.071		9.60		1.80		NBR/EPDM/CR
5001018	0.394	0.005	0.071	0.003	10.00	0.13	1.80	0.08	NBR/EPDM/CR
5010018	0.394	0.005	0.071	0.003	10.00	0.13	1.80	0.08	NBR/EPDM/CR
5011318	0.445	0.005	0.071	0.003	11.30	0.13	1.80	0.08	NBR/EPDM/CR
5011818	0.465	0.005	0.071	0.003	11.80	0.13	1.80	0.08	NBR/EPDM/CR
5013218	0.520	0.005	0.071	0.003	13.20	0.13	1.80	0.08	NBR/EPDM/CR
5015018	0.591	0.007	0.071	0.003	15.00	0.18	1.80	0.08	NBR/EPDM/CR
5016018	0.630	0.005	0.071	0.003	16.00	0.13	1.80	0.08	NBR/EPDM/CR
9778	0.925	0.009	0.071	0.003	23.50	0.23	1.80	0.08	NBR/EPDM/CR
5028018	1.102	0.010	0.071	0.003	28.00	0.25	1.80	0.08	NBR/EPDM/CR
5032018	1.260	0.012	0.071	0.003	32.00	0.30	1.80	0.08	NBR/EPDM/CR
5033518	1.319	0.012	0.071	0.003	33.50	0.30	1.80	0.08	NBR/EPDM/CR
9262	1.476		0.071		37.49		1.80		NBR/EPDM/CR
5038718	1.524	0.015	0.071	0.003	38.70	0.38	1.80	0.08	NBR/EPDM/CR
5040018	1.575	0.015	0.071	0.003	40.00	0.38	1.80	0.08	NBR/EPDM/CR
5043418	1.709	0.015	0.071	0.003	43.40	0.38	1.80	0.08	NBR/EPDM/CR
5045018	1.772	0.015	0.071	0.003	45.00	0.38	1.80	0.08	NBR/EPDM/CR
5046518	1.831	0.015	0.071	0.003	46.50	0.38	1.80	0.08	NBR/EPDM/CR
9378	2.039	0.016	0.071		51.80	0.40	1.80		NBR/EPDM/CR
5058018	2.283	0.018	0.071	0.003	58.00	0.46	1.80	0.08	NBR/EPDM/CR
5065018	2.559	0.020	0.071	0.003	65.00	0.51	1.80	0.08	NBR/EPDM/CR
5075018	2.953	0.024	0.071	0.003	75.00	0.61	1.80	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5077518	3.051	0.024	0.071	0.003	77.50	0.61	1.80	0.08	NBR/EPDM/CR
904	0.351	0.005	0.072	0.003	8.92	0.13	1.83	0.08	NBR/EPDM/CR
9069	0.351	0.005	0.072	0.003	8.92	0.13	1.83	0.08	NBR/EPDM/CR
90422	0.391	0.005	0.072	0.003	9.92	0.13	1.83	0.08	NBR/EPDM/CR
905	0.414	0.005	0.072	0.003	10.52	0.13	1.83	0.08	NBR/EPDM/CR
9115	0.228		0.072		5.80		1.84		NBR/EPDM/CR
9804	1.989	0.018	0.073	0.003	50.52	0.45	1.85	0.08	NBR/EPDM/CR
9566	3.690	0.027	0.073	0.003	93.73	0.69	1.85	0.08	NBR/EPDM/CR
9374	0.776	0.009	0.074	0.003	19.71	0.23	1.88	0.08	NBR/EPDM/CR
9635	1.151	0.006	0.074	0.003	29.23	0.15	1.88	0.08	NBR/EPDM/CR
5002419	0.094	0.005	0.075	0.003	2.40	0.13	1.90	0.08	NBR/EPDM/CR
5002619	0.102	0.005	0.075	0.003	2.60	0.13	1.90	0.08	NBR/EPDM/CR
5003419	0.134	0.005	0.075	0.003	3.40	0.13	1.90	0.08	NBR/EPDM/CR
9209	0.150	0.005	0.075	0.003	3.81	0.12	1.90	0.07	NBR/EPDM/CR
5004219	0.165	0.005	0.075	0.003	4.20	0.13	1.90	0.08	NBR/EPDM/CR
5004519	0.177	0.005	0.075	0.003	4.50	0.13	1.90	0.08	NBR/EPDM/CR
5004919	0.193	0.005	0.075	0.003	4.90	0.13	1.90	0.08	NBR/EPDM/CR
5005719	0.224	0.005	0.075	0.003	5.70	0.13	1.90	0.08	NBR/EPDM/CR
9483	0.228	0.005	0.075	0.003	5.80	0.12	1.90	0.07	NBR/EPDM/CR
9325	0.234		0.075		5.94		1.90		NBR/EPDM/CR
5006219	0.244	0.005	0.075	0.003	6.20	0.13	1.90	0.08	NBR/EPDM/CR
5006419	0.252	0.005	0.075	0.003	6.40	0.13	1.90	0.08	NBR/EPDM/CR
9188	0.281		0.075		7.14		1.90		NBR/EPDM/CR
5007219	0.283	0.005	0.075	0.003	7.20	0.13	1.90	0.08	NBR/EPDM/CR
9951	0.339	0.005	0.075	0.003	8.60	0.12	1.90	0.07	NBR/EPDM/CR
5008919	0.350	0.005	0.075	0.003	8.90	0.13	1.90	0.08	NBR/EPDM/CR
9368	0.378	0.008	0.075	0.003	9.60	0.20	1.90	0.08	NBR/EPDM/CR
5010019	0.394	0.005	0.075	0.003	10.00	0.13	1.90	0.08	NBR/EPDM/CR
9369	0.469	0.008	0.075	0.003	11.90	0.20	1.90	0.08	NBR/EPDM/CR
5012119	0.476	0.005	0.075	0.003	12.10	0.13	1.90	0.08	NBR/EPDM/CR
5012319	0.484	0.005	0.075	0.003	12.30	0.13	1.90	0.08	NBR/EPDM/CR
9372	0.486	0.005	0.075	0.003	12.34	0.13	1.90	0.08	NBR/EPDM/CR
5013419	0.528	0.005	0.075	0.003	13.40	0.13	1.90	0.08	NBR/EPDM/CR
5013819	0.543	0.005	0.075	0.003	13.80	0.13	1.90	0.08	NBR/EPDM/CR
9952	0.571	0.005	0.075	0.003	14.50	0.12	1.90	0.07	NBR/EPDM/CR
9370	0.579	0.008	0.075	0.003	14.70	0.20	1.90	0.08	NBR/EPDM/CR
5014819	0.583	0.007	0.075	0.003	14.80	0.18	1.90	0.08	NBR/EPDM/CR
5015519	0.610	0.009	0.075	0.003	15.50	0.23	1.90	0.08	NBR/EPDM/CR
90379	0.619	0.009	0.075	0.003	15.72	0.23	1.90	0.08	NBR/EPDM/CR
5016019	0.630	0.009	0.075	0.003	16.00	0.23	1.90	0.08	NBR/EPDM/CR
5017019	0.669	0.009	0.075	0.003	17.00	0.23	1.90	0.08	NBR/EPDM/CR
5017819	0.701	0.009	0.075	0.003	17.80	0.23	1.90	0.08	NBR/EPDM/CR
9314	0.709		0.075		18.00		1.90		NBR/EPDM/CR
5018819	0.740	0.009	0.075	0.003	18.80	0.23	1.90	0.08	NBR/EPDM/CR
9575	0.756	0.005	0.075	0.003	19.20	0.12	1.90	0.07	NBR/EPDM/CR
5019819	0.780	0.009	0.075	0.003	19.80	0.23	1.90	0.08	NBR/EPDM/CR
9083	0.811	0.006	0.075	0.003	20.60	0.15	1.90	0.07	NBR/EPDM/CR
5024719	0.972	0.010	0.075	0.003	24.70	0.25	1.90	0.08	NBR/EPDM/CR
5026219	1.031	0.010	0.075	0.003	26.20	0.25	1.90	0.07	NBR/EPDM/CR
5033219	1.307	0.012	0.075	0.003	33.20	0.30	1.90	0.08	NBR/EPDM/CR
9603	1.575	0.010	0.075	0.003	40.00	0.25	1.90	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5064219	2.528	0.020	0.075	0.003	64.20	0.51	1.90	0.08	NBR/EPDM/CR
5070019	2.756	0.020	0.075	0.003	70.00	0.51	1.90	0.08	NBR/EPDM/CR
9666	0.600	0.009	0.075	0.003	15.24	0.23	1.91	0.08	NBR/EPDM/CR
90062	6.721	0.040	0.075	0.003	170.71	1.02	1.91	0.08	NBR/EPDM/CR
9367	0.433	0.005	0.076	0.003	11.00	0.13	1.93	0.08	NBR/EPDM/CR
9808	0.636	0.009	0.076	0.003	16.15	0.23	1.93	0.08	NBR/EPDM/CR
9180	0.286		0.077		7.26		1.95		NBR/EPDM/CR
906	0.468	0.005	0.078	0.003	11.89	0.13	1.98	0.08	NBR/EPDM/CR
9375	0.707	0.009	0.078	0.003	17.96	0.23	1.98	0.08	NBR/EPDM/CR
5001020	0.039	0.004	0.079	0.003	1.00	0.10	2.00	0.08	NBR/EPDM/CR
5002620	0.102	0.005	0.079	0.003	2.60	0.13	2.00	0.08	NBR/EPDM/CR
5003020	0.118	0.005	0.079	0.003	3.00	0.13	2.00	0.08	NBR/EPDM/CR
9096	0.118		0.079		3.00		2.00		NBR/EPDM/CR
5003520	0.138	0.005	0.079	0.003	3.50	0.13	2.00	0.08	NBR/EPDM/CR
5003620	0.142	0.005	0.079	0.003	3.60	0.13	2.00	0.08	NBR/EPDM/CR
5004020	0.157	0.005	0.079	0.003	4.00	0.13	2.00	0.08	NBR/EPDM/CR
90080	0.165	0.005	0.079		4.20	0.13	2.00		NBR/EPDM/CR
9625	0.177	0.005	0.079	0.003	4.50	0.12	2.00	0.07	NBR/EPDM/CR
5005020	0.197	0.005	0.079	0.003	5.00	0.13	2.00	0.08	NBR/EPDM/CR
9093	0.197		0.079		5.00		2.00		NBR/EPDM/CR
5005220	0.205	0.005	0.079	0.003	5.20	0.13	2.00	0.08	NBR/EPDM/CR
5005520	0.217	0.005	0.079	0.003	5.50	0.13	2.00	0.08	NBR/EPDM/CR
5005620	0.220	0.005	0.079	0.003	5.60	0.13	2.00	0.08	NBR/EPDM/CR
5006020	0.236	0.005	0.079	0.003	6.00	0.13	2.00	0.08	NBR/EPDM/CR
90123	0.236	0.005	0.079	0.003	6.00	0.13	2.00	0.08	NBR/EPDM/CR
9033	0.245		0.079		6.22		2.00		NBR/EPDM/CR
9142	0.276	0.005	0.079	0.003	7.00	0.13	2.00	0.08	NBR/EPDM/CR
5007520	0.295	0.005	0.079	0.003	7.50	0.13	2.00	0.08	NBR/EPDM/CR
9605	0.295	0.004	0.079	0.003	7.50	0.10	2.00	0.07	NBR/EPDM/CR
9215	0.315	0.005	0.079	0.003	8.00	0.13	2.00	0.08	NBR/EPDM/CR
9315	0.315	0.005	0.079	0.003	8.00	0.13	2.00	0.08	NBR/EPDM/CR
9586	0.315	0.005	0.079	0.003	8.00	0.13	2.00	0.08	NBR/EPDM/CR
5008520	0.335	0.005	0.079	0.003	8.50	0.13	2.00	0.08	NBR/EPDM/CR
5009020	0.354	0.005	0.079	0.003	9.00	0.13	2.00	0.08	NBR/EPDM/CR
9270	0.354	0.008	0.079	0.003	9.00	0.20	2.00	0.08	NBR/EPDM/CR
9615	0.354	0.007	0.079	0.003	9.00	0.17	2.00	0.08	NBR/EPDM/CR
5009520	0.374	0.005	0.079	0.003	9.50	0.13	2.00	0.08	NBR/EPDM/CR
9094	0.394		0.079		10.00		2.00		NBR/EPDM/CR
9095	0.394		0.079		10.00		2.00		NBR/EPDM/CR
9468	0.394	0.006	0.079	0.004	10.00	0.15	2.00	0.10	NBR/EPDM/CR
90039	0.417	0.005	0.079		10.60	0.13	2.00		NBR/EPDM/CR
5010820	0.425	0.005	0.079	0.003	10.80	0.13	2.00	0.08	NBR/EPDM/CR
5011020	0.433	0.005	0.079	0.003	11.00	0.13	2.00	0.08	NBR/EPDM/CR
90144	0.453	0.005	0.079	0.003	11.50	0.13	2.00	0.08	NBR/EPDM/CR
5012020	0.472	0.005	0.079	0.003	12.00	0.13	2.00	0.08	NBR/EPDM/CR
90132	0.472	0.005	0.079	0.003	12.00	0.13	2.00	0.08	NBR/EPDM/CR
5012520	0.492	0.005	0.079	0.003	12.50	0.13	2.00	0.08	NBR/EPDM/CR
5013020	0.512	0.005	0.079	0.003	13.00	0.13	2.00	0.08	NBR/EPDM/CR
5013520	0.531	0.005	0.079	0.003	13.50	0.13	2.00	0.08	NBR/EPDM/CR
9861	0.551	0.008	0.079	0.004	14.00	0.20	2.00	0.09	NBR/EPDM/CR
5014520	0.571	0.007	0.079	0.003	14.50	0.18	2.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5015020	0.591	0.009	0.079	0.003	15.00	0.23	2.00	0.08	NBR/EPDM/CR
90131	0.591	0.009	0.079	0.003	15.00	0.23	2.00	0.08	NBR/EPDM/CR
5015520	0.610	0.007	0.079	0.003	15.50	0.18	2.00	0.08	NBR/EPDM/CR
5016020	0.630	0.009	0.079	0.003	16.00	0.23	2.00	0.08	NBR/EPDM/CR
5016520	0.650	0.009	0.079	0.003	16.50	0.23	2.00	0.08	NBR/EPDM/CR
5017020	0.669	0.009	0.079	0.003	17.00	0.23	2.00	0.08	NBR/EPDM/CR
90129	0.669	0.009	0.079	0.003	17.00	0.23	2.00	0.08	NBR/EPDM/CR
5017520	0.689	0.009	0.079	0.003	17.50	0.23	2.00	0.08	NBR/EPDM/CR
9548	0.689	0.009	0.079	0.004	17.50	0.23	2.00	0.10	NBR/EPDM/CR
5018020	0.709	0.009	0.079	0.003	18.00	0.23	2.00	0.08	NBR/EPDM/CR
90065	0.748	0.009	0.079	0.003	19.00	0.23	2.00	0.08	NBR/EPDM/CR
5019520	0.768	0.009	0.079	0.003	19.50	0.23	2.00	0.08	NBR/EPDM/CR
5020020	0.787	0.010	0.079	0.003	20.00	0.25	2.00	0.08	NBR/EPDM/CR
9862	0.787	0.009	0.079	0.003	20.00	0.23	2.00	0.08	NBR/EPDM/CR
5020520	0.807	0.010	0.079	0.003	20.50	0.25	2.00	0.08	NBR/EPDM/CR
5021020	0.827	0.010	0.079	0.003	21.00	0.25	2.00	0.08	NBR/EPDM/CR
5022020	0.866	0.010	0.079	0.003	22.00	0.25	2.00	0.08	NBR/EPDM/CR
5022520	0.886	0.010	0.079	0.003	22.50	0.25	2.00	0.08	NBR/EPDM/CR
9344	0.906	0.009	0.079	0.003	23.00	0.23	2.00	0.08	NBR/EPDM/CR
5024020	0.945	0.010	0.079	0.003	24.00	0.25	2.00	0.08	NBR/EPDM/CR
9077	0.965		0.079		24.50		2.00		NBR/EPDM/CR
5025020	0.984	0.010	0.079	0.003	25.00	0.25	2.00	0.08	NBR/EPDM/CR
9972	0.984	0.010	0.079	0.003	25.00	0.25	2.00	0.08	NBR/EPDM/CR
5026020	1.024	0.010	0.079	0.003	26.00	0.25	2.00	0.08	NBR/EPDM/CR
9694	1.063	0.011	0.079	0.004	27.00	0.28	2.00	0.10	NBR/EPDM/CR
5028020	1.102	0.010	0.079	0.003	28.00	0.25	2.00	0.08	NBR/EPDM/CR
5029020	1.142	0.010	0.079	0.003	29.00	0.25	2.00	0.08	NBR/EPDM/CR
9214	1.181	0.012	0.079	0.003	30.00	0.30	2.00	0.08	NBR/EPDM/CR
5030520	1.201	0.012	0.079	0.003	30.50	0.30	2.00	0.08	NBR/EPDM/CR
9928	1.240		0.079		31.50		2.00		NBR/EPDM/CR
9865	1.260	0.009	0.079	0.003	32.00	0.23	2.00	0.08	NBR/EPDM/CR
5033020	1.299	0.012	0.079	0.003	33.00	0.30	2.00	0.08	NBR/EPDM/CR
5035020	1.378	0.013	0.079	0.003	35.00	0.33	2.00	0.08	NBR/EPDM/CR
5036020	1.417	0.013	0.079	0.003	36.00	0.33	2.00	0.08	NBR/EPDM/CR
5037020	1.457	0.013	0.079	0.003	37.00	0.33	2.00	0.08	NBR/EPDM/CR
5038020	1.496	0.015	0.079	0.003	38.00	0.38	2.00	0.08	NBR/EPDM/CR
90550	1.549	0.013	0.079	0.003	39.34	0.33	2.00	0.08	NBR/EPDM/CR
5040020	1.575	0.015	0.079	0.003	40.00	0.38	2.00	0.08	NBR/EPDM/CR
5041020	1.614	0.015	0.079	0.003	41.00	0.38	2.00	0.08	NBR/EPDM/CR
5042020	1.654	0.015	0.079	0.003	42.00	0.38	2.00	0.08	NBR/EPDM/CR
5042520	1.673	0.015	0.079	0.004	42.50	0.38	2.00	0.10	NBR/EPDM/CR
90087	1.693	0.013	0.079	0.003	43.00	0.33	2.00	0.08	NBR/EPDM/CR
9269	1.717	0.015	0.079	0.003	43.60	0.38	2.00	0.08	NBR/EPDM/CR
5044020	1.732	0.015	0.079	0.003	44.00	0.38	2.00	0.08	NBR/EPDM/CR
5045020	1.772	0.015	0.079	0.003	45.00	0.38	2.00	0.08	NBR/EPDM/CR
5046020	1.811	0.015	0.079	0.003	46.00	0.38	2.00	0.08	NBR/EPDM/CR
5047020	1.850	0.015	0.079	0.003	47.00	0.38	2.00	0.08	NBR/EPDM/CR
5048020	1.890	0.015	0.079	0.003	48.00	0.38	2.00	0.08	NBR/EPDM/CR
5049020	1.929	0.018	0.079	0.003	49.00	0.46	2.00	0.08	NBR/EPDM/CR
5050020	1.969	0.018	0.079	0.003	50.00	0.46	2.00	0.08	NBR/EPDM/CR
5051020	2.008	0.018	0.079	0.003	51.00	0.46	2.00	0.08	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5052020	2.047	0.017	0.079	0.003	52.00	0.43	2.00	0.08	NBR/EPDM/CR
5053020	2.087	0.018	0.079	0.003	53.00	0.46	2.00	0.08	NBR/EPDM/CR
5054020	2.126	0.018	0.079	0.003	54.00	0.46	2.00	0.08	NBR/EPDM/CR
5055020	2.165	0.018	0.079	0.003	55.00	0.46	2.00	0.08	NBR/EPDM/CR
5057020	2.244	0.018	0.079	0.003	57.00	0.46	2.00	0.08	NBR/EPDM/CR
5058020	2.283	0.018	0.079	0.003	58.00	0.46	2.00	0.08	NBR/EPDM/CR
5059020	2.323	0.018	0.079	0.003	59.00	0.46	2.00	0.08	NBR/EPDM/CR
9973	2.362	0.018	0.079	0.003	60.00	0.46	2.00	0.08	NBR/EPDM/CR
5061020	2.402	0.020	0.079	0.003	61.00	0.51	2.00	0.08	NBR/EPDM/CR
5062020	2.441	0.020	0.079	0.003	62.00	0.51	2.00	0.08	NBR/EPDM/CR
5063020	2.480	0.020	0.079	0.003	63.00	0.51	2.00	0.08	NBR/EPDM/CR
5064020	2.520	0.020	0.079	0.003	64.00	0.51	2.00	0.08	NBR/EPDM/CR
5065020	2.559	0.020	0.079	0.003	65.00	0.51	2.00	0.08	NBR/EPDM/CR
5066020	2.598	0.020	0.079	0.003	66.00	0.51	2.00	0.08	NBR/EPDM/CR
9081	2.638		0.079		67.00		2.00		NBR/EPDM/CR
5068020	2.677	0.020	0.079	0.003	68.00	0.51	2.00	0.08	NBR/EPDM/CR
5069020	2.717	0.020	0.079	0.003	69.00	0.51	2.00	0.08	NBR/EPDM/CR
5070020	2.756	0.022	0.079	0.003	70.00	0.56	2.00	0.08	NBR/EPDM/CR
5071020	2.795	0.022	0.079	0.003	71.00	0.56	2.00	0.08	NBR/EPDM/CR
5072020	2.835	0.022	0.079	0.003	72.00	0.56	2.00	0.08	NBR/EPDM/CR
5074020	2.913	0.024	0.079	0.003	74.00	0.60	2.00	0.08	NBR/EPDM/CR
5075020	2.953	0.024	0.079	0.003	75.00	0.61	2.00	0.08	NBR/EPDM/CR
5076020	2.992	0.024	0.079	0.003	76.00	0.61	2.00	0.08	NBR/EPDM/CR
90409	2.992	0.024	0.079		76.00	0.61	2.00		NBR/EPDM/CR
90615	2.992	0.020	0.079		76.00	0.50	2.00		NBR/EPDM/CR
5078020	3.071	0.024	0.079	0.003	78.00	0.61	2.00	0.08	NBR/EPDM/CR
5079020	3.110	0.024	0.079	0.003	79.00	0.61	2.00	0.08	NBR/EPDM/CR
5080020	3.150	0.024	0.079	0.003	80.00	0.61	2.00	0.08	NBR/EPDM/CR
5081020	3.189	0.024	0.079	0.003	81.00	0.61	2.00	0.08	NBR/EPDM/CR
5082020	3.228	0.024	0.079	0.003	82.00	0.61	2.00	0.08	NBR/EPDM/CR
5083020	3.268	0.024	0.079	0.003	83.00	0.61	2.00	0.08	NBR/EPDM/CR
5084020	3.307	0.024	0.079	0.003	84.00	0.61	2.00	0.08	NBR/EPDM/CR
5085020	3.346	0.024	0.079	0.003	85.00	0.61	2.00	0.08	NBR/EPDM/CR
9049	3.346		0.079		84.99		2.00		NBR/EPDM/CR
5086020	3.386	0.024	0.079	0.003	86.00	0.61	2.00	0.08	NBR/EPDM/CR
5087020	3.425	0.024	0.079	0.003	87.00	0.61	2.00	0.08	NBR/EPDM/CR
5088020	3.465	0.024	0.079	0.003	88.00	0.61	2.00	0.08	NBR/EPDM/CR
5090020	3.543	0.028	0.079	0.003	90.00	0.71	2.00	0.08	NBR/EPDM/CR
5091020	3.583	0.028	0.079	0.003	91.00	0.71	2.00	0.08	NBR/EPDM/CR
5092020	3.622	0.028	0.079	0.003	92.00	0.71	2.00	0.08	NBR/EPDM/CR
5093020	3.661	0.028	0.079	0.003	93.00	0.71	2.00	0.08	NBR/EPDM/CR
5094020	3.701	0.028	0.079	0.003	94.00	0.71	2.00	0.08	NBR/EPDM/CR
5095020	3.740	0.028	0.079	0.003	95.00	0.71	2.00	0.08	NBR/EPDM/CR
5096020	3.780	0.028	0.079	0.003	96.00	0.71	2.00	0.08	NBR/EPDM/CR
5098020	3.858	0.028	0.079	0.003	98.00	0.71	2.00	0.08	NBR/EPDM/CR
9699	3.858	0.027	0.079	0.003	98.00	0.69	2.00	0.08	NBR/EPDM/CR
5099020	3.898	0.028	0.079	0.003	99.00	0.71	2.00	0.08	NBR/EPDM/CR
5100020	3.937	0.028	0.079	0.003	100.00	0.71	2.00	0.08	NBR/EPDM/CR
5102020	4.016	0.028	0.079	0.003	102.00	0.71	2.00	0.08	NBR/EPDM/CR
5103020	4.055	0.028	0.079	0.003	103.00	0.71	2.00	0.08	NBR/EPDM/CR
5104020	4.094	0.028	0.079	0.003	104.00	0.71	2.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5105020	4.134	0.028	0.079	0.003	105.00	0.71	2.00	0.08	NBR/EPDM/CR
5106020	4.173	0.030	0.079	0.003	106.00	0.76	2.00	0.08	NBR/EPDM/CR
9608	4.213	0.030	0.079	0.003	107.00	0.76	2.00	0.08	NBR/EPDM/CR
9319	4.291	0.030	0.079	0.003	109.00	0.76	2.00	0.08	NBR/EPDM/CR
5110020	4.331	0.030	0.079	0.003	110.00	0.76	2.00	0.08	NBR/EPDM/CR
5112020	4.409	0.030	0.079	0.003	112.00	0.76	2.00	0.08	NBR/EPDM/CR
5113020	4.449	0.030	0.079	0.004	113.00	0.76	2.00	0.10	NBR/EPDM/CR
5115020	4.528	0.030	0.079	0.003	115.00	0.76	2.00	0.08	NBR/EPDM/CR
5116020	4.567	0.030	0.079	0.003	116.00	0.76	2.00	0.08	NBR/EPDM/CR
5117020	4.606	0.030	0.079	0.003	117.00	0.76	2.00	0.08	NBR/EPDM/CR
5118020	4.646	0.030	0.079	0.003	118.00	0.76	2.00	0.08	NBR/EPDM/CR
5119020	4.685	0.030	0.079	0.003	119.00	0.76	2.00	0.08	NBR/EPDM/CR
5120020	4.724	0.030	0.079	0.003	120.00	0.76	2.00	0.08	NBR/EPDM/CR
5122020	4.803	0.030	0.079	0.003	122.00	0.76	2.00	0.08	NBR/EPDM/CR
5123020	4.843	0.030	0.079	0.003	123.00	0.76	2.00	0.08	NBR/EPDM/CR
5127020	5.000	0.037	0.079	0.003	127.00	0.94	2.00	0.08	NBR/EPDM/CR
5129020	5.079	0.037	0.079	0.003	129.00	0.94	2.00	0.08	NBR/EPDM/CR
5130020	5.118	0.037	0.079	0.003	130.00	0.94	2.00	0.08	NBR/EPDM/CR
5133020	5.236	0.037	0.079	0.003	133.00	0.94	2.00	0.08	NBR/EPDM/CR
5135020	5.315	0.037	0.079	0.003	135.00	0.94	2.00	0.08	NBR/EPDM/CR
5136020	5.354	0.037	0.079	0.003	136.00	0.94	2.00	0.08	NBR/EPDM/CR
5138020	5.433	0.037	0.079	0.003	138.00	0.94	2.00	0.08	NBR/EPDM/CR
5140020	5.512	0.037	0.079	0.003	140.00	0.94	2.00	0.08	NBR/EPDM/CR
5142020	5.591	0.037	0.079	0.004	142.00	0.94	2.00	0.10	NBR/EPDM/CR
5143020	5.630	0.037	0.079	0.003	143.00	0.94	2.00	0.08	NBR/EPDM/CR
5145020	5.709	0.037	0.079	0.003	145.00	0.94	2.00	0.08	NBR/EPDM/CR
5146020	5.748	0.037	0.079	0.003	146.00	0.94	2.00	0.08	NBR/EPDM/CR
5147020	5.787	0.037	0.079	0.003	147.00	0.94	2.00	0.08	NBR/EPDM/CR
5148020	5.827	0.037	0.079	0.003	148.00	0.94	2.00	0.08	NBR/EPDM/CR
5149020	5.866	0.037	0.079	0.003	149.00	0.94	2.00	0.08	NBR/EPDM/CR
9907	5.906	0.024	0.079	0.003	150.00	0.60	2.00	0.08	NBR/EPDM/CR
5152020	5.984	0.037	0.079	0.003	152.00	0.94	2.00	0.08	NBR/EPDM/CR
5155020	6.102	0.037	0.079	0.003	155.00	0.94	2.00	0.08	NBR/EPDM/CR
5156020	6.142	0.040	0.079	0.003	156.00	1.02	2.00	0.08	NBR/EPDM/CR
5158020	6.220	0.040	0.079	0.003	158.00	1.02	2.00	0.08	NBR/EPDM/CR
5160020	6.299	0.040	0.079	0.003	160.00	1.02	2.00	0.08	NBR/EPDM/CR
5162020	6.378	0.040	0.079	0.003	162.00	1.02	2.00	0.08	NBR/EPDM/CR
5163020	6.417	0.040	0.079	0.003	163.00	1.02	2.00	0.08	NBR/EPDM/CR
5164520	6.476	0.040	0.079	0.003	164.50	1.02	2.00	0.08	NBR/EPDM/CR
5165020	6.496	0.040	0.079	0.003	165.00	1.02	2.00	0.08	NBR/EPDM/CR
5170020	6.693	0.040	0.079	0.003	170.00	1.02	2.00	0.08	NBR/EPDM/CR
5172020	6.772	0.040	0.079	0.003	172.00	1.02	2.00	0.08	NBR/EPDM/CR
5173020	6.811	0.040	0.079	0.003	173.00	1.02	2.00	0.08	NBR/EPDM/CR
5175020	6.890	0.040	0.079	0.003	175.00	1.02	2.00	0.08	NBR/EPDM/CR
5176020	6.929	0.040	0.079	0.003	176.00	1.02	2.00	0.08	NBR/EPDM/CR
5178020	7.008	0.040	0.079	0.003	178.00	1.02	2.00	0.08	NBR/EPDM/CR
5180020	7.087	0.040	0.079	0.003	180.00	1.02	2.00	0.08	NBR/EPDM/CR
5182020	7.165	0.045	0.079	0.003	182.00	1.14	2.00	0.08	NBR/EPDM/CR
5185020	7.283	0.045	0.079	0.003	185.00	1.14	2.00	0.08	NBR/EPDM/CR
5188020	7.402	0.045	0.079	0.003	188.00	1.14	2.00	0.08	NBR/EPDM/CR
5190020	7.480	0.045	0.079	0.003	190.00	1.14	2.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5192020	7.559	0.045	0.079	0.003	192.00	1.14	2.00	0.08	NBR/EPDM/CR
5194020	7.638	0.045	0.079	0.003	194.00	1.14	2.00	0.08	NBR/EPDM/CR
5194520	7.657	0.045	0.079	0.003	194.50	1.14	2.00	0.08	NBR/EPDM/CR
5195020	7.677	0.045	0.079	0.003	195.00	1.14	2.00	0.08	NBR/EPDM/CR
5200020	7.874	0.045	0.079	0.003	200.00	1.14	2.00	0.08	NBR/EPDM/CR
5202020	7.953	0.045	0.079	0.003	202.00	1.14	2.00	0.08	NBR/EPDM/CR
5205020	8.071	0.045	0.079	0.003	205.00	1.14	2.00	0.08	NBR/EPDM/CR
5210020	8.268	0.050	0.079	0.003	210.00	1.27	2.00	0.08	NBR/EPDM/CR
5212020	8.346	0.050	0.079	0.003	212.00	1.27	2.00	0.08	NBR/EPDM/CR
5214020	8.425	0.050	0.079	0.003	214.00	1.27	2.00	0.08	NBR/EPDM/CR
90101	8.504	0.050	0.079	0.003	216.00	1.27	2.00	0.08	NBR/EPDM/CR
5220020	8.661	0.050	0.079	0.003	220.00	1.27	2.00	0.08	NBR/EPDM/CR
5223020	8.780	0.050	0.079	0.003	223.00	1.27	2.00	0.08	NBR/EPDM/CR
5230020	9.055	0.055	0.079	0.003	230.00	1.40	2.00	0.08	NBR/EPDM/CR
5234020	9.213	0.055	0.079	0.003	234.00	1.40	2.00	0.08	NBR/EPDM/CR
5235020	9.252	0.055	0.079	0.003	235.00	1.40	2.00	0.08	NBR/EPDM/CR
5238020	9.370	0.055	0.079	0.003	238.00	1.40	2.00	0.08	NBR/EPDM/CR
5244020	9.606	0.055	0.079	0.003	244.00	1.40	2.00	0.08	NBR/EPDM/CR
5246020	9.685	0.055	0.079	0.003	246.00	1.40	2.00	0.08	NBR/EPDM/CR
5250020	9.843	0.055	0.079	0.003	250.00	1.40	2.00	0.08	NBR/EPDM/CR
5265020	10.433	0.055	0.079	0.003	265.00	1.40	2.00	0.08	NBR/EPDM/CR
5274020	10.787	0.055	0.079	0.003	274.00	1.40	2.00	0.08	NBR/EPDM/CR
5276020	10.866	0.060	0.079	0.003	276.00	1.52	2.00	0.08	NBR/EPDM/CR
5280020	11.024	0.060	0.079	0.003	280.00	1.52	2.00	0.08	NBR/EPDM/CR
5290020	11.417	0.065	0.079	0.003	290.00	1.65	2.00	0.08	NBR/EPDM/CR
5313020	12.323	0.065	0.079	0.003	313.00	1.65	2.00	0.08	NBR/EPDM/CR
9190	0.157	0.005	0.079	0.003	3.99	0.13	2.01	0.08	NBR/EPDM/CR
9140	0.236		0.079		6.00		2.01		NBR/EPDM/CR
90341	0.265	0.005	0.079	0.003	6.73	0.13	2.01	0.08	NBR/EPDM/CR
9341	0.354	0.008	0.079	0.003	8.99	0.20	2.01	0.08	NBR/EPDM/CR
9260	0.394		0.079		10.01		2.01		NBR/EPDM/CR
9007	0.543	0.007	0.079	0.003	13.79	0.18	2.01	0.08	NBR/EPDM/CR
9322	0.543	0.006	0.079	0.003	13.79	0.15	2.01	0.08	NBR/EPDM/CR
9323	0.768	0.005	0.079	0.003	19.51	0.13	2.01	0.08	NBR/EPDM/CR
9012	1.220	0.015	0.079	0.003	30.99	0.38	2.01	0.08	NBR/EPDM/CR
9295	1.496	0.015	0.079	0.003	38.00	0.38	2.01	0.08	NBR/EPDM/CR
9168	1.949		0.079		49.50		2.01		NBR/EPDM/CR
9075	2.047	0.018	0.079	0.003	51.99	0.46	2.01	0.08	NBR/EPDM/CR
9014	2.234	0.018	0.079	0.003	56.74	0.46	2.01	0.08	NBR/EPDM/CR
9173	2.560		0.079		65.02		2.01		NBR/EPDM/CR
9001	2.874		0.079		73.00		2.01		NBR/EPDM/CR
9274	3.878		0.079	0.003	98.50		2.01	0.08	NBR/EPDM/CR
9380	0.320		0.080		8.13		2.03		NBR/EPDM/CR
9387	0.445	0.005	0.080	0.003	11.30	0.13	2.03	0.08	NBR/EPDM/CR
9100	0.551		0.080		14.00		2.04		NBR/EPDM/CR
907	0.530	0.007	0.082	0.003	13.46	0.18	2.08	0.08	NBR/EPDM/CR
9297	4.100	0.028	0.082	0.003	104.14	0.71	2.08	0.08	NBR/EPDM/CR
9097	0.236		0.083		6.00		2.10		NBR/EPDM/CR
5008021	0.315	0.005	0.083	0.003	8.00	0.13	2.10	0.08	NBR/EPDM/CR
5011821	0.465	0.005	0.083	0.003	11.80	0.13	2.10	0.08	NBR/EPDM/CR
5015421	0.606	0.009	0.083	0.003	15.40	0.23	2.10	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5019421	0.764	0.009	0.083	0.003	19.40	0.23	2.10	0.08	NBR/EPDM/CR
9677	5.433	0.035	0.083	0.003	138.00	0.89	2.10	0.08	NBR/EPDM/CR
9676	5.472	0.035	0.083	0.003	139.00	0.89	2.10	0.08	NBR/EPDM/CR
90373	0.866	0.010	0.085	0.003	22.00	0.25	2.15	0.08	NBR/EPDM/CR
90629	1.024		0.085		26.00		2.15		NBR/EPDM/CR
90582	2.043	0.017	0.085	0.003	51.90	0.43	2.15	0.08	NBR/EPDM/CR
9065	0.340	0.005	0.085	0.003	8.64	0.13	2.16	0.08	NBR/EPDM/CR
90494	0.347	0.005	0.085	0.003	8.81	0.13	2.16	0.08	NBR/EPDM/CR
9458	5.632	0.024	0.085	0.003	143.05	0.60	2.16	0.08	NBR/EPDM/CR
9292	1.280	0.012	0.086	0.003	32.51	0.30	2.18	0.08	NBR/EPDM/CR
5006022	0.236	0.005	0.087	0.003	6.00	0.13	2.20	0.08	NBR/EPDM/CR
5007322	0.287	0.005	0.087	0.003	7.30	0.13	2.20	0.08	NBR/EPDM/CR
9501	0.335	0.005	0.087	0.003	8.50	0.12	2.20	0.07	NBR/EPDM/CR
5010022	0.394	0.005	0.087	0.003	10.00	0.13	2.20	0.08	NBR/EPDM/CR
90539-U	0.394		0.087		10.00		2.20		NBR/EPDM/CR
5011022	0.433	0.005	0.087	0.003	11.00	0.13	2.20	0.08	NBR/EPDM/CR
90178	0.445	0.005	0.087	0.003	11.30	0.13	2.20	0.08	NBR/EPDM/CR
9391	0.445	0.008	0.087	0.003	11.30	0.20	2.20	0.08	NBR/EPDM/CR
90177	0.524	0.007	0.087	0.003	13.30	0.18	2.20	0.08	NBR/EPDM/CR
9390	0.602	0.009	0.087	0.003	15.30	0.22	2.20	0.08	NBR/EPDM/CR
9473	0.602	0.009	0.087	0.003	15.30	0.23	2.20	0.08	NBR/EPDM/CR
5016022	0.630	0.009	0.087	0.003	16.00	0.23	2.20	0.08	NBR/EPDM/CR
9883	0.760	0.009	0.087	0.003	19.30	0.23	2.20	0.08	NBR/EPDM/CR
5020022	0.787	0.010	0.087	0.003	20.00	0.25	2.20	0.08	NBR/EPDM/CR
5032022	1.260	0.012	0.087	0.003	32.00	0.30	2.20	0.08	NBR/EPDM/CR
5033722	1.327	0.012	0.087	0.003	33.70	0.30	2.20	0.08	NBR/EPDM/CR
5039022	1.535	0.015	0.087	0.003	39.00	0.38	2.20	0.08	NBR/EPDM/CR
5066022	2.598	0.020	0.087	0.003	66.00	0.51	2.20	0.08	NBR/EPDM/CR
5090022	3.543	0.028	0.087	0.003	90.00	0.71	2.20	0.08	NBR/EPDM/CR
9238	0.539	0.005	0.087	0.003	13.69	0.12	2.21	0.07	NBR/EPDM/CR
90070	0.603	0.009	0.087	0.003	15.32	0.23	2.21	0.08	NBR/EPDM/CR
908	0.644	0.009	0.087	0.003	16.36	0.23	2.21	0.08	NBR/EPDM/CR
9310	0.300	0.005	0.088	0.003	7.62	0.13	2.23	0.08	NBR/EPDM/CR
90279	2.437	0.020	0.088	0.003	61.90	0.51	2.24	0.08	NBR/EPDM/CR
90630	0.472		0.089		12.00		2.25		NBR/EPDM/CR
9609	4.213	0.030	0.089	0.003	107.00	0.76	2.25	0.08	NBR/EPDM/CR
9601	0.320	0.005	0.090	0.003	8.13	0.13	2.29	0.08	NBR/EPDM/CR
90538	0.330	0.005	0.090	0.003	8.38	0.13	2.29	0.08	NBR/EPDM/CR
9200	3.750		0.090		95.25		2.29		NBR/EPDM/CR
5005423	0.213	0.005	0.091	0.003	5.40	0.13	2.30	0.08	NBR/EPDM/CR
5006023	0.236	0.005	0.091	0.003	6.00	0.13	2.30	0.08	NBR/EPDM/CR
90174	0.291	0.005	0.091	0.003	7.40	0.13	2.30	0.08	NBR/EPDM/CR
5009623	0.378	0.005	0.091	0.003	9.60	0.13	2.30	0.08	NBR/EPDM/CR
90172	0.429	0.005	0.091	0.003	10.90	0.13	2.30	0.08	NBR/EPDM/CR
5012923	0.508	0.005	0.091	0.003	12.90	0.13	2.30	0.08	NBR/EPDM/CR
5013623	0.535	0.005	0.091	0.003	13.60	0.13	2.30	0.08	NBR/EPDM/CR
5014723	0.579	0.007	0.091	0.003	14.70	0.18	2.30	0.08	NBR/EPDM/CR
9435	0.724		0.091		18.40		2.30		NBR/EPDM/CR
9965	1.674	0.015	0.091	0.003	42.53	0.38	2.30	0.08	NBR/EPDM/CR
90554	0.420	0.005	0.091	0.003	10.67	0.12	2.31	0.08	NBR/EPDM/CR
9959	0.697	0.009	0.091	0.003	17.70	0.23	2.32	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90496	0.476	0.006	0.093	0.003	12.10	0.15	2.35	0.08	NBR/EPDM/CR
9960	0.657	0.009	0.093	0.003	16.70	0.23	2.35	0.08	NBR/EPDM/CR
9962	2.609	0.020	0.093	0.003	66.28	0.51	2.35	0.08	NBR/EPDM/CR
9782	0.500	0.005	0.093	0.003	12.70	0.13	2.36	0.08	NBR/EPDM/CR
9185	4.940	0.030	0.093	0.004	125.48	0.76	2.36	0.10	NBR/EPDM/CR
9016	0.406		0.094		10.31		2.38		NBR/EPDM/CR
90468	5.357	0.039	0.094	0.003	136.08	1.00	2.38	0.08	NBR/EPDM/CR
9564	0.181	0.005	0.094	0.003	4.60	0.13	2.39	0.08	NBR/EPDM/CR
9774	0.364	0.005	0.094	0.003	9.25	0.12	2.39	0.08	NBR/EPDM/CR
90360	0.528		0.094		13.41		2.39		NBR/EPDM/CR
9239	0.556	0.005	0.094	0.003	14.12	0.13	2.39	0.08	NBR/EPDM/CR
90048	0.563	0.007	0.094	0.003	14.30	0.18	2.39	0.08	NBR/EPDM/CR
9119	0.732	0.006	0.094	0.003	18.59	0.15	2.39	0.07	NBR/EPDM/CR
5002324	0.091	0.005	0.094	0.003	2.30	0.13	2.40	0.08	NBR/EPDM/CR
5003024	0.118	0.005	0.094	0.003	3.00	0.13	2.40	0.08	NBR/EPDM/CR
5003324	0.130	0.005	0.094	0.003	3.30	0.13	2.40	0.08	NBR/EPDM/CR
5004324	0.169	0.005	0.094	0.003	4.30	0.13	2.40	0.08	NBR/EPDM/CR
5004624	0.181	0.005	0.094	0.003	4.60	0.13	2.40	0.08	NBR/EPDM/CR
5005324	0.209	0.005	0.094	0.003	5.30	0.13	2.40	0.08	NBR/EPDM/CR
5005624	0.220	0.005	0.094	0.003	5.60	0.13	2.40	0.08	NBR/EPDM/CR
5006324	0.248	0.005	0.094	0.003	6.30	0.13	2.40	0.08	NBR/EPDM/CR
5006624	0.260	0.005	0.094	0.003	6.60	0.13	2.40	0.08	NBR/EPDM/CR
9764	0.278	0.002	0.094	0.002	7.05	0.06	2.40	0.06	NBR/EPDM/CR
5007324	0.287	0.005	0.094	0.003	7.30	0.13	2.40	0.08	NBR/EPDM/CR
5007624	0.299	0.005	0.094	0.003	7.60	0.13	2.40	0.08	NBR/EPDM/CR
5008024	0.315	0.005	0.094	0.003	8.00	0.13	2.40	0.08	NBR/EPDM/CR
5008324	0.327	0.005	0.094	0.003	8.30	0.13	2.40	0.08	NBR/EPDM/CR
5008624	0.339	0.005	0.094	0.003	8.60	0.13	2.40	0.08	NBR/EPDM/CR
5008824	0.346	0.005	0.094	0.003	8.80	0.13	2.40	0.08	NBR/EPDM/CR
5009224	0.354	0.005	0.094	0.003	9.00	0.13	2.40	0.08	NBR/EPDM/CR
5009324	0.366	0.005	0.094	0.003	9.30	0.13	2.40	0.08	NBR/EPDM/CR
9192	0.378	0.005	0.094	0.003	9.60	0.13	2.40	0.08	NBR/EPDM/CR
5010324	0.406	0.005	0.094	0.003	10.30	0.13	2.40	0.08	NBR/EPDM/CR
9019	0.406	0.005	0.094	0.003	10.30	0.13	2.40	0.08	NBR/EPDM/CR
5011224	0.441	0.005	0.094	0.003	11.20	0.13	2.40	0.08	NBR/EPDM/CR
5011324	0.445	0.005	0.094	0.003	11.30	0.13	2.40	0.08	NBR/EPDM/CR
5011624	0.457	0.005	0.094	0.003	11.60	0.13	2.40	0.08	NBR/EPDM/CR
5012624	0.496	0.005	0.094	0.003	12.60	0.13	2.40	0.08	NBR/EPDM/CR
5012824	0.504	0.005	0.094	0.003	12.80	0.13	2.40	0.08	NBR/EPDM/CR
5013024	0.512	0.005	0.094	0.003	13.00	0.13	2.40	0.08	NBR/EPDM/CR
5013224	0.520	0.005	0.094	0.003	13.20	0.13	2.40	0.08	NBR/EPDM/CR
5013324	0.524	0.005	0.094	0.003	13.30	0.13	2.40	0.08	NBR/EPDM/CR
5013624	0.535	0.005	0.094	0.004	13.60	0.13	2.40	0.10	NBR/EPDM/CR
9284	0.539		0.094		13.70		2.40		NBR/EPDM/CR
9191	0.575	0.007	0.094	0.003	14.60	0.18	2.40	0.08	NBR/EPDM/CR
5015024	0.591	0.009	0.094	0.003	15.00	0.23	2.40	0.08	NBR/EPDM/CR
5015324	0.602	0.009	0.094	0.003	15.30	0.23	2.40	0.08	NBR/EPDM/CR
5015624	0.614	0.007	0.094	0.003	15.60	0.18	2.40	0.08	NBR/EPDM/CR
9074	0.622	0.005	0.094	0.003	15.80	0.12	2.40	0.07	NBR/EPDM/CR
5016324	0.642	0.009	0.094	0.003	16.30	0.23	2.40	0.08	NBR/EPDM/CR
5016624	0.654	0.009	0.094	0.003	16.60	0.23	2.40	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9840	0.661	0.009	0.094	0.004	16.80	0.24	2.40	0.09	NBR/EPDM/CR
5017324	0.681	0.009	0.094	0.003	17.30	0.23	2.40	0.08	NBR/EPDM/CR
5017624	0.693	0.009	0.094	0.003	17.60	0.23	2.40	0.08	NBR/EPDM/CR
5018324	0.720	0.009	0.094	0.003	18.30	0.23	2.40	0.08	NBR/EPDM/CR
9179	0.732	0.006	0.094	0.003	18.60	0.15	2.40	0.07	NBR/EPDM/CR
5019324	0.760	0.009	0.094	0.003	19.30	0.23	2.40	0.08	NBR/EPDM/CR
5019524	0.768	0.009	0.094	0.003	19.50	0.23	2.40	0.08	NBR/EPDM/CR
5019624	0.772	0.009	0.094	0.003	19.60	0.23	2.40	0.08	NBR/EPDM/CR
5020324	0.799	0.010	0.094	0.003	20.30	0.25	2.40	0.08	NBR/EPDM/CR
9693	0.827		0.094	0.004	21.00		2.40	0.10	NBR/EPDM/CR
5021324	0.839	0.010	0.094	0.003	21.30	0.25	2.40	0.08	NBR/EPDM/CR
5022124	0.870	0.010	0.094	0.003	22.10	0.25	2.40	0.08	NBR/EPDM/CR
5022324	0.878	0.010	0.094	0.003	22.30	0.25	2.40	0.08	NBR/EPDM/CR
5022824	0.898	0.010	0.094	0.003	22.80	0.25	2.40	0.08	NBR/EPDM/CR
9121	0.906	0.005	0.094	0.003	23.00	0.12	2.40	0.07	NBR/EPDM/CR
5023324	0.917	0.010	0.094	0.003	23.30	0.25	2.40	0.08	NBR/EPDM/CR
5024624	0.969	0.010	0.094	0.003	24.60	0.25	2.40	0.08	NBR/EPDM/CR
9320	0.972	0.006	0.094	0.003	24.70	0.15	2.40	0.07	NBR/EPDM/CR
9079	0.984	0.006	0.094	0.003	25.00	0.15	2.40	0.07	NBR/EPDM/CR
9430	0.984	0.004	0.094		25.00	0.10	2.40		NBR/EPDM/CR
5025324	0.996	0.010	0.094	0.003	25.30	0.25	2.40	0.08	NBR/EPDM/CR
90199	1.031	0.010	0.094	0.003	26.20	0.25	2.40	0.07	NBR/EPDM/CR
5027324	1.075	0.010	0.094	0.003	27.30	0.25	2.40	0.08	NBR/EPDM/CR
9620	1.083	0.012	0.094	0.003	27.50	0.30	2.40	0.07	NBR/EPDM/CR
5027624	1.087	0.010	0.094	0.003	27.60	0.25	2.40	0.08	NBR/EPDM/CR
5027724	1.091	0.010	0.094	0.003	27.70	0.25	2.40	0.08	NBR/EPDM/CR
9350	1.130	0.006	0.094	0.003	28.70	0.15	2.40	0.07	NBR/EPDM/CR
9124	1.142	0.005	0.094	0.003	29.00	0.12	2.40	0.07	NBR/EPDM/CR
5029624	1.165	0.012	0.094	0.003	29.60	0.30	2.40	0.08	NBR/EPDM/CR
5029724	1.169	0.012	0.094	0.003	29.70	0.30	2.40	0.08	NBR/EPDM/CR
5029824	1.173	0.012	0.094	0.003	29.80	0.30	2.40	0.08	NBR/EPDM/CR
5030324	1.193	0.012	0.094	0.003	30.30	0.30	2.40	0.08	NBR/EPDM/CR
9440	1.228	0.006	0.094	0.003	31.20	0.15	2.40	0.07	NBR/EPDM/CR
5032224	1.268	0.012	0.094	0.003	32.20	0.30	2.40	0.08	NBR/EPDM/CR
5033224	1.307	0.012	0.094	0.003	33.20	0.30	2.40	0.08	NBR/EPDM/CR
5033324	1.311	0.012	0.094	0.003	33.30	0.30	2.40	0.08	NBR/EPDM/CR
5034624	1.362	0.012	0.094	0.003	34.60	0.30	2.40	0.08	NBR/EPDM/CR
5035224	1.386	0.013	0.094	0.003	35.20	0.33	2.40	0.08	NBR/EPDM/CR
5035624	1.402	0.013	0.094	0.003	35.60	0.33	2.40	0.08	NBR/EPDM/CR
5037224	1.465	0.013	0.094	0.003	37.20	0.33	2.40	0.08	NBR/EPDM/CR
5037624	1.480	0.015	0.094	0.003	37.60	0.38	2.40	0.08	NBR/EPDM/CR
5039624	1.559	0.015	0.094	0.003	39.60	0.38	2.40	0.08	NBR/EPDM/CR
9502	1.563	0.006	0.094	0.003	39.70	0.15	2.40	0.07	NBR/EPDM/CR
5040824	1.606	0.015	0.094	0.003	40.80	0.38	2.40	0.08	NBR/EPDM/CR
5041624	1.638	0.015	0.094	0.003	41.60	0.38	2.40	0.08	NBR/EPDM/CR
5041724	1.642	0.015	0.094	0.003	41.70	0.38	2.40	0.08	NBR/EPDM/CR
90047	1.661	0.020	0.094	0.003	42.20	0.50	2.40	0.07	NBR/EPDM/CR
5044624	1.756	0.015	0.094	0.003	44.60	0.38	2.40	0.08	NBR/EPDM/CR
5044724	1.760	0.015	0.094	0.003	44.70	0.38	2.40	0.08	NBR/EPDM/CR
5047224	1.858	0.015	0.094	0.003	47.20	0.38	2.40	0.08	NBR/EPDM/CR
5047624	1.874	0.015	0.094	0.003	47.60	0.38	2.40	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5049624	1.953	0.018	0.094	0.003	49.60	0.46	2.40	0.08	NBR/EPDM/CR
9644	1.957	0.010	0.094	0.003	49.70	0.25	2.40	0.07	NBR/EPDM/CR
5051624	2.031	0.018	0.094	0.003	51.60	0.46	2.40	0.08	NBR/EPDM/CR
5054624	2.150	0.018	0.094	0.003	54.60	0.46	2.40	0.08	NBR/EPDM/CR
5057624	2.268	0.018	0.094	0.003	57.60	0.46	2.40	0.08	NBR/EPDM/CR
5058624	2.307	0.018	0.094	0.003	58.60	0.46	2.40	0.08	NBR/EPDM/CR
5059624	2.346	0.020	0.094	0.003	59.60	0.51	2.40	0.08	NBR/EPDM/CR
5061624	2.425	0.020	0.094	0.003	61.60	0.51	2.40	0.08	NBR/EPDM/CR
5064624	2.543	0.020	0.094	0.003	64.60	0.51	2.40	0.08	NBR/EPDM/CR
5065024	2.559	0.020	0.094	0.003	65.00	0.51	2.40	0.08	NBR/EPDM/CR
5067624	2.661	0.020	0.094	0.003	67.60	0.51	2.40	0.08	NBR/EPDM/CR
5069624	2.717	0.020	0.094	0.003	69.00	0.51	2.40	0.08	NBR/EPDM/CR
5099124	3.902	0.028	0.094	0.003	99.10	0.71	2.40	0.08	NBR/EPDM/CR
5106024	4.173	0.030	0.094	0.003	106.00	0.76	2.40	0.08	NBR/EPDM/CR
5161624	6.362	0.040	0.094	0.003	161.60	1.02	2.40	0.08	NBR/EPDM/CR
9177	7.087	0.045	0.094	0.003	180.00	1.14	2.40	0.08	NBR/EPDM/CR
5285024	11.220	0.065	0.094	0.003	285.00	1.65	2.40	0.08	NBR/EPDM/CR
5300024	11.811	0.065	0.094	0.003	300.00	1.65	2.40	0.08	NBR/EPDM/CR
9963	0.868	0.010	0.096	0.003	22.04	0.25	2.44	0.08	NBR/EPDM/CR
90506	0.295	0.005	0.096	0.003	7.50	0.13	2.45	0.08	NBR/EPDM/CR
909	0.706	0.009	0.097	0.003	17.93	0.23	2.46	0.08	NBR/EPDM/CR
910	0.755	0.009	0.097	0.003	19.18	0.23	2.46	0.08	NBR/EPDM/CR
9216	1.252	0.012	0.097	0.003	31.80	0.30	2.46	0.07	NBR/EPDM/CR
9011	1.557	0.015	0.097	0.003	39.54	0.38	2.46	0.08	NBR/EPDM/CR
9197	4.717	0.030	0.097	0.004	119.81	0.76	2.46	0.10	NBR/EPDM/CR
9042	0.236	0.005	0.098	0.003	5.99	0.13	2.49	0.08	NBR/EPDM/CR
9503	0.354	0.005	0.098	0.003	8.99	0.13	2.49	0.08	NBR/EPDM/CR
9072	0.669		0.098	0.004	16.99		2.49	0.10	NBR/EPDM/CR
9176	1.173		0.098		29.79		2.49		NBR/EPDM/CR
9261	1.260		0.098		32.00		2.49		NBR/EPDM/CR
9165	1.488		0.098		37.79		2.49		NBR/EPDM/CR
9166	1.567		0.098		39.80		2.49		NBR/EPDM/CR
9181	1.752	0.015	0.098	0.003	44.50	0.38	2.49	0.08	NBR/EPDM/CR
9167	1.933		0.098		49.10		2.49		NBR/EPDM/CR
9244	2.146		0.098		54.51		2.49		NBR/EPDM/CR
9175	2.224		0.098		56.49		2.49		NBR/EPDM/CR
9243	2.283		0.098		57.99		2.49		NBR/EPDM/CR
9174	2.539		0.098		64.49		2.49		NBR/EPDM/CR
9186	2.570		0.098		65.28		2.49		NBR/EPDM/CR
9013	3.465	0.024	0.098	0.003	88.01	0.61	2.49	0.08	NBR/EPDM/CR
9010	3.937		0.098		100.00		2.49		NBR/EPDM/CR
9025	3.937		0.098		100.00		2.49		NBR/EPDM/CR
5003325	0.130	0.005	0.098	0.003	3.30	0.13	2.50	0.08	NBR/EPDM/CR
5004025	0.157	0.005	0.098	0.003	4.00	0.13	2.50	0.08	NBR/EPDM/CR
5004625	0.181	0.005	0.098	0.003	4.60	0.13	2.50	0.08	NBR/EPDM/CR
5005025	0.197	0.005	0.098	0.003	5.00	0.13	2.50	0.08	NBR/EPDM/CR
9331	0.228	0.005	0.098	0.003	5.80	0.12	2.50	0.07	NBR/EPDM/CR
5006025	0.236	0.005	0.098	0.003	6.00	0.13	2.50	0.08	NBR/EPDM/CR
5006525	0.256	0.005	0.098	0.003	6.50	0.13	2.50	0.08	NBR/EPDM/CR
5007525	0.295	0.005	0.098	0.003	7.50	0.13	2.50	0.08	NBR/EPDM/CR
9587	0.315	0.005	0.098	0.004	8.00	0.13	2.50	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5008525	0.335	0.005	0.098	0.003	8.50	0.13	2.50	0.08	NBR/EPDM/CR
5009025	0.354	0.005	0.098	0.003	9.00	0.13	2.50	0.08	NBR/EPDM/CR
5009525	0.374	0.005	0.098	0.003	9.50	0.13	2.50	0.08	NBR/EPDM/CR
9593	0.394	0.005	0.098	0.003	10.00	0.13	2.50	0.08	NBR/EPDM/CR
5010525	0.413	0.005	0.098	0.003	10.50	0.13	2.50	0.08	NBR/EPDM/CR
5011025	0.433	0.005	0.098	0.003	11.00	0.13	2.50	0.08	NBR/EPDM/CR
5011525	0.453	0.005	0.098	0.003	11.50	0.13	2.50	0.08	NBR/EPDM/CR
5012025	0.472	0.005	0.098	0.003	12.00	0.13	2.50	0.08	NBR/EPDM/CR
5012525	0.492	0.005	0.098	0.003	12.50	0.13	2.50	0.08	NBR/EPDM/CR
5013025	0.512	0.005	0.098	0.003	13.00	0.13	2.50	0.08	NBR/EPDM/CR
9316	0.551	0.007	0.098	0.003	14.00	0.18	2.50	0.08	NBR/EPDM/CR
5015025	0.591	0.009	0.098	0.003	15.00	0.23	2.50	0.08	NBR/EPDM/CR
90146	0.591	0.009	0.098	0.003	15.00	0.23	2.50	0.08	NBR/EPDM/CR
5015525	0.610	0.007	0.098	0.003	15.50	0.18	2.50	0.08	NBR/EPDM/CR
5016025	0.630	0.009	0.098	0.003	16.00	0.23	2.50	0.08	NBR/EPDM/CR
5016525	0.650	0.009	0.098	0.003	16.50	0.23	2.50	0.08	NBR/EPDM/CR
5017025	0.669	0.009	0.098	0.003	17.00	0.23	2.50	0.08	NBR/EPDM/CR
9393	0.697	0.009	0.098	0.005	17.70	0.23	2.50	0.13	NBR/EPDM/CR
9987	0.709	0.009	0.098	0.003	18.00	0.23	2.50	0.08	NBR/EPDM/CR
5019025	0.748	0.009	0.098	0.003	19.00	0.23	2.50	0.08	NBR/EPDM/CR
5019525	0.768	0.009	0.098	0.003	19.50	0.23	2.50	0.08	NBR/EPDM/CR
90152	0.787	0.010	0.098	0.003	20.00	0.25	2.50	0.08	NBR/EPDM/CR
5020525	0.807	0.010	0.098	0.003	20.50	0.25	2.50	0.08	NBR/EPDM/CR
5021525	0.846	0.010	0.098	0.003	21.50	0.25	2.50	0.08	NBR/EPDM/CR
5022025	0.866	0.010	0.098	0.003	22.00	0.25	2.50	0.08	NBR/EPDM/CR
5023025	0.906	0.010	0.098	0.003	23.00	0.25	2.50	0.08	NBR/EPDM/CR
9439	0.906	0.009	0.098	0.003	23.00	0.23	2.50	0.08	NBR/EPDM/CR
5024025	0.945	0.010	0.098	0.003	24.00	0.25	2.50	0.08	NBR/EPDM/CR
5024525	0.965	0.010	0.098	0.003	24.50	0.25	2.50	0.08	NBR/EPDM/CR
5025025	0.984	0.010	0.098	0.003	25.00	0.25	2.50	0.08	NBR/EPDM/CR
5025525	1.004	0.010	0.098	0.003	25.50	0.25	2.50	0.08	NBR/EPDM/CR
5026025	1.024	0.010	0.098	0.003	26.00	0.25	2.50	0.08	NBR/EPDM/CR
5027025	1.063	0.010	0.098	0.003	27.00	0.25	2.50	0.08	NBR/EPDM/CR
5027525	1.083	0.010	0.098	0.003	27.50	0.25	2.50	0.08	NBR/EPDM/CR
5028025	1.102	0.010	0.098	0.003	28.00	0.25	2.50	0.08	NBR/EPDM/CR
5029025	1.142	0.010	0.098	0.003	29.00	0.25	2.50	0.08	NBR/EPDM/CR
5029525	1.161	0.010	0.098	0.003	29.50	0.25	2.50	0.08	NBR/EPDM/CR
5030025	1.181	0.012	0.098	0.003	30.00	0.30	2.50	0.08	NBR/EPDM/CR
5031025	1.220	0.012	0.098	0.003	31.00	0.30	2.50	0.08	NBR/EPDM/CR
5032025	1.260	0.012	0.098	0.003	32.00	0.30	2.50	0.08	NBR/EPDM/CR
5033025	1.299	0.012	0.098	0.003	33.00	0.30	2.50	0.08	NBR/EPDM/CR
5035025	1.378	0.013	0.098	0.003	35.00	0.33	2.50	0.08	NBR/EPDM/CR
5036025	1.417	0.013	0.098	0.003	36.00	0.33	2.50	0.08	NBR/EPDM/CR
5037025	1.457	0.013	0.098	0.003	37.00	0.33	2.50	0.08	NBR/EPDM/CR
90130	1.496	0.015	0.098	0.003	38.00	0.38	2.50	0.08	NBR/EPDM/CR
5039025	1.535	0.015	0.098	0.003	39.00	0.38	2.50	0.08	NBR/EPDM/CR
5042025	1.654	0.015	0.098	0.003	42.00	0.38	2.50	0.08	NBR/EPDM/CR
5043025	1.693	0.015	0.098	0.003	43.00	0.38	2.50	0.08	NBR/EPDM/CR
90124	1.772		0.098		45.00		2.50		NBR/EPDM/CR
90556	1.807		0.098		45.90		2.50		NBR/EPDM/CR
5046025	1.811	0.015	0.098	0.003	46.00	0.38	2.50	0.08	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5046525	1.831	0.015	0.098	0.003	46.50	0.38	2.50	0.08	NBR/EPDM/CR
5047025	1.850	0.015	0.098	0.003	47.00	0.38	2.50	0.08	NBR/EPDM/CR
5048025	1.890	0.015	0.098	0.003	48.00	0.38	2.50	0.08	NBR/EPDM/CR
5049025	1.929	0.018	0.098	0.003	49.00	0.46	2.50	0.08	NBR/EPDM/CR
5049525	1.949	0.018	0.098	0.003	49.50	0.46	2.50	0.08	NBR/EPDM/CR
5050025	1.969	0.018	0.098	0.003	50.00	0.46	2.50	0.08	NBR/EPDM/CR
5051025	2.008	0.018	0.098	0.003	51.00	0.46	2.50	0.08	NBR/EPDM/CR
5052025	2.047	0.018	0.098	0.004	52.00	0.46	2.50	0.09	NBR/EPDM/CR
5053025	2.087	0.018	0.098	0.003	53.00	0.46	2.50	0.08	NBR/EPDM/CR
5054025	2.126	0.018	0.098	0.004	54.00	0.46	2.50	0.10	NBR/EPDM/CR
5055025	2.165	0.018	0.098	0.003	55.00	0.46	2.50	0.08	NBR/EPDM/CR
5057025	2.244	0.018	0.098	0.003	57.00	0.46	2.50	0.08	NBR/EPDM/CR
5058025	2.283	0.018	0.098	0.003	58.00	0.46	2.50	0.08	NBR/EPDM/CR
5059025	2.323	0.018	0.098	0.003	59.00	0.46	2.50	0.08	NBR/EPDM/CR
5060025	2.362	0.020	0.098	0.003	60.00	0.51	2.50	0.08	NBR/EPDM/CR
5061025	2.402	0.020	0.098	0.003	61.00	0.51	2.50	0.08	NBR/EPDM/CR
5062025	2.441	0.020	0.098	0.003	62.00	0.51	2.50	0.08	NBR/EPDM/CR
5063025	2.480	0.020	0.098	0.003	63.00	0.51	2.50	0.08	NBR/EPDM/CR
5064025	2.520	0.020	0.098	0.003	64.00	0.51	2.50	0.08	NBR/EPDM/CR
5065025	2.559	0.020	0.098	0.003	65.00	0.51	2.50	0.08	NBR/EPDM/CR
5066025	2.598	0.020	0.098	0.003	66.00	0.51	2.50	0.08	NBR/EPDM/CR
5067025	2.638	0.020	0.098	0.003	67.00	0.51	2.50	0.08	NBR/EPDM/CR
90090	2.677	0.022	0.098	0.003	68.00	0.56	2.50	0.08	NBR/EPDM/CR
5069025	2.717	0.020	0.098	0.003	69.00	0.51	2.50	0.08	NBR/EPDM/CR
5070025	2.756	0.022	0.098	0.003	70.00	0.56	2.50	0.08	NBR/EPDM/CR
5072025	2.835	0.022	0.098	0.003	72.00	0.56	2.50	0.08	NBR/EPDM/CR
5073025	2.874	0.022	0.098	0.003	73.00	0.56	2.50	0.08	NBR/EPDM/CR
5074025	2.913	0.024	0.098	0.003	74.00	0.61	2.50	0.08	NBR/EPDM/CR
5075025	2.953	0.024	0.098	0.003	75.00	0.61	2.50	0.08	NBR/EPDM/CR
5077025	3.031	0.024	0.098	0.003	77.00	0.61	2.50	0.08	NBR/EPDM/CR
5078025	3.071	0.024	0.098	0.003	78.00	0.61	2.50	0.08	NBR/EPDM/CR
5079325	3.122	0.024	0.098	0.003	79.30	0.61	2.50	0.08	NBR/EPDM/CR
5080025	3.150	0.024	0.098	0.003	80.00	0.61	2.50	0.08	NBR/EPDM/CR
5082025	3.228	0.024	0.098	0.003	82.00	0.61	2.50	0.08	NBR/EPDM/CR
5085025	3.346	0.024	0.098	0.003	85.00	0.61	2.50	0.08	NBR/EPDM/CR
5086025	3.386	0.024	0.098	0.003	86.00	0.61	2.50	0.08	NBR/EPDM/CR
5088025	3.465	0.024	0.098	0.003	88.00	0.61	2.50	0.08	NBR/EPDM/CR
5089025	3.504	0.025	0.098	0.003	89.00	0.64	2.50	0.08	NBR/EPDM/CR
5090025	3.543	0.028	0.098	0.003	90.00	0.71	2.50	0.08	NBR/EPDM/CR
5091025	3.583	0.028	0.098	0.003	91.00	0.71	2.50	0.08	NBR/EPDM/CR
5092025	3.622	0.028	0.098	0.003	92.00	0.71	2.50	0.08	NBR/EPDM/CR
5094025	3.701	0.028	0.098	0.003	94.00	0.71	2.50	0.08	NBR/EPDM/CR
5095025	3.740	0.028	0.098	0.003	95.00	0.71	2.50	0.08	NBR/EPDM/CR
5096025	3.780	0.028	0.098	0.003	96.00	0.71	2.50	0.08	NBR/EPDM/CR
5097025	3.819	0.028	0.098	0.003	97.00	0.71	2.50	0.08	NBR/EPDM/CR
5098025	3.858	0.028	0.098	0.003	98.00	0.71	2.50	0.08	NBR/EPDM/CR
5099025	3.898	0.028	0.098	0.003	99.00	0.71	2.50	0.08	NBR/EPDM/CR
5101025	3.976	0.028	0.098	0.003	101.00	0.71	2.50	0.08	NBR/EPDM/CR
5102025	4.016	0.028	0.098	0.003	102.00	0.71	2.50	0.08	NBR/EPDM/CR
9253	4.094	0.028	0.098	0.003	104.00	0.71	2.50	0.08	NBR/EPDM/CR
5106025	4.173	0.030	0.098	0.003	106.00	0.76	2.50	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5107025	4.213	0.030	0.098	0.003	107.00	0.76	2.50	0.08	NBR/EPDM/CR
5108025	4.252	0.030	0.098	0.003	108.00	0.76	2.50	0.08	NBR/EPDM/CR
5109025	4.291	0.030	0.098	0.003	109.00	0.76	2.50	0.08	NBR/EPDM/CR
5110025	4.331	0.030	0.098	0.003	110.00	0.76	2.50	0.08	NBR/EPDM/CR
5112025	4.409	0.030	0.098	0.003	112.00	0.76	2.50	0.08	NBR/EPDM/CR
5113025	4.449	0.030	0.098	0.003	113.00	0.76	2.50	0.08	NBR/EPDM/CR
5115025	4.528	0.030	0.098	0.003	115.00	0.76	2.50	0.08	NBR/EPDM/CR
5119025	4.685	0.030	0.098	0.003	119.00	0.76	2.50	0.08	NBR/EPDM/CR
5120025	4.724	0.030	0.098	0.003	120.00	0.76	2.50	0.08	NBR/EPDM/CR
5121025	4.764	0.030	0.098	0.003	121.00	0.76	2.50	0.08	NBR/EPDM/CR
5122025	4.803	0.030	0.098	0.003	122.00	0.76	2.50	0.08	NBR/EPDM/CR
5124025	4.882	0.030	0.098	0.004	124.00	0.76	2.50	0.10	NBR/EPDM/CR
5126025	4.961	0.037	0.098	0.003	126.00	0.94	2.50	0.08	NBR/EPDM/CR
5128025	5.039	0.037	0.098	0.003	128.00	0.94	2.50	0.08	NBR/EPDM/CR
5130025	5.118	0.037	0.098	0.003	130.00	0.94	2.50	0.08	NBR/EPDM/CR
5132025	5.197	0.037	0.098	0.003	132.00	0.94	2.50	0.08	NBR/EPDM/CR
5133025	5.236	0.037	0.098	0.003	133.00	0.94	2.50	0.08	NBR/EPDM/CR
5135025	5.315	0.037	0.098	0.003	135.00	0.94	2.50	0.08	NBR/EPDM/CR
5140025	5.512	0.037	0.098	0.003	140.00	0.94	2.50	0.08	NBR/EPDM/CR
5141025	5.551	0.037	0.098	0.003	141.00	0.94	2.50	0.08	NBR/EPDM/CR
5142025	5.591	0.037	0.098	0.003	142.00	0.94	2.50	0.08	NBR/EPDM/CR
5144025	5.669	0.037	0.098	0.003	144.00	0.94	2.50	0.08	NBR/EPDM/CR
5145025	5.709	0.037	0.098	0.003	145.00	0.94	2.50	0.08	NBR/EPDM/CR
5148025	5.827	0.037	0.098	0.003	148.00	0.94	2.50	0.08	NBR/EPDM/CR
5149025	5.866	0.037	0.098	0.003	149.00	0.94	2.50	0.08	NBR/EPDM/CR
5150025	5.906	0.037	0.098	0.003	150.00	0.94	2.50	0.08	NBR/EPDM/CR
5152525	6.004	0.037	0.098	0.003	152.50	0.94	2.50	0.08	NBR/EPDM/CR
5155025	6.102	0.037	0.098	0.003	155.00	0.94	2.50	0.08	NBR/EPDM/CR
9992	6.114	0.037	0.098	0.003	155.30	0.94	2.50	0.08	NBR/EPDM/CR
5156025	6.142	0.040	0.098	0.003	156.00	1.02	2.50	0.08	NBR/EPDM/CR
5160025	6.299	0.040	0.098	0.003	160.00	1.02	2.50	0.08	NBR/EPDM/CR
5162025	6.378	0.040	0.098	0.003	162.00	1.02	2.50	0.08	NBR/EPDM/CR
5164025	6.457	0.040	0.098	0.003	164.00	1.02	2.50	0.08	NBR/EPDM/CR
5165025	6.496	0.040	0.098	0.003	165.00	1.02	2.50	0.08	NBR/EPDM/CR
5167025	6.575	0.040	0.098	0.003	167.00	1.02	2.50	0.08	NBR/EPDM/CR
5170025	6.693	0.040	0.098	0.003	170.00	1.02	2.50	0.08	NBR/EPDM/CR
5175025	6.890	0.040	0.098	0.003	175.00	1.02	2.50	0.08	NBR/EPDM/CR
5179025	7.047	0.040	0.098	0.003	179.00	1.02	2.50	0.08	NBR/EPDM/CR
5190025	7.480	0.045	0.098	0.003	190.00	1.14	2.50	0.08	NBR/EPDM/CR
5192025	7.559	0.045	0.098	0.003	192.00	1.14	2.50	0.08	NBR/EPDM/CR
5195025	7.677	0.045	0.098	0.003	195.00	1.14	2.50	0.08	NBR/EPDM/CR
5200025	7.874	0.045	0.098	0.003	200.00	1.14	2.50	0.08	NBR/EPDM/CR
9859	8.012		0.098		203.50		2.50		NBR/EPDM/CR
5204025	8.031	0.045	0.098	0.003	204.00	1.14	2.50	0.08	NBR/EPDM/CR
5205025	8.071	0.045	0.098	0.003	205.00	1.14	2.50	0.08	NBR/EPDM/CR
5215025	8.465	0.050	0.098	0.003	215.00	1.27	2.50	0.08	NBR/EPDM/CR
5250025	9.843	0.055	0.098	0.003	250.00	1.40	2.50	0.08	NBR/EPDM/CR
5255025	10.039	0.055	0.098	0.003	255.00	1.40	2.50	0.08	NBR/EPDM/CR
5260025	10.236	0.055	0.098	0.003	260.00	1.40	2.50	0.08	NBR/EPDM/CR
5270025	10.630	0.055	0.098	0.003	270.00	1.40	2.50	0.08	NBR/EPDM/CR
5275025	10.827	0.055	0.098	0.003	275.00	1.40	2.50	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5280025	11.024	0.060	0.098	0.003	280.00	1.52	2.50	0.08	NBR/EPDM/CR
5290025	11.417	0.065	0.098	0.003	290.00	1.65	2.50	0.08	NBR/EPDM/CR
5292025	11.496	0.065	0.098	0.003	292.00	1.65	2.50	0.08	NBR/EPDM/CR
5320025	12.598	0.065	0.098	0.003	320.00	1.65	2.50	0.08	NBR/EPDM/CR
90054	12.677	0.065	0.098	0.004	322.00	1.65	2.50	0.09	NBR/EPDM/CR
5339025	13.346	0.065	0.098	0.003	339.00	1.65	2.50	0.08	NBR/EPDM/CR
5350025	13.780	0.065	0.098	0.003	350.00	1.65	2.50	0.08	NBR/EPDM/CR
5370025	14.567	0.065	0.098	0.003	370.00	1.65	2.50	0.08	NBR/EPDM/CR
90495	0.467	0.005	0.100	0.003	11.86	0.13	2.54	0.08	NBR/EPDM/CR
90438	1.146	0.012	0.100	0.003	29.10	0.30	2.55	0.08	NBR/EPDM/CR
9187	0.362	0.008	0.101	0.003	9.19	0.20	2.57	0.08	NBR/EPDM/CR
9471	0.802	0.006	0.102	0.003	20.37	0.15	2.59	0.08	NBR/EPDM/CR
90187	0.594	0.008	0.102	0.003	15.10	0.20	2.60	0.08	NBR/EPDM/CR
5018226	0.717	0.008	0.102	0.003	18.20	0.20	2.60	0.08	NBR/EPDM/CR
9622	0.206	0.005	0.103	0.003	5.23	0.13	2.62	0.08	NBR/EPDM/CR
9493	0.391	0.005	0.103	0.003	9.93	0.13	2.62	0.08	NBR/EPDM/CR
90477	0.516	0.007	0.103	0.003	13.10	0.18	2.62	0.08	NBR/EPDM/CR
9775	0.549	0.005	0.103	0.003	13.94	0.12	2.62	0.08	NBR/EPDM/CR
90277	0.594	0.009	0.103	0.003	15.08	0.23	2.62	0.08	NBR/EPDM/CR
90186	0.625	0.009	0.103	0.003	15.88	0.23	2.62	0.08	NBR/EPDM/CR
90343	0.634	0.009	0.103	0.003	16.10	0.23	2.62	0.08	NBR/EPDM/CR
90257	0.703	0.009	0.103	0.003	17.86	0.23	2.62	0.08	NBR/EPDM/CR
90262	0.812	0.010	0.103	0.003	20.63	0.25	2.62	0.08	NBR/EPDM/CR
90413	0.812	0.010	0.103	0.003	20.63	0.25	2.62	0.08	NBR/EPDM/CR
9623	0.846	0.010	0.103	0.003	21.49	0.25	2.62	0.08	NBR/EPDM/CR
90423	0.937	0.010	0.103	0.003	23.81	0.25	2.62	0.08	NBR/EPDM/CR
90051	1.237		0.103		31.42		2.62		NBR/EPDM/CR
90408	1.987	0.010	0.103	0.003	50.47	0.25	2.62	0.08	NBR/EPDM/CR
9312	2.919	0.022	0.103	0.003	74.14	0.56	2.62	0.08	NBR/EPDM/CR
90319	3.051	0.024	0.103	0.003	77.50	0.61	2.62	0.08	NBR/EPDM/CR
90232	3.125	0.024	0.103	0.003	79.38	0.61	2.62	0.08	NBR/EPDM/CR
90244	3.299	0.024	0.103	0.003	83.80	0.61	2.62	0.08	NBR/EPDM/CR
90315	3.334	0.024	0.103	0.003	84.68	0.61	2.62	0.08	NBR/EPDM/CR
9311	3.375	0.027	0.103	0.003	85.73	0.69	2.62	0.08	NBR/EPDM/CR
90294	4.084	0.028	0.103	0.003	103.73	0.71	2.62	0.08	NBR/EPDM/CR
9296	4.120	0.028	0.103	0.003	104.64	0.71	2.62	0.08	NBR/EPDM/CR
9360	4.397	0.027	0.103	0.003	111.68	0.69	2.62	0.08	NBR/EPDM/CR
9562	4.409	0.030	0.103	0.003	112.00	0.76	2.62	0.08	NBR/EPDM/CR
90602	4.606	0.030	0.103	0.003	117.00	0.76	2.62	0.08	NBR/EPDM/CR
90060	4.674	0.043	0.103	0.003	118.72	1.09	2.62	0.08	NBR/EPDM/CR
90588	5.106	0.035	0.103	0.003	129.70	0.89	2.62	0.08	NBR/EPDM/CR
9305	7.862	0.045	0.103	0.003	199.69	1.14	2.62	0.08	NBR/EPDM/CR
9569	8.346	0.045	0.103	0.004	212.00	1.14	2.62	0.09	NBR/EPDM/CR
9212	10.200	0.055	0.103	0.003	259.08	1.40	2.62	0.08	NBR/EPDM/CR
9117	0.528		0.104		13.40		2.64		NBR/EPDM/CR
9336	0.834	0.009	0.104	0.003	21.18	0.23	2.64	0.08	NBR/EPDM/CR
90625	1.102	0.010	0.104	0.003	28.00	0.25	2.65	0.08	NBR/EPDM/CR
90460	1.280	0.012	0.104	0.003	32.50	0.30	2.65	0.08	NBR/EPDM/CR
90126	12.008	0.065	0.104	0.003	305.00	1.65	2.65	0.08	NBR/EPDM/CR
9035	0.386	0.005	0.105	0.002	9.80	0.12	2.66	0.04	NBR/EPDM/CR
9896	0.094	0.005	0.106	0.005	2.40	0.13	2.68	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9379	0.362	0.005	0.106	0.003	9.19	0.13	2.69	0.08	NBR/EPDM/CR
5003627	0.142	0.005	0.106	0.003	3.60	0.13	2.70	0.08	NBR/EPDM/CR
5008927	0.350	0.005	0.106	0.003	8.90	0.13	2.70	0.08	NBR/EPDM/CR
5009227	0.362	0.005	0.106	0.003	9.20	0.13	2.70	0.08	NBR/EPDM/CR
9743	0.472	0.007	0.106	0.003	12.00	0.19	2.70	0.08	NBR/EPDM/CR
9687	0.476	0.008	0.106	0.003	12.10	0.20	2.70	0.08	NBR/EPDM/CR
5013627	0.535	0.005	0.106	0.003	13.60	0.13	2.70	0.08	NBR/EPDM/CR
5015127	0.594	0.009	0.106	0.003	15.10	0.23	2.70	0.08	NBR/EPDM/CR
5016927	0.665	0.009	0.106	0.003	16.90	0.23	2.70	0.08	NBR/EPDM/CR
5018427	0.724	0.009	0.106	0.003	18.40	0.23	2.70	0.08	NBR/EPDM/CR
5027327	1.075	0.010	0.106	0.003	27.30	0.25	2.70	0.08	NBR/EPDM/CR
5042027	1.654	0.015	0.106	0.003	42.00	0.38	2.70	0.08	NBR/EPDM/CR
5075027	2.953	0.024	0.106	0.003	75.00	0.61	2.70	0.08	NBR/EPDM/CR
9449	0.081	0.006	0.109	0.003	2.06	0.15	2.77	0.08	NBR/EPDM/CR
9339	0.243	0.005	0.110	0.003	6.17	0.13	2.79	0.08	NBR/EPDM/CR
9038	0.417		0.110		10.59		2.79		NBR/EPDM/CR
90607	3.487	0.024	0.110	0.003	88.57	0.61	2.79	0.08	NBR/EPDM/CR
9282	4.730	0.030	0.110	0.003	120.14	0.76	2.79	0.08	NBR/EPDM/CR
90541-U	0.472		0.110		12.00		2.80		NBR/EPDM/CR
5015228	0.598	0.009	0.110	0.003	15.20	0.23	2.80	0.08	NBR/EPDM/CR
9108	0.768		0.110		19.50		2.80		NBR/EPDM/CR
5038728	1.524	0.015	0.110	0.003	38.70	0.38	2.80	0.08	NBR/EPDM/CR
5069428	2.732	0.020	0.110	0.003	69.40	0.51	2.80	0.08	NBR/EPDM/CR
90212	0.929	0.010	0.114	0.003	23.60	0.25	2.90	0.08	NBR/EPDM/CR
90189	1.165	0.012	0.114	0.003	29.60	0.30	2.90	0.08	NBR/EPDM/CR
90213	1.756	0.015	0.114	0.003	44.60	0.38	2.90	0.08	NBR/EPDM/CR
911	0.863	0.009	0.116	0.004	21.92	0.23	2.95	0.10	NBR/EPDM/CR
912	0.924	0.009	0.116	0.004	23.47	0.23	2.95	0.10	NBR/EPDM/CR
913	0.986	0.010	0.116	0.004	25.04	0.26	2.95	0.10	NBR/EPDM/CR
914	1.047	0.010	0.116	0.004	26.59	0.26	2.95	0.10	NBR/EPDM/CR
916	1.171	0.010	0.116	0.004	29.74	0.26	2.95	0.10	NBR/EPDM/CR
918	1.355	0.012	0.116	0.004	34.42	0.30	2.95	0.10	NBR/EPDM/CR
90303	11.535	0.064	0.116	0.003	293.00	1.62	2.95	0.08	NBR/EPDM/CR
5004030	0.157	0.005	0.118	0.004	4.00	0.13	3.00	0.10	NBR/EPDM/CR
5004530	0.177	0.005	0.118	0.003	4.50	0.13	3.00	0.08	NBR/EPDM/CR
5005030	0.197	0.005	0.118	0.003	5.00	0.13	3.00	0.08	NBR/EPDM/CR
5005530	0.217	0.005	0.118	0.004	5.50	0.13	3.00	0.10	NBR/EPDM/CR
5006030	0.236	0.005	0.118	0.004	6.00	0.13	3.00	0.10	NBR/EPDM/CR
5006530	0.256	0.005	0.118	0.004	6.50	0.13	3.00	0.10	NBR/EPDM/CR
5007030	0.276	0.005	0.118	0.004	7.00	0.13	3.00	0.10	NBR/EPDM/CR
5007530	0.295	0.005	0.118	0.004	7.50	0.13	3.00	0.10	NBR/EPDM/CR
5008030	0.315	0.005	0.118	0.003	8.00	0.13	3.00	0.08	NBR/EPDM/CR
5009030	0.354	0.005	0.118	0.004	9.00	0.13	3.00	0.10	NBR/EPDM/CR
9213	0.362		0.118	0.003	9.19		3.00	0.08	NBR/EPDM/CR
5010030	0.394	0.005	0.118	0.004	10.00	0.13	3.00	0.10	NBR/EPDM/CR
5010530	0.413	0.005	0.118	0.003	10.50	0.13	3.00	0.08	NBR/EPDM/CR
5011030	0.433	0.005	0.118	0.003	11.00	0.13	3.00	0.08	NBR/EPDM/CR
5011530	0.453	0.005	0.118	0.004	11.50	0.13	3.00	0.10	NBR/EPDM/CR
9974	0.472	0.005	0.118	0.004	12.00	0.13	3.00	0.10	NBR/EPDM/CR
5012530	0.492	0.005	0.118	0.004	12.50	0.13	3.00	0.10	NBR/EPDM/CR
9975	0.512	0.005	0.118	0.004	13.00	0.13	3.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90125	0.551	0.007	0.118	0.004	14.00	0.18	3.00	0.10	NBR/EPDM/CR
9686	0.591	0.008	0.118	0.004	15.00	0.20	3.00	0.10	NBR/EPDM/CR
5015530	0.610	0.007	0.118	0.004	15.50	0.18	3.00	0.10	NBR/EPDM/CR
90600	0.630	0.008	0.118	0.004	16.00	0.20	3.00	0.10	NBR/EPDM/CR
9976	0.630	0.009	0.118	0.004	16.00	0.23	3.00	0.10	NBR/EPDM/CR
9101	0.669		0.118		17.00		3.00		NBR/EPDM/CR
9532	0.669	0.012	0.118	0.004	17.00	0.30	3.00	0.10	NBR/EPDM/CR
9467	0.709	0.009	0.118	0.004	18.00	0.23	3.00	0.10	NBR/EPDM/CR
9977	0.748	0.010	0.118	0.004	19.00	0.25	3.00	0.10	NBR/EPDM/CR
9193	0.787	0.012	0.118	0.004	20.00	0.30	3.00	0.10	NBR/EPDM/CR
9533	0.827	0.010	0.118	0.004	21.00	0.25	3.00	0.10	NBR/EPDM/CR
5021530	0.846	0.010	0.118	0.004	21.50	0.25	3.00	0.10	NBR/EPDM/CR
5022530	0.886	0.010	0.118	0.003	22.50	0.25	3.00	0.08	NBR/EPDM/CR
5023030	0.906	0.010	0.118	0.004	23.00	0.25	3.00	0.10	NBR/EPDM/CR
5024030	0.945	0.010	0.118	0.004	24.00	0.25	3.00	0.10	NBR/EPDM/CR
9103	0.945		0.118		24.00		3.00		NBR/EPDM/CR
5024530	0.965	0.010	0.118	0.004	24.50	0.25	3.00	0.10	NBR/EPDM/CR
9329	0.984	0.010	0.118	0.004	25.00	0.25	3.00	0.10	NBR/EPDM/CR
5025530	1.004	0.010	0.118	0.004	25.50	0.25	3.00	0.10	NBR/EPDM/CR
5026030	1.024	0.010	0.118	0.003	26.00	0.25	3.00	0.08	NBR/EPDM/CR
5026230	1.031	0.010	0.118	0.004	26.20	0.25	3.00	0.10	NBR/EPDM/CR
5026530	1.043	0.010	0.118	0.004	26.50	0.25	3.00	0.10	NBR/EPDM/CR
9978	1.063	0.010	0.118	0.004	27.00	0.25	3.00	0.10	NBR/EPDM/CR
5027530	1.083	0.010	0.118	0.004	27.50	0.25	3.00	0.10	NBR/EPDM/CR
5028030	1.102	0.010	0.118	0.003	28.00	0.25	3.00	0.08	NBR/EPDM/CR
90147	1.102	0.012	0.118	0.004	28.00	0.30	3.00	0.10	NBR/EPDM/CR
5029030	1.142	0.010	0.118	0.004	29.00	0.25	3.00	0.10	NBR/EPDM/CR
5029530	1.161	0.012	0.118	0.004	29.50	0.30	3.00	0.10	NBR/EPDM/CR
5030030	1.181	0.012	0.118	0.004	30.00	0.30	3.00	0.10	NBR/EPDM/CR
5030330	1.193	0.012	0.118	0.004	30.30	0.30	3.00	0.10	NBR/EPDM/CR
5031030	1.220	0.012	0.118	0.003	31.00	0.30	3.00	0.08	NBR/EPDM/CR
5031530	1.240	0.012	0.118	0.004	31.50	0.30	3.00	0.10	NBR/EPDM/CR
5032030	1.260	0.012	0.118	0.004	32.00	0.30	3.00	0.10	NBR/EPDM/CR
5032530	1.280	0.012	0.118	0.004	32.50	0.30	3.00	0.10	NBR/EPDM/CR
90028	1.299	0.012	0.118	0.004	33.00	0.30	3.00	0.10	NBR/EPDM/CR
5034030	1.339	0.012	0.118	0.003	34.00	0.30	3.00	0.08	NBR/EPDM/CR
90153	1.339	0.012	0.118	0.004	34.00	0.30	3.00	0.10	NBR/EPDM/CR
5034530	1.358	0.012	0.118	0.004	34.50	0.30	3.00	0.10	NBR/EPDM/CR
5035030	1.378	0.013	0.118	0.004	35.00	0.33	3.00	0.10	NBR/EPDM/CR
90076	1.386	0.012	0.118	0.004	35.20	0.30	3.00	0.10	NBR/EPDM/CR
5035530	1.398	0.013	0.118	0.004	35.50	0.33	3.00	0.10	NBR/EPDM/CR
5036030	1.417	0.013	0.118	0.004	36.00	0.33	3.00	0.10	NBR/EPDM/CR
5036530	1.437	0.013	0.118	0.004	36.50	0.33	3.00	0.10	NBR/EPDM/CR
5037030	1.457	0.013	0.118	0.004	37.00	0.33	3.00	0.10	NBR/EPDM/CR
5037230	1.465	0.013	0.118	0.004	37.20	0.33	3.00	0.10	NBR/EPDM/CR
920	1.475	0.014	0.118	0.004	37.47	0.36	3.00	0.10	NBR/EPDM/CR
5037530	1.476	0.015	0.118	0.004	37.50	0.38	3.00	0.10	NBR/EPDM/CR
90133	1.496	0.015	0.118	0.003	38.00	0.38	3.00	0.08	NBR/EPDM/CR
5039030	1.535	0.015	0.118	0.004	39.00	0.38	3.00	0.10	NBR/EPDM/CR
5039230	1.543	0.015	0.118	0.004	39.20	0.38	3.00	0.10	NBR/EPDM/CR
5039530	1.555	0.015	0.118	0.004	39.50	0.38	3.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90151	1.575	0.015	0.118	0.004	40.00	0.38	3.00	0.10	NBR/EPDM/CR
9578	1.594	0.015	0.118	0.004	40.50	0.38	3.00	0.10	NBR/EPDM/CR
5041030	1.614	0.015	0.118	0.004	41.00	0.38	3.00	0.10	NBR/EPDM/CR
5042030	1.654	0.015	0.118	0.004	42.00	0.38	3.00	0.10	NBR/EPDM/CR
5042230	1.661	0.015	0.118	0.004	42.20	0.38	3.00	0.10	NBR/EPDM/CR
90192	1.661	0.015	0.118	0.004	42.20	0.38	3.00	0.10	NBR/EPDM/CR
5043030	1.693	0.015	0.118	0.004	43.00	0.38	3.00	0.10	NBR/EPDM/CR
9073	1.717		0.118		43.60		3.00		NBR/EPDM/CR
924	1.720	0.014	0.118	0.004	43.69	0.36	3.00	0.10	NBR/EPDM/CR
5044030	1.732	0.015	0.118	0.004	44.00	0.38	3.00	0.10	NBR/EPDM/CR
5044530	1.752	0.015	0.118	0.003	44.50	0.38	3.00	0.08	NBR/EPDM/CR
5045030	1.772	0.015	0.118	0.004	45.00	0.38	3.00	0.10	NBR/EPDM/CR
5045530	1.791	0.015	0.118	0.004	45.50	0.38	3.00	0.10	NBR/EPDM/CR
5046030	1.811	0.015	0.118	0.004	46.00	0.38	3.00	0.10	NBR/EPDM/CR
5047030	1.850	0.015	0.118	0.004	47.00	0.38	3.00	0.10	NBR/EPDM/CR
9306	1.850	0.015	0.118	0.003	46.99	0.38	3.00	0.08	NBR/EPDM/CR
5048030	1.890	0.018	0.118	0.004	48.00	0.46	3.00	0.10	NBR/EPDM/CR
9568	1.890	0.016	0.118	0.004	48.00	0.40	3.00	0.10	NBR/EPDM/CR
5048530	1.909	0.018	0.118	0.004	48.50	0.46	3.00	0.10	NBR/EPDM/CR
5049030	1.929	0.018	0.118	0.003	49.00	0.46	3.00	0.08	NBR/EPDM/CR
5049530	1.949	0.018	0.118	0.004	49.50	0.46	3.00	0.10	NBR/EPDM/CR
5050030	1.969	0.018	0.118	0.004	50.00	0.46	3.00	0.10	NBR/EPDM/CR
90149	1.969	0.018	0.118	0.004	50.00	0.46	3.00	0.10	NBR/EPDM/CR
5051030	2.008	0.018	0.118	0.003	51.00	0.46	3.00	0.08	NBR/EPDM/CR
9595	2.047	0.012	0.118	0.004	52.00	0.30	3.00	0.10	NBR/EPDM/CR
928	2.090	0.018	0.118	0.004	53.09	0.46	3.00	0.10	NBR/EPDM/CR
5053530	2.106	0.018	0.118	0.004	53.50	0.46	3.00	0.10	NBR/EPDM/CR
9594	2.125	0.016	0.118	0.004	53.98	0.40	3.00	0.10	NBR/EPDM/CR
5054030	2.126	0.018	0.118	0.004	54.00	0.46	3.00	0.10	NBR/EPDM/CR
5054330	2.138	0.018	0.118	0.004	54.30	0.46	3.00	0.10	NBR/EPDM/CR
5054530	2.146	0.018	0.118	0.004	54.50	0.46	3.00	0.10	NBR/EPDM/CR
90038	2.165	0.020	0.118	0.004	55.00	0.51	3.00	0.10	NBR/EPDM/CR
5055530	2.185	0.018	0.118	0.004	55.50	0.46	3.00	0.10	NBR/EPDM/CR
5056030	2.205	0.018	0.118	0.004	56.00	0.46	3.00	0.10	NBR/EPDM/CR
9851	2.244	0.025	0.118	0.004	57.00	0.63	3.00	0.10	NBR/EPDM/CR
5058030	2.283	0.018	0.118	0.004	58.00	0.46	3.00	0.10	NBR/EPDM/CR
5059030	2.323	0.020	0.118	0.004	59.00	0.51	3.00	0.10	NBR/EPDM/CR
932	2.337	0.018	0.118	0.004	59.36	0.46	3.00	0.10	NBR/EPDM/CR
5059530	2.343	0.020	0.118	0.004	59.50	0.51	3.00	0.10	NBR/EPDM/CR
5060030	2.362	0.020	0.118	0.004	60.00	0.51	3.00	0.10	NBR/EPDM/CR
9420	2.362	0.020	0.118	0.003	59.99	0.51	3.00	0.08	NBR/EPDM/CR
5061030	2.402	0.020	0.118	0.004	61.00	0.51	3.00	0.10	NBR/EPDM/CR
5062030	2.441	0.020	0.118	0.005	62.00	0.51	3.00	0.13	NBR/EPDM/CR
9418	2.441	0.020	0.118	0.004	62.00	0.51	3.00	0.10	NBR/EPDM/CR
5063030	2.480	0.020	0.118	0.004	63.00	0.51	3.00	0.10	NBR/EPDM/CR
5064030	2.520	0.020	0.118	0.004	64.00	0.51	3.00	0.10	NBR/EPDM/CR
5064530	2.539	0.020	0.118	0.004	64.50	0.51	3.00	0.10	NBR/EPDM/CR
5065030	2.559	0.020	0.118	0.003	65.00	0.51	3.00	0.08	NBR/EPDM/CR
5066030	2.598	0.020	0.118	0.004	66.00	0.51	3.00	0.10	NBR/EPDM/CR
5067030	2.638	0.020	0.118	0.003	67.00	0.51	3.00	0.08	NBR/EPDM/CR
5068030	2.677	0.024	0.118	0.004	68.00	0.61	3.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5069030	2.717	0.020	0.118	0.004	69.00	0.51	3.00	0.10	NBR/EPDM/CR
5069530	2.736	0.020	0.118	0.004	69.50	0.51	3.00	0.10	NBR/EPDM/CR
5070030	2.756	0.022	0.118	0.004	70.00	0.56	3.00	0.10	NBR/EPDM/CR
5071030	2.795	0.022	0.118	0.004	71.00	0.56	3.00	0.10	NBR/EPDM/CR
5072030	2.835	0.022	0.118	0.004	72.00	0.56	3.00	0.10	NBR/EPDM/CR
5073030	2.874	0.022	0.118	0.003	73.00	0.56	3.00	0.08	NBR/EPDM/CR
5074030	2.913	0.024	0.118	0.004	74.00	0.61	3.00	0.10	NBR/EPDM/CR
5074530	2.933	0.024	0.118	0.004	74.50	0.61	3.00	0.10	NBR/EPDM/CR
5075030	2.953	0.024	0.118	0.003	75.00	0.61	3.00	0.08	NBR/EPDM/CR
9688	2.992	0.016	0.118	0.004	76.00	0.40	3.00	0.10	NBR/EPDM/CR
5077030	3.031	0.024	0.118	0.004	77.00	0.61	3.00	0.10	NBR/EPDM/CR
5078030	3.071	0.024	0.118	0.003	78.00	0.61	3.00	0.08	NBR/EPDM/CR
5079030	3.110	0.024	0.118	0.004	79.00	0.61	3.00	0.10	NBR/EPDM/CR
5079530	3.130	0.024	0.118	0.004	79.50	0.61	3.00	0.10	NBR/EPDM/CR
5080030	3.150	0.024	0.118	0.004	80.00	0.61	3.00	0.10	NBR/EPDM/CR
5081030	3.189	0.024	0.118	0.004	81.00	0.61	3.00	0.10	NBR/EPDM/CR
5082030	3.228	0.024	0.118	0.003	82.00	0.61	3.00	0.08	NBR/EPDM/CR
5083030	3.268	0.024	0.118	0.003	83.00	0.61	3.00	0.08	NBR/EPDM/CR
5084030	3.307	0.024	0.118	0.004	84.00	0.61	3.00	0.10	NBR/EPDM/CR
5084530	3.327	0.024	0.118	0.004	84.50	0.61	3.00	0.10	NBR/EPDM/CR
5085030	3.346	0.024	0.118	0.003	85.00	0.61	3.00	0.08	NBR/EPDM/CR
5086030	3.386	0.024	0.118	0.004	86.00	0.61	3.00	0.10	NBR/EPDM/CR
5087030	3.425	0.024	0.118	0.004	87.00	0.61	3.00	0.10	NBR/EPDM/CR
5088030	3.465	0.024	0.118	0.003	88.00	0.61	3.00	0.08	NBR/EPDM/CR
90030	3.465	0.024	0.118	0.004	88.00	0.61	3.00	0.10	NBR/EPDM/CR
5089030	3.504	0.025	0.118	0.004	89.00	0.64	3.00	0.10	NBR/EPDM/CR
5089530	3.524	0.025	0.118	0.004	89.50	0.64	3.00	0.10	NBR/EPDM/CR
90097	3.543	0.028	0.118	0.004	90.00	0.70	3.00	0.10	NBR/EPDM/CR
5091030	3.583	0.028	0.118	0.004	91.00	0.71	3.00	0.10	NBR/EPDM/CR
5092030	3.622	0.028	0.118	0.004	92.00	0.71	3.00	0.10	NBR/EPDM/CR
5093030	3.661	0.028	0.118	0.004	93.00	0.71	3.00	0.10	NBR/EPDM/CR
5094030	3.701	0.028	0.118	0.003	94.00	0.71	3.00	0.08	NBR/EPDM/CR
90029	3.701	0.028	0.118	0.004	94.00	0.71	3.00	0.10	NBR/EPDM/CR
5094530	3.720	0.028	0.118	0.004	94.50	0.71	3.00	0.10	NBR/EPDM/CR
5095030	3.740	0.028	0.118	0.004	95.00	0.71	3.00	0.10	NBR/EPDM/CR
5096030	3.780	0.028	0.118	0.004	96.00	0.71	3.00	0.10	NBR/EPDM/CR
9043	3.819	0.028	0.118	0.004	97.00	0.71	3.00	0.10	NBR/EPDM/CR
5098030	3.858	0.028	0.118	0.004	98.00	0.71	3.00	0.10	NBR/EPDM/CR
5098530	3.878	0.028	0.118	0.004	98.50	0.71	3.00	0.10	NBR/EPDM/CR
5099030	3.898	0.028	0.118	0.004	99.00	0.71	3.00	0.10	NBR/EPDM/CR
5099530	3.917	0.028	0.118	0.004	99.50	0.71	3.00	0.10	NBR/EPDM/CR
5100030	3.937	0.028	0.118	0.003	100.00	0.71	3.00	0.08	NBR/EPDM/CR
90150	3.937	0.028	0.118	0.004	100.00	0.71	3.00	0.10	NBR/EPDM/CR
5101030	3.976	0.028	0.118	0.003	101.00	0.71	3.00	0.08	NBR/EPDM/CR
5102030	4.016	0.028	0.118	0.004	102.00	0.70	3.00	0.10	NBR/EPDM/CR
5103030	4.055	0.028	0.118	0.004	103.00	0.71	3.00	0.10	NBR/EPDM/CR
5104530	4.114	0.028	0.118	0.004	104.50	0.71	3.00	0.10	NBR/EPDM/CR
9665	4.134	0.030	0.118	0.004	105.00	0.76	3.00	0.10	NBR/EPDM/CR
5106030	4.173	0.030	0.118	0.004	106.00	0.76	3.00	0.10	NBR/EPDM/CR
5107030	4.213	0.030	0.118	0.004	107.00	0.76	3.00	0.10	NBR/EPDM/CR
9318	4.252	0.030	0.118	0.004	108.00	0.76	3.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5109030	4.291	0.030	0.118	0.004	109.00	0.76	3.00	0.10	NBR/EPDM/CR
5109530	4.311	0.030	0.118	0.004	109.50	0.76	3.00	0.10	NBR/EPDM/CR
5110030	4.331	0.030	0.118	0.004	110.00	0.76	3.00	0.10	NBR/EPDM/CR
5111030	4.370	0.030	0.118	0.004	111.00	0.76	3.00	0.10	NBR/EPDM/CR
5112030	4.409	0.030	0.118	0.004	112.00	0.76	3.00	0.10	NBR/EPDM/CR
9359	4.488	0.027	0.118	0.004	114.00	0.69	3.00	0.10	NBR/EPDM/CR
5114530	4.508	0.030	0.118	0.004	114.50	0.76	3.00	0.10	NBR/EPDM/CR
5115030	4.528	0.030	0.118	0.004	115.00	0.76	3.00	0.10	NBR/EPDM/CR
5116030	4.567	0.030	0.118	0.003	116.00	0.76	3.00	0.08	NBR/EPDM/CR
5118030	4.646	0.030	0.118	0.004	118.00	0.76	3.00	0.10	NBR/EPDM/CR
5119530	4.705	0.030	0.118	0.003	119.50	0.76	3.00	0.08	NBR/EPDM/CR
9053	4.710		0.118		119.63		3.00		NBR/EPDM/CR
5121030	4.764	0.030	0.118	0.004	121.00	0.76	3.00	0.10	NBR/EPDM/CR
5121530	4.783	0.030	0.118	0.004	121.50	0.76	3.00	0.10	NBR/EPDM/CR
5122030	4.803	0.030	0.118	0.004	122.00	0.76	3.00	0.10	NBR/EPDM/CR
5123030	4.843	0.030	0.118	0.004	123.00	0.76	3.00	0.10	NBR/EPDM/CR
5124530	4.902	0.030	0.118	0.004	124.50	0.76	3.00	0.10	NBR/EPDM/CR
5125030	4.921	0.030	0.118	0.004	125.00	0.76	3.00	0.10	NBR/EPDM/CR
5126030	4.961	0.037	0.118	0.004	126.00	0.94	3.00	0.10	NBR/EPDM/CR
5127030	5.000	0.037	0.118	0.004	127.00	0.94	3.00	0.10	NBR/EPDM/CR
5128030	5.039	0.037	0.118	0.004	128.00	0.94	3.00	0.10	NBR/EPDM/CR
5129530	5.098	0.037	0.118	0.004	129.50	0.94	3.00	0.10	NBR/EPDM/CR
5130030	5.118	0.037	0.118	0.004	130.00	0.94	3.00	0.10	NBR/EPDM/CR
5131030	5.157	0.037	0.118	0.004	131.00	0.94	3.00	0.10	NBR/EPDM/CR
5132030	5.197	0.037	0.118	0.004	132.00	0.94	3.00	0.10	NBR/EPDM/CR
5133030	5.236	0.037	0.118	0.004	133.00	0.94	3.00	0.10	NBR/EPDM/CR
5134030	5.276	0.037	0.118	0.004	134.00	0.94	3.00	0.10	NBR/EPDM/CR
5134530	5.295	0.037	0.118	0.004	134.50	0.94	3.00	0.10	NBR/EPDM/CR
9574	5.315	0.035	0.118	0.004	135.00	0.89	3.00	0.10	NBR/EPDM/CR
5136030	5.354	0.037	0.118	0.004	136.00	0.94	3.00	0.10	NBR/EPDM/CR
5137030	5.394	0.037	0.118	0.003	137.00	0.94	3.00	0.08	NBR/EPDM/CR
5138030	5.433	0.037	0.118	0.004	138.00	0.94	3.00	0.10	NBR/EPDM/CR
5139030	5.472	0.037	0.118	0.004	139.00	0.94	3.00	0.10	NBR/EPDM/CR
5139530	5.492	0.037	0.118	0.004	139.50	0.94	3.00	0.10	NBR/EPDM/CR
9828	5.512	0.043	0.118	0.004	140.00	1.09	3.00	0.10	NBR/EPDM/CR
5141030	5.551	0.037	0.118	0.004	141.00	0.94	3.00	0.10	NBR/EPDM/CR
5141530	5.571	0.037	0.118	0.004	141.50	0.94	3.00	0.10	NBR/EPDM/CR
5142030	5.591	0.037	0.118	0.004	142.00	0.94	3.00	0.10	NBR/EPDM/CR
5143030	5.630	0.037	0.118	0.004	143.00	0.94	3.00	0.10	NBR/EPDM/CR
5144530	5.689	0.037	0.118	0.004	144.50	0.94	3.00	0.10	NBR/EPDM/CR
5145030	5.709	0.037	0.118	0.004	145.00	0.94	3.00	0.10	NBR/EPDM/CR
5146030	5.748	0.037	0.118	0.004	146.00	0.94	3.00	0.10	NBR/EPDM/CR
5147030	5.787	0.037	0.118	0.004	147.00	0.94	3.00	0.10	NBR/EPDM/CR
5148030	5.827	0.037	0.118	0.004	148.00	0.94	3.00	0.10	NBR/EPDM/CR
5149530	5.886	0.037	0.118	0.004	149.50	0.94	3.00	0.10	NBR/EPDM/CR
5150030	5.906	0.037	0.118	0.004	150.00	0.94	3.00	0.10	NBR/EPDM/CR
9723	5.984	0.035	0.118	0.004	152.00	0.89	3.00	0.10	NBR/EPDM/CR
5153030	6.024	0.037	0.118	0.004	153.00	0.94	3.00	0.10	NBR/EPDM/CR
5154030	6.063	0.037	0.118	0.004	154.00	0.94	3.00	0.10	NBR/EPDM/CR
5154530	6.083	0.037	0.118	0.003	154.50	0.94	3.00	0.08	NBR/EPDM/CR
5155030	6.102	0.037	0.118	0.004	155.00	0.94	3.00	0.10	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5156030	6.142	0.040	0.118	0.004	156.00	1.02	3.00	0.10	NBR/EPDM/CR
5157030	6.181	0.040	0.118	0.004	157.00	1.02	3.00	0.10	NBR/EPDM/CR
5158030	6.220	0.040	0.118	0.004	158.00	1.02	3.00	0.10	NBR/EPDM/CR
5159030	6.260	0.040	0.118	0.004	159.00	1.02	3.00	0.10	NBR/EPDM/CR
5159530	6.280	0.040	0.118	0.004	159.50	1.02	3.00	0.10	NBR/EPDM/CR
5160030	6.299	0.040	0.118	0.004	160.00	1.02	3.00	0.10	NBR/EPDM/CR
5161030	6.339	0.040	0.118	0.004	161.00	1.02	3.00	0.10	NBR/EPDM/CR
5162030	6.378	0.040	0.118	0.003	162.00	1.02	3.00	0.08	NBR/EPDM/CR
5163030	6.417	0.040	0.118	0.004	163.00	1.02	3.00	0.10	NBR/EPDM/CR
5164030	6.457	0.040	0.118	0.004	164.00	1.02	3.00	0.10	NBR/EPDM/CR
5164530	6.476	0.040	0.118	0.004	164.50	1.02	3.00	0.10	NBR/EPDM/CR
5165030	6.496	0.040	0.118	0.004	165.00	1.02	3.00	0.10	NBR/EPDM/CR
5166030	6.535	0.040	0.118	0.004	166.00	1.02	3.00	0.10	NBR/EPDM/CR
5168030	6.614	0.040	0.118	0.004	168.00	1.02	3.00	0.10	NBR/EPDM/CR
5169530	6.673	0.040	0.118	0.004	169.50	1.02	3.00	0.10	NBR/EPDM/CR
5170030	6.693	0.040	0.118	0.004	170.00	1.02	3.00	0.10	NBR/EPDM/CR
5171030	6.732	0.040	0.118	0.004	171.00	1.02	3.00	0.10	NBR/EPDM/CR
5172030	6.772	0.040	0.118	0.004	172.00	1.02	3.00	0.10	NBR/EPDM/CR
5173030	6.811	0.040	0.118	0.004	173.00	1.02	3.00	0.10	NBR/EPDM/CR
5174030	6.850	0.040	0.118	0.004	174.00	1.02	3.00	0.10	NBR/EPDM/CR
5174530	6.870	0.040	0.118	0.004	174.50	1.02	3.00	0.10	NBR/EPDM/CR
5175030	6.890	0.040	0.118	0.004	175.00	1.02	3.00	0.10	NBR/EPDM/CR
5176030	6.929	0.040	0.118	0.004	176.00	1.02	3.00	0.10	NBR/EPDM/CR
5177030	6.969	0.040	0.118	0.004	177.00	1.02	3.00	0.10	NBR/EPDM/CR
5179030	7.047	0.040	0.118	0.004	179.00	1.02	3.00	0.10	NBR/EPDM/CR
5179530	7.067	0.040	0.118	0.004	179.50	1.02	3.00	0.10	NBR/EPDM/CR
5180030	7.087	0.040	0.118	0.004	180.00	1.02	3.00	0.10	NBR/EPDM/CR
5181030	7.126	0.045	0.118	0.004	181.00	1.14	3.00	0.10	NBR/EPDM/CR
5182030	7.165	0.045	0.118	0.004	182.00	1.14	3.00	0.10	NBR/EPDM/CR
5183530	7.224	0.045	0.118	0.004	183.50	1.14	3.00	0.10	NBR/EPDM/CR
5184530	7.264	0.045	0.118	0.004	184.50	1.14	3.00	0.10	NBR/EPDM/CR
5185030	7.283	0.045	0.118	0.004	185.00	1.14	3.00	0.10	NBR/EPDM/CR
5186030	7.323	0.045	0.118	0.004	186.00	1.14	3.00	0.10	NBR/EPDM/CR
5188030	7.402	0.045	0.118	0.004	188.00	1.14	3.00	0.10	NBR/EPDM/CR
5189530	7.461	0.045	0.118	0.004	189.50	1.14	3.00	0.10	NBR/EPDM/CR
5190030	7.480	0.045	0.118	0.004	190.00	1.14	3.00	0.10	NBR/EPDM/CR
5190032	7.480	0.045	0.118	0.004	190.00	1.14	3.00	0.10	NBR/EPDM/CR
5191530	7.539	0.045	0.118	0.004	191.50	1.14	3.00	0.10	NBR/EPDM/CR
5192030	7.559	0.045	0.118	0.004	192.00	1.14	3.00	0.10	NBR/EPDM/CR
5193030	7.598	0.045	0.118	0.004	193.00	1.14	3.00	0.10	NBR/EPDM/CR
5194530	7.657	0.045	0.118	0.004	194.50	1.14	3.00	0.10	NBR/EPDM/CR
5195030	7.677	0.045	0.118	0.004	195.00	1.14	3.00	0.10	NBR/EPDM/CR
5196030	7.717	0.045	0.118	0.004	196.00	1.14	3.00	0.10	NBR/EPDM/CR
5197030	7.756	0.045	0.118	0.004	197.00	1.14	3.00	0.10	NBR/EPDM/CR
5198030	7.795	0.045	0.118	0.004	198.00	1.14	3.00	0.10	NBR/EPDM/CR
5199530	7.854	0.045	0.118	0.004	199.50	1.14	3.00	0.10	NBR/EPDM/CR
5200030	7.874	0.045	0.118	0.004	200.00	1.14	3.00	0.10	NBR/EPDM/CR
5202030	7.953	0.045	0.118	0.004	202.00	1.14	3.00	0.10	NBR/EPDM/CR
5203030	7.992	0.045	0.118	0.004	203.00	1.14	3.00	0.10	NBR/EPDM/CR
5205030	8.071	0.045	0.118	0.004	205.00	1.14	3.00	0.10	NBR/EPDM/CR
5206030	8.110	0.045	0.118	0.003	206.00	1.14	3.00	0.08	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5207030	8.150	0.045	0.118	0.004	207.00	1.14	3.00	0.10	NBR/EPDM/CR
5208030	8.189	0.050	0.118	0.004	208.00	1.27	3.00	0.10	NBR/EPDM/CR
5209530	8.248	0.050	0.118	0.004	209.50	1.27	3.00	0.10	NBR/EPDM/CR
5210030	8.268	0.050	0.118	0.003	210.00	1.27	3.00	0.08	NBR/EPDM/CR
5212030	8.346	0.050	0.118	0.004	212.00	1.27	3.00	0.10	NBR/EPDM/CR
5214030	8.425	0.050	0.118	0.004	214.00	1.27	3.00	0.10	NBR/EPDM/CR
90148	8.465	0.050	0.118	0.004	215.00	1.27	3.00	0.10	NBR/EPDM/CR
5217030	8.543	0.050	0.118	0.004	217.00	1.27	3.00	0.10	NBR/EPDM/CR
5218030	8.583	0.050	0.118	0.004	218.00	1.27	3.00	0.10	NBR/EPDM/CR
5219530	8.642	0.050	0.118	0.004	219.50	1.27	3.00	0.10	NBR/EPDM/CR
5220030	8.661	0.050	0.118	0.004	220.00	1.27	3.00	0.10	NBR/EPDM/CR
5221030	8.701	0.050	0.118	0.004	221.00	1.27	3.00	0.10	NBR/EPDM/CR
5222030	8.740	0.050	0.118	0.004	222.00	1.27	3.00	0.10	NBR/EPDM/CR
5223030	8.780	0.050	0.118	0.004	223.00	1.27	3.00	0.10	NBR/EPDM/CR
90089	8.819	0.050	0.118	0.004	224.00	1.27	3.00	0.10	NBR/EPDM/CR
5224530	8.839	0.050	0.118	0.004	224.50	1.27	3.00	0.10	NBR/EPDM/CR
5225030	8.858	0.050	0.118	0.004	225.00	1.27	3.00	0.10	NBR/EPDM/CR
5226030	8.898	0.050	0.118	0.004	226.00	1.27	3.00	0.10	NBR/EPDM/CR
5228030	8.976	0.050	0.118	0.004	228.00	1.27	3.00	0.10	NBR/EPDM/CR
5229530	9.035	0.050	0.118	0.004	229.50	1.27	3.00	0.10	NBR/EPDM/CR
5230030	9.055	0.055	0.118	0.004	230.00	1.40	3.00	0.10	NBR/EPDM/CR
5232030	9.134	0.055	0.118	0.004	232.00	1.40	3.00	0.10	NBR/EPDM/CR
5233030	9.173	0.055	0.118	0.004	233.00	1.40	3.00	0.10	NBR/EPDM/CR
5234030	9.213	0.055	0.118	0.004	234.00	1.40	3.00	0.10	NBR/EPDM/CR
5234530	9.232	0.055	0.118	0.004	234.50	1.40	3.00	0.10	NBR/EPDM/CR
5235030	9.252	0.055	0.118	0.004	235.00	1.40	3.00	0.10	NBR/EPDM/CR
5237030	9.331	0.055	0.118	0.004	237.00	1.40	3.00	0.10	NBR/EPDM/CR
5239530	9.429	0.055	0.118	0.004	239.50	1.40	3.00	0.10	NBR/EPDM/CR
9475	9.449		0.118		240.00		3.00		NBR/EPDM/CR
5242030	9.528	0.055	0.118	0.004	242.00	1.40	3.00	0.10	NBR/EPDM/CR
5243030	9.567	0.055	0.118	0.004	243.00	1.40	3.00	0.10	NBR/EPDM/CR
5244030	9.606	0.055	0.118	0.004	244.00	1.40	3.00	0.10	NBR/EPDM/CR
5244530	9.626	0.055	0.118	0.004	244.50	1.40	3.00	0.10	NBR/EPDM/CR
90035	9.646	0.055	0.118	0.004	245.00	1.40	3.00	0.10	NBR/EPDM/CR
5246030	9.685	0.055	0.118	0.004	246.00	1.40	3.00	0.10	NBR/EPDM/CR
5248030	9.764	0.055	0.118	0.004	248.00	1.40	3.00	0.10	NBR/EPDM/CR
5249030	9.803	0.055	0.118	0.004	249.00	1.40	3.00	0.10	NBR/EPDM/CR
5250030	9.843	0.055	0.118	0.004	250.00	1.40	3.00	0.10	NBR/EPDM/CR
5252030	9.921	0.055	0.118	0.004	252.00	1.40	3.00	0.10	NBR/EPDM/CR
5254530	10.020	0.055	0.118	0.004	254.50	1.40	3.00	0.10	NBR/EPDM/CR
5255030	10.039	0.055	0.118	0.004	255.00	1.40	3.00	0.10	NBR/EPDM/CR
5257030	10.118	0.055	0.118	0.004	257.00	1.40	3.00	0.10	NBR/EPDM/CR
5258030	10.157	0.055	0.118	0.004	258.00	1.40	3.00	0.10	NBR/EPDM/CR
5260030	10.236	0.055	0.118	0.004	260.00	1.40	3.00	0.10	NBR/EPDM/CR
5264030	10.394	0.055	0.118	0.004	264.00	1.40	3.00	0.10	NBR/EPDM/CR
5265030	10.433	0.055	0.118	0.004	265.00	1.40	3.00	0.10	NBR/EPDM/CR
5266030	10.472	0.055	0.118	0.004	266.00	1.40	3.00	0.10	NBR/EPDM/CR
5267030	10.512	0.055	0.118	0.004	267.00	1.40	3.00	0.10	NBR/EPDM/CR
5268030	10.551	0.055	0.118	0.004	268.00	1.40	3.00	0.10	NBR/EPDM/CR
5270030	10.630	0.055	0.118	0.004	270.00	1.40	3.00	0.10	NBR/EPDM/CR
5271030	10.669	0.055	0.118	0.004	271.00	1.40	3.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5274030	10.787	0.055	0.118	0.004	274.00	1.40	3.00	0.10	NBR/EPDM/CR
5275030	10.827	0.055	0.118	0.004	275.00	1.40	3.00	0.10	NBR/EPDM/CR
5280030	11.024	0.060	0.118	0.004	280.00	1.52	3.00	0.10	NBR/EPDM/CR
5282030	11.102	0.065	0.118	0.004	282.00	1.65	3.00	0.10	NBR/EPDM/CR
5285030	11.220	0.065	0.118	0.004	285.00	1.65	3.00	0.10	NBR/EPDM/CR
5290030	11.417	0.065	0.118	0.004	290.00	1.65	3.00	0.10	NBR/EPDM/CR
5295030	11.614	0.065	0.118	0.004	295.00	1.65	3.00	0.10	NBR/EPDM/CR
5300030	11.811	0.065	0.118	0.003	300.00	1.65	3.00	0.08	NBR/EPDM/CR
5305030	12.008	0.065	0.118	0.004	305.00	1.65	3.00	0.10	NBR/EPDM/CR
5308030	12.126	0.065	0.118	0.004	308.00	1.65	3.00	0.10	NBR/EPDM/CR
5310030	12.205	0.065	0.118	0.004	310.00	1.65	3.00	0.10	NBR/EPDM/CR
5315030	12.402	0.065	0.118	0.004	315.00	1.65	3.00	0.10	NBR/EPDM/CR
5320030	12.598	0.065	0.118	0.004	320.00	1.65	3.00	0.10	NBR/EPDM/CR
5325030	12.795	0.065	0.118	0.003	325.00	1.65	3.00	0.08	NBR/EPDM/CR
5330030	12.992	0.065	0.118	0.004	330.00	1.65	3.00	0.10	NBR/EPDM/CR
5335030	13.189	0.065	0.118	0.004	335.00	1.65	3.00	0.10	NBR/EPDM/CR
5336030	13.228	0.065	0.118	0.004	336.00	1.65	3.00	0.10	NBR/EPDM/CR
5338030	13.307	0.065	0.118	0.004	338.00	1.65	3.00	0.10	NBR/EPDM/CR
5340030	13.386	0.065	0.118	0.004	340.00	1.65	3.00	0.10	NBR/EPDM/CR
5344030	13.543	0.065	0.118	0.004	344.00	1.65	3.00	0.10	NBR/EPDM/CR
5345030	13.583	0.065	0.118	0.004	345.00	1.65	3.00	0.10	NBR/EPDM/CR
5350030	13.780	0.065	0.118	0.004	350.00	1.65	3.00	0.10	NBR/EPDM/CR
5352030	13.858	0.065	0.118	0.004	352.00	1.65	3.00	0.10	NBR/EPDM/CR
5355030	13.976	0.065	0.118	0.004	355.00	1.65	3.00	0.10	NBR/EPDM/CR
5360030	14.173	0.065	0.118	0.004	360.00	1.65	3.00	0.10	NBR/EPDM/CR
5365030	14.370	0.065	0.118	0.004	365.00	1.65	3.00	0.10	NBR/EPDM/CR
5368030	14.488	0.065	0.118	0.004	368.00	1.65	3.00	0.10	NBR/EPDM/CR
5370030	14.567	0.065	0.118	0.004	370.00	1.65	3.00	0.10	NBR/EPDM/CR
5375030	14.764	0.070	0.118	0.004	375.00	1.78	3.00	0.10	NBR/EPDM/CR
5380030	14.961	0.070	0.118	0.004	380.00	1.78	3.00	0.10	NBR/EPDM/CR
5385030	15.157	0.070	0.118	0.004	385.00	1.78	3.00	0.10	NBR/EPDM/CR
5390030	15.354	0.070	0.118	0.004	390.00	1.78	3.00	0.10	NBR/EPDM/CR
5400030	15.748	0.075	0.118	0.004	400.00	1.91	3.00	0.10	NBR/EPDM/CR
5403030	15.866	0.075	0.118	0.004	403.00	1.91	3.00	0.10	NBR/EPDM/CR
5405030	15.945	0.075	0.118	0.004	405.00	1.91	3.00	0.10	NBR/EPDM/CR
5410030	16.142	0.075	0.118	0.004	410.00	1.91	3.00	0.10	NBR/EPDM/CR
5420030	16.535	0.075	0.118	0.004	420.00	1.91	3.00	0.10	NBR/EPDM/CR
5425030	16.732	0.075	0.118	0.004	425.00	1.91	3.00	0.10	NBR/EPDM/CR
5440030	17.323	0.080	0.118	0.004	440.00	2.03	3.00	0.10	NBR/EPDM/CR
5444030	17.480	0.080	0.118	0.004	444.00	2.03	3.00	0.10	NBR/EPDM/CR
5445030	17.520	0.080	0.118	0.004	445.00	2.03	3.00	0.10	NBR/EPDM/CR
5448030	17.638	0.080	0.118	0.004	448.00	2.03	3.00	0.10	NBR/EPDM/CR
5450030	17.717	0.085	0.118	0.004	450.00	2.16	3.00	0.10	NBR/EPDM/CR
5455030	17.913	0.085	0.118	0.004	455.00	2.16	3.00	0.10	NBR/EPDM/CR
5465030	18.307	0.085	0.118	0.004	465.00	2.16	3.00	0.10	NBR/EPDM/CR
5470030	18.504	0.085	0.118	0.004	470.00	2.16	3.00	0.10	NBR/EPDM/CR
5475030	18.701	0.085	0.118	0.004	475.00	2.16	3.00	0.10	NBR/EPDM/CR
5485030	19.094	0.085	0.118	0.004	485.00	2.16	3.00	0.10	NBR/EPDM/CR
5495030	19.488	0.090	0.118	0.004	495.00	2.29	3.00	0.10	NBR/EPDM/CR
5500030	19.685	0.095	0.118	0.004	500.00	2.41	3.00	0.10	NBR/EPDM/CR
5505030	19.882	0.095	0.118	0.004	505.00	2.41	3.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5527030	20.748	0.095	0.118	0.004	527.00	2.41	3.00	0.10	NBR/EPDM/CR
5530030	20.866	0.095	0.118	0.004	530.00	2.41	3.00	0.10	NBR/EPDM/CR
5542030	21.339	0.095	0.118	0.004	542.00	2.41	3.00	0.10	NBR/EPDM/CR
5565030	22.244	0.100	0.118	0.004	565.00	2.54	3.00	0.10	NBR/EPDM/CR
5600030	23.622	0.110	0.118	0.004	600.00	2.79	3.00	0.10	NBR/EPDM/CR
5620030	24.409	0.110	0.118	0.004	620.00	2.79	3.00	0.10	NBR/EPDM/CR
5630030	24.803	0.114	0.118	0.004	630.00	2.89	3.00	0.10	NBR/EPDM/CR
5635030	25.000	0.115	0.118	0.004	635.00	2.92	3.00	0.10	NBR/EPDM/CR
5637030	25.079	0.115	0.118	0.004	637.00	2.92	3.00	0.10	NBR/EPDM/CR
5642030	25.276	0.115	0.118	0.004	642.00	2.92	3.00	0.10	NBR/EPDM/CR
5652030	25.669	0.120	0.118	0.004	652.00	3.05	3.00	0.10	NBR/EPDM/CR
5675030	26.575	0.120	0.118	0.004	675.00	3.05	3.00	0.10	NBR/EPDM/CR
5692030	27.244	0.120	0.118	0.004	692.00	3.05	3.00	0.10	NBR/EPDM/CR
90014	0.591	0.009	0.120	0.004	15.00	0.23	3.05	0.10	NBR/EPDM/CR
5022231	0.874	0.010	0.122	0.003	22.20	0.25	3.10	0.08	NBR/EPDM/CR
90188	1.114	0.010	0.122	0.003	28.30	0.25	3.10	0.08	NBR/EPDM/CR
9346	1.388	0.010	0.122	0.004	35.25	0.25	3.10	0.10	NBR/EPDM/CR
9265	1.634		0.122	0.004	41.50		3.10	0.09	NBR/EPDM/CR
9068	1.969	0.006	0.122	0.004	50.00	0.15	3.10	0.10	NBR/EPDM/CR
5054731	2.154	0.018	0.122	0.004	54.70	0.46	3.10	0.10	NBR/EPDM/CR
9242	2.224		0.122		56.49		3.10		NBR/EPDM/CR
9169	2.260		0.122	0.004	57.40		3.10	0.10	NBR/EPDM/CR
5062431	2.457	0.020	0.122	0.004	62.40	0.51	3.10	0.10	NBR/EPDM/CR
5224331	8.831	0.050	0.122	0.004	224.30	1.27	3.10	0.10	NBR/EPDM/CR
9477	8.976	0.051	0.122	0.006	228.00	1.30	3.10	0.15	NBR/EPDM/CR
90214	4.665	0.030	0.123	0.004	118.49	0.76	3.12	0.10	NBR/EPDM/CR
9004	0.188		0.125		4.78		3.17		NBR/EPDM/CR
9906	0.250	0.007	0.125	0.007	6.35	0.18	3.17	0.18	NBR/EPDM/CR
9926	0.360	0.005	0.125	0.005	9.14	0.13	3.17	0.13	NBR/EPDM/CR
9931	0.373		0.125		9.47		3.17		NBR/EPDM/CR
9118	0.437		0.125	0.010	11.10		3.17	0.25	NBR/EPDM/CR
9675	0.500	0.010	0.125	0.004	12.70	0.25	3.17	0.10	NBR/EPDM/CR
9903	1.000	0.005	0.125	0.005	25.40	0.13	3.17	0.13	NBR/EPDM/CR
90519	2.752	0.024	0.125	0.004	69.90	0.61	3.17	0.10	NBR/EPDM/CR
9755	4.000	0.025	0.125	0.005	101.60	0.64	3.17	0.13	NBR/EPDM/CR
9064	4.100	0.028	0.125	0.004	104.14	0.71	3.17	0.10	NBR/EPDM/CR
9139	6.000	0.035	0.125	0.004	152.40	0.89	3.17	0.10	NBR/EPDM/CR
9610	0.625	0.009	0.125	0.004	15.88	0.23	3.18	0.10	NBR/EPDM/CR
9612	1.000	0.010	0.125	0.004	25.40	0.25	3.18	0.10	NBR/EPDM/CR
90553	1.543	0.015	0.125	0.004	39.19	0.38	3.18	0.10	NBR/EPDM/CR
9839	2.362	0.016	0.125	0.004	60.00	0.40	3.18	0.10	NBR/EPDM/CR
9482	3.640	0.028	0.125	0.004	92.46	0.71	3.18	0.10	NBR/EPDM/CR
9219	4.000		0.125		101.60		3.18		NBR/EPDM/CR
90203	4.980	0.035	0.125	0.030	126.49	0.89	3.18	0.76	NBR/EPDM/CR
9264	5.250	0.049	0.125	0.004	133.35	1.25	3.18	0.09	NBR/EPDM/CR
90509	19.800	0.094	0.125	0.004	502.92	2.39	3.18	0.10	NBR/EPDM/CR
5007532	0.295	0.005	0.126	0.004	7.50	0.13	3.20	0.10	NBR/EPDM/CR
5017032	0.669	0.009	0.126	0.004	17.00	0.23	3.20	0.10	NBR/EPDM/CR
5035032	1.378	0.013	0.126	0.004	35.00	0.33	3.20	0.10	NBR/EPDM/CR
5050132	1.972	0.018	0.126	0.004	50.10	0.46	3.20	0.10	NBR/EPDM/CR
9799	2.717	0.024	0.126	0.004	69.00	0.61	3.20	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5080032	3.150	0.024	0.126	0.004	80.00	0.61	3.20	0.10	NBR/EPDM/CR
5124032	4.882	0.030	0.126		124.00	0.76	3.20	0.01	NBR/EPDM/CR
5342032	13.465	0.065	0.126	0.004	342.00	1.65	3.20	0.10	NBR/EPDM/CR
9758	0.709	0.008	0.128	0.004	18.00	0.20	3.25	0.10	NBR/EPDM/CR
90616	1.339	0.012	0.128	0.004	34.00	0.30	3.25	0.10	NBR/EPDM/CR
90497	1.394	0.010	0.128	0.003	35.40	0.25	3.25	0.08	NBR/EPDM/CR
9453	4.069	0.016	0.129	0.004	103.36	0.40	3.27	0.10	NBR/EPDM/CR
9924	0.595	0.005	0.129	0.005	15.11	0.13	3.28	0.13	NBR/EPDM/CR
9303	0.187		0.130		4.75		3.30		NBR/EPDM/CR
9917	0.297	0.010	0.130	0.004	7.54	0.25	3.30	0.10	NBR/EPDM/CR
5050033	1.969	0.018	0.130	0.004	50.00	0.46	3.30	0.10	NBR/EPDM/CR
5056633	2.228	0.018	0.130	0.004	56.60	0.46	3.30	0.10	NBR/EPDM/CR
9218	4.440		0.130		112.78		3.30		NBR/EPDM/CR
9313	4.440	0.030	0.130	0.004	112.78	0.76	3.30	0.10	NBR/EPDM/CR
5285033	11.220	0.065	0.130	0.004	285.00	1.65	3.30	0.10	NBR/EPDM/CR
9484	0.416	0.005	0.132	0.004	10.56	0.13	3.35	0.10	NBR/EPDM/CR
5016734	0.657	0.009	0.134	0.004	16.70	0.23	3.40	0.10	NBR/EPDM/CR
90173	0.815	0.010	0.134	0.004	20.70	0.25	3.40	0.10	NBR/EPDM/CR
5026734	1.051	0.010	0.134	0.004	26.70	0.25	3.40	0.10	NBR/EPDM/CR
5029734	1.169	0.012	0.134	0.004	29.70	0.30	3.40	0.10	NBR/EPDM/CR
90193-S	1.609		0.134		40.87		3.40		NBR/EPDM/CR
90194-S	2.234		0.134		56.75		3.40		NBR/EPDM/CR
9164	1.661		0.136		42.19		3.45		NBR/EPDM/CR
9158	0.415	0.005	0.137	0.004	10.54	0.13	3.48	0.10	NBR/EPDM/CR
9469	1.109	0.006	0.137	0.002	28.17	0.15	3.48	0.05	NBR/EPDM/CR
9470	1.359	0.006	0.137	0.002	34.52	0.15	3.48	0.05	NBR/EPDM/CR
90002	0.868	0.010	0.137	0.004	22.05	0.25	3.49	0.10	NBR/EPDM/CR
5005035	0.197	0.005	0.138	0.004	5.00	0.13	3.50	0.10	NBR/EPDM/CR
5007035	0.276	0.005	0.138	0.004	7.00	0.13	3.50	0.10	NBR/EPDM/CR
5008035	0.315	0.005	0.138	0.004	8.00	0.13	3.50	0.10	NBR/EPDM/CR
5009035	0.354	0.005	0.138	0.004	9.00	0.13	3.50	0.10	NBR/EPDM/CR
5010035	0.394	0.005	0.138	0.004	10.00	0.13	3.50	0.10	NBR/EPDM/CR
9099	0.394		0.138		10.00		3.50		NBR/EPDM/CR
9626	0.551	0.006	0.138	0.004	14.00	0.15	3.50	0.10	NBR/EPDM/CR
5015035	0.591	0.009	0.138	0.004	15.00	0.23	3.50	0.10	NBR/EPDM/CR
5016035	0.630	0.009	0.138	0.004	16.00	0.23	3.50	0.10	NBR/EPDM/CR
9478	0.709	0.016	0.138		18.00	0.40	3.50		NBR/EPDM/CR
5019035	0.748	0.009	0.138	0.004	19.00	0.23	3.50	0.10	NBR/EPDM/CR
90015	0.827	0.009	0.138	0.004	21.00	0.23	3.50	0.10	NBR/EPDM/CR
5022735	0.894	0.010	0.138	0.004	22.70	0.25	3.50	0.10	NBR/EPDM/CR
9240	0.906		0.138		23.01		3.50		NBR/EPDM/CR
9561	0.906	0.010	0.138	0.004	23.00	0.25	3.50	0.10	NBR/EPDM/CR
5024035	0.945	0.010	0.138	0.004	24.00	0.25	3.50	0.10	NBR/EPDM/CR
5025035	0.984	0.010	0.138	0.004	25.00	0.25	3.50	0.10	NBR/EPDM/CR
5026035	1.024	0.010	0.138	0.004	26.00	0.25	3.50	0.10	NBR/EPDM/CR
5026735	1.051	0.010	0.138	0.004	26.70	0.25	3.50	0.10	NBR/EPDM/CR
5027035	1.063	0.010	0.138	0.004	27.00	0.25	3.50	0.10	NBR/EPDM/CR
5028035	1.102	0.010	0.138	0.004	28.00	0.25	3.50	0.10	NBR/EPDM/CR
9689	1.142	0.010	0.138	0.004	29.00	0.25	3.50	0.10	NBR/EPDM/CR
9476	1.220	0.012	0.138	0.004	31.00	0.30	3.50	0.10	NBR/EPDM/CR
5032035	1.260	0.012	0.138	0.004	32.00	0.30	3.50	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5032935	1.295	0.012	0.138	0.004	32.90	0.30	3.50	0.10	NBR/EPDM/CR
5034035	1.339	0.012	0.138	0.004	34.00	0.30	3.50	0.10	NBR/EPDM/CR
5035035	1.378	0.013	0.138	0.004	35.00	0.33	3.50	0.10	NBR/EPDM/CR
5036735	1.445	0.013	0.138	0.004	36.70	0.33	3.50	0.10	NBR/EPDM/CR
5038035	1.496	0.015	0.138	0.004	38.00	0.38	3.50	0.10	NBR/EPDM/CR
5039035	1.535	0.015	0.138	0.004	39.00	0.38	3.50	0.10	NBR/EPDM/CR
5041035	1.614	0.015	0.138	0.004	41.00	0.38	3.50	0.10	NBR/EPDM/CR
9570	1.654		0.138		42.00		3.50		NBR/EPDM/CR
5042735	1.681	0.015	0.138	0.004	42.70	0.38	3.50	0.10	NBR/EPDM/CR
5043035	1.693	0.015	0.138	0.004	43.00	0.38	3.50	0.10	NBR/EPDM/CR
5044035	1.732	0.015	0.138	0.004	44.00	0.38	3.50	0.10	NBR/EPDM/CR
5045035	1.772	0.015	0.138	0.004	45.00	0.38	3.50	0.10	NBR/EPDM/CR
5046735	1.839	0.015	0.138	0.004	46.70	0.38	3.50	0.10	NBR/EPDM/CR
90252	1.878	0.010	0.138	0.004	47.70	0.25	3.50	0.10	NBR/EPDM/CR
5048035	1.890	0.018	0.138	0.004	48.00	0.46	3.50	0.10	NBR/EPDM/CR
9206	1.937	0.020	0.138	0.004	49.20	0.50	3.50	0.10	NBR/EPDM/CR
5050035	1.969	0.018	0.138	0.004	50.00	0.46	3.50	0.10	NBR/EPDM/CR
5052035	2.047	0.018	0.138	0.004	52.00	0.46	3.50	0.10	NBR/EPDM/CR
5053035	2.087	0.018	0.138	0.004	53.00	0.46	3.50	0.10	NBR/EPDM/CR
5055035	2.165	0.018	0.138	0.004	55.00	0.46	3.50	0.10	NBR/EPDM/CR
5056035	2.205	0.018	0.138	0.004	56.00	0.46	3.50	0.10	NBR/EPDM/CR
5058035	2.283	0.018	0.138	0.004	58.00	0.46	3.50	0.10	NBR/EPDM/CR
5059035	2.323	0.020	0.138	0.004	59.00	0.51	3.50	0.10	NBR/EPDM/CR
5061035	2.402	0.020	0.138	0.004	61.00	0.51	3.50	0.10	NBR/EPDM/CR
5061635	2.425	0.020	0.138	0.004	61.60	0.51	3.50	0.10	NBR/EPDM/CR
9838	2.461	0.022	0.138		62.50	0.57	3.50	0.01	NBR/EPDM/CR
5064035	2.520	0.020	0.138	0.004	64.00	0.51	3.50	0.10	NBR/EPDM/CR
5065035	2.559	0.020	0.138	0.004	65.00	0.51	3.50	0.10	NBR/EPDM/CR
5068035	2.677	0.020	0.138	0.004	68.00	0.51	3.50	0.10	NBR/EPDM/CR
5070035	2.756	0.022	0.138	0.004	70.00	0.56	3.50	0.10	NBR/EPDM/CR
5071035	2.795	0.022	0.138	0.004	71.00	0.56	3.50	0.10	NBR/EPDM/CR
5074035	2.913	0.024	0.138	0.004	74.00	0.61	3.50	0.10	NBR/EPDM/CR
5075035	2.953	0.024	0.138	0.004	75.00	0.61	3.50	0.10	NBR/EPDM/CR
5076035	2.992	0.024	0.138	0.004	76.00	0.61	3.50	0.10	NBR/EPDM/CR
5077535	3.051	0.024	0.138	0.004	77.50	0.61	3.50	0.10	NBR/EPDM/CR
5078035	3.071	0.024	0.138	0.004	78.00	0.61	3.50	0.10	NBR/EPDM/CR
5080035	3.150	0.024	0.138	0.004	80.00	0.61	3.50	0.10	NBR/EPDM/CR
5081035	3.189	0.024	0.138	0.003	81.00	0.61	3.50	0.08	NBR/EPDM/CR
5082035	3.228	0.024	0.138	0.004	82.00	0.61	3.50	0.10	NBR/EPDM/CR
5083035	3.268	0.024	0.138	0.004	83.00	0.61	3.50	0.10	NBR/EPDM/CR
5084035	3.307	0.024	0.138	0.004	84.00	0.61	3.50	0.10	NBR/EPDM/CR
9480	3.346	0.024	0.138	0.004	85.00	0.61	3.50	0.10	NBR/EPDM/CR
5086035	3.386	0.024	0.138	0.004	86.00	0.61	3.50	0.10	NBR/EPDM/CR
5087035	3.425	0.024	0.138	0.004	87.00	0.61	3.50	0.10	NBR/EPDM/CR
5087635	3.449	0.024	0.138	0.004	87.60	0.61	3.50	0.10	NBR/EPDM/CR
5088035	3.465	0.024	0.138	0.004	88.00	0.61	3.50	0.10	NBR/EPDM/CR
5089035	3.504	0.025	0.138	0.004	89.00	0.64	3.50	0.10	NBR/EPDM/CR
5090035	3.543	0.028	0.138	0.004	90.00	0.71	3.50	0.10	NBR/EPDM/CR
5091035	3.583	0.028	0.138	0.004	91.00	0.71	3.50	0.10	NBR/EPDM/CR
5094035	3.701	0.028	0.138	0.004	94.00	0.71	3.50	0.10	NBR/EPDM/CR
5096035	3.780	0.028	0.138	0.004	96.00	0.71	3.50	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5099035	3.898	0.028	0.138	0.004	99.00	0.71	3.50	0.10	NBR/EPDM/CR
5100035	3.937	0.028	0.138	0.004	100.00	0.71	3.50	0.10	NBR/EPDM/CR
5102035	4.016	0.028	0.138	0.004	102.00	0.71	3.50	0.10	NBR/EPDM/CR
5103035	4.055	0.028	0.138	0.004	103.00	0.71	3.50	0.10	NBR/EPDM/CR
5105035	4.134	0.028	0.138	0.004	105.00	0.71	3.50	0.10	NBR/EPDM/CR
5106035	4.173	0.030	0.138	0.004	106.00	0.76	3.50	0.10	NBR/EPDM/CR
5110035	4.331	0.030	0.138	0.004	110.00	0.76	3.50	0.10	NBR/EPDM/CR
5112035	4.409	0.030	0.138	0.004	112.00	0.76	3.50	0.10	NBR/EPDM/CR
5113035	4.449	0.030	0.138	0.004	113.00	0.76	3.50	0.10	NBR/EPDM/CR
5115035	4.528	0.030	0.138	0.004	115.00	0.76	3.50	0.10	NBR/EPDM/CR
5116035	4.567	0.030	0.138	0.004	116.00	0.76	3.50	0.10	NBR/EPDM/CR
5118035	4.646	0.030	0.138	0.004	118.00	0.76	3.50	0.10	NBR/EPDM/CR
5120035	4.724	0.030	0.138	0.004	120.00	0.76	3.50	0.10	NBR/EPDM/CR
5122035	4.803	0.030	0.138	0.004	122.00	0.76	3.50	0.10	NBR/EPDM/CR
5125035	4.921	0.035	0.138	0.004	125.00	0.89	3.50	0.10	NBR/EPDM/CR
5128035	5.039	0.037	0.138	0.004	128.00	0.94	3.50	0.10	NBR/EPDM/CR
5129035	5.079	0.037	0.138	0.004	129.00	0.94	3.50	0.10	NBR/EPDM/CR
5130035	5.118	0.037	0.138	0.004	130.00	0.94	3.50	0.10	NBR/EPDM/CR
5135035	5.315	0.037	0.138	0.004	135.00	0.94	3.50	0.10	NBR/EPDM/CR
5138035	5.433	0.037	0.138	0.004	138.00	0.94	3.50	0.10	NBR/EPDM/CR
5140035	5.512	0.037	0.138	0.004	140.00	0.94	3.50	0.10	NBR/EPDM/CR
5141035	5.551	0.037	0.138	0.004	141.00	0.94	3.50	0.10	NBR/EPDM/CR
5142035	5.591	0.037	0.138	0.004	142.00	0.94	3.50	0.10	NBR/EPDM/CR
5144035	5.669	0.037	0.138	0.004	144.00	0.94	3.50	0.10	NBR/EPDM/CR
5145035	5.709	0.037	0.138	0.004	145.00	0.94	3.50	0.10	NBR/EPDM/CR
5149635	5.890	0.037	0.138	0.004	149.60	0.94	3.50	0.10	NBR/EPDM/CR
5150035	5.906	0.037	0.138	0.004	150.00	0.94	3.50	0.10	NBR/EPDM/CR
5153035	6.024	0.037	0.138	0.004	153.00	0.94	3.50	0.10	NBR/EPDM/CR
5154035	6.063	0.037	0.138	0.004	154.00	0.94	3.50	0.10	NBR/EPDM/CR
5155035	6.102	0.037	0.138	0.004	155.00	0.94	3.50	0.10	NBR/EPDM/CR
5156035	6.142	0.040	0.138	0.004	156.00	1.02	3.50	0.10	NBR/EPDM/CR
5160035	6.299	0.040	0.138	0.004	160.00	1.02	3.50	0.10	NBR/EPDM/CR
5162035	6.378	0.040	0.138	0.004	162.00	1.02	3.50	0.10	NBR/EPDM/CR
5163035	6.417	0.040	0.138	0.004	163.00	1.02	3.50	0.10	NBR/EPDM/CR
5164035	6.457	0.040	0.138	0.004	164.00	1.02	3.50	0.10	NBR/EPDM/CR
5165035	6.496	0.040	0.138	0.004	165.00	1.02	3.50	0.10	NBR/EPDM/CR
5168035	6.614	0.040	0.138	0.004	168.00	1.02	3.50	0.10	NBR/EPDM/CR
5170035	6.693	0.040	0.138	0.004	170.00	1.02	3.50	0.10	NBR/EPDM/CR
5174035	6.850	0.040	0.138	0.004	174.00	1.02	3.50	0.10	NBR/EPDM/CR
5175035	6.890	0.040	0.138	0.004	175.00	1.02	3.50	0.10	NBR/EPDM/CR
5176035	6.929	0.040	0.138	0.004	176.00	1.02	3.50	0.10	NBR/EPDM/CR
5180035	7.087	0.040	0.138	0.004	180.00	1.02	3.50	0.10	NBR/EPDM/CR
5181035	7.126	0.045	0.138	0.004	181.00	1.14	3.50	0.10	NBR/EPDM/CR
5185035	7.283	0.045	0.138	0.004	185.00	1.14	3.50	0.10	NBR/EPDM/CR
5186035	7.323	0.045	0.138	0.004	186.00	1.14	3.50	0.10	NBR/EPDM/CR
5187035	7.362	0.045	0.138	0.004	187.00	1.14	3.50	0.10	NBR/EPDM/CR
5190035	7.480	0.045	0.138	0.004	190.00	1.14	3.50	0.10	NBR/EPDM/CR
5192035	7.559	0.045	0.138	0.004	192.00	1.14	3.50	0.10	NBR/EPDM/CR
5195035	7.677	0.045	0.138	0.004	195.00	1.14	3.50	0.10	NBR/EPDM/CR
5200035	7.874	0.045	0.138	0.004	200.00	1.14	3.50	0.10	NBR/EPDM/CR
5202035	7.953	0.045	0.138	0.004	202.00	1.14	3.50	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5205035	8.071	0.045	0.138	0.004	205.00	1.14	3.50	0.10	NBR/EPDM/CR
5207035	8.150	0.050	0.138	0.004	207.00	1.27	3.50	0.10	NBR/EPDM/CR
5210035	8.268	0.050	0.138	0.004	210.00	1.27	3.50	0.10	NBR/EPDM/CR
5218035	8.583	0.050	0.138	0.004	218.00	1.27	3.50	0.10	NBR/EPDM/CR
5219035	8.622	0.050	0.138	0.004	219.00	1.27	3.50	0.10	NBR/EPDM/CR
5220035	8.661	0.050	0.138	0.004	220.00	1.27	3.50	0.10	NBR/EPDM/CR
5226035	8.898	0.050	0.138	0.004	226.00	1.27	3.50	0.10	NBR/EPDM/CR
5230035	9.055	0.055	0.138	0.004	230.00	1.40	3.50	0.10	NBR/EPDM/CR
5233035	9.173	0.055	0.138	0.004	233.00	1.40	3.50	0.10	NBR/EPDM/CR
5237035	9.331	0.055	0.138	0.004	237.00	1.40	3.50	0.10	NBR/EPDM/CR
5238035	9.370	0.055	0.138	0.004	238.00	1.40	3.50	0.10	NBR/EPDM/CR
5240035	9.449	0.055	0.138	0.004	240.00	1.40	3.50	0.10	NBR/EPDM/CR
5244035	9.606	0.055	0.138	0.004	244.00	1.40	3.50	0.10	NBR/EPDM/CR
5252035	9.921	0.055	0.138	0.004	252.00	1.40	3.50	0.10	NBR/EPDM/CR
5260035	10.236	0.055	0.138	0.004	260.00	1.40	3.50	0.10	NBR/EPDM/CR
5272035	10.709	0.055	0.138	0.004	272.00	1.40	3.50	0.10	NBR/EPDM/CR
5276035	10.866	0.060	0.138	0.004	276.00	1.52	3.50	0.10	NBR/EPDM/CR
5277035	10.906	0.060	0.138	0.004	277.00	1.52	3.50	0.10	NBR/EPDM/CR
5280035	11.024	0.060	0.138	0.004	280.00	1.52	3.50	0.10	NBR/EPDM/CR
5282035	11.102	0.065	0.138	0.004	282.00	1.65	3.50	0.10	NBR/EPDM/CR
5285035	11.220	0.065	0.138	0.004	285.00	1.65	3.50	0.10	NBR/EPDM/CR
5288035	11.339	0.065	0.138	0.004	288.00	1.65	3.50	0.10	NBR/EPDM/CR
5290035	11.417	0.065	0.138	0.004	290.00	1.65	3.50	0.10	NBR/EPDM/CR
5295035	11.614	0.065	0.138	0.004	295.00	1.65	3.50	0.10	NBR/EPDM/CR
5298035	11.732	0.065	0.138	0.004	298.00	1.65	3.50	0.10	NBR/EPDM/CR
5300035	11.811	0.065	0.138	0.005	300.00	1.65	3.50	0.13	NBR/EPDM/CR
5310035	12.205	0.065	0.138	0.004	310.00	1.65	3.50	0.10	NBR/EPDM/CR
5314035	12.362	0.065	0.138	0.004	314.00	1.65	3.50	0.10	NBR/EPDM/CR
5316035	12.441	0.065	0.138	0.004	316.00	1.65	3.50	0.10	NBR/EPDM/CR
5318035	12.520	0.065	0.138	0.004	318.00	1.65	3.50	0.10	NBR/EPDM/CR
5325035	12.795	0.065	0.138	0.004	325.00	1.65	3.50	0.10	NBR/EPDM/CR
5327035	12.874	0.065	0.138	0.004	327.00	1.65	3.50	0.10	NBR/EPDM/CR
5330035	12.992	0.065	0.138	0.004	330.00	1.65	3.50	0.10	NBR/EPDM/CR
5335035	13.189	0.065	0.138	0.004	335.00	1.65	3.50	0.10	NBR/EPDM/CR
5345035	13.583	0.065	0.138	0.004	345.00	1.65	3.50	0.10	NBR/EPDM/CR
5350035	13.780	0.065	0.138	0.004	350.00	1.65	3.50	0.10	NBR/EPDM/CR
5355035	13.976	0.065	0.138	0.004	355.00	1.65	3.50	0.10	NBR/EPDM/CR
5360035	14.173	0.065	0.138	0.004	360.00	1.65	3.50	0.10	NBR/EPDM/CR
5365035	14.370	0.065	0.138	0.004	365.00	1.65	3.50	0.10	NBR/EPDM/CR
5367035	14.449	0.065	0.138	0.004	367.00	1.65	3.50	0.10	NBR/EPDM/CR
5375035	14.764	0.070	0.138	0.004	375.00	1.78	3.50	0.10	NBR/EPDM/CR
5378035	14.882	0.070	0.138	0.004	378.00	1.78	3.50	0.10	NBR/EPDM/CR
5380035	14.961	0.070	0.138	0.004	380.00	1.78	3.50	0.10	NBR/EPDM/CR
5382035	15.039	0.070	0.138	0.004	382.00	1.78	3.50	0.10	NBR/EPDM/CR
5385035	15.157	0.070	0.138	0.004	385.00	1.78	3.50	0.10	NBR/EPDM/CR
5390035	15.354	0.070	0.138	0.004	390.00	1.78	3.50	0.10	NBR/EPDM/CR
5393035	15.472	0.070	0.138	0.004	393.00	1.78	3.50	0.10	NBR/EPDM/CR
5405035	15.945	0.075	0.138	0.004	405.00	1.91	3.50	0.10	NBR/EPDM/CR
5415035	16.339	0.075	0.138	0.004	415.00	1.91	3.50	0.10	NBR/EPDM/CR
5426035	16.772	0.075	0.138	0.004	426.00	1.91	3.50	0.10	NBR/EPDM/CR
5440035	17.323	0.080	0.138	0.004	440.00	2.03	3.50	0.10	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5520035	20.472	0.095	0.138	0.004	520.00	2.41	3.50	0.10	NBR/EPDM/CR
5535035	21.063	0.095	0.138	0.004	535.00	2.41	3.50	0.10	NBR/EPDM/CR
5552035	21.850	0.095	0.138	0.004	555.00	2.41	3.50	0.10	NBR/EPDM/CR
5577035	22.717	0.100	0.138	0.004	577.00	2.54	3.50	0.10	NBR/EPDM/CR
5602035	23.701	0.110	0.138	0.004	602.00	2.79	3.50	0.10	NBR/EPDM/CR
9309	0.701	0.009	0.138	0.004	17.80	0.23	3.51	0.10	NBR/EPDM/CR
90241	1.563	0.015	0.139	0.004	39.69	0.38	3.53	0.10	NBR/EPDM/CR
90301	1.625	0.015	0.139	0.004	41.28	0.38	3.53	0.10	NBR/EPDM/CR
90217	1.687	0.015	0.139	0.004	42.86	0.38	3.53	0.10	NBR/EPDM/CR
90238	1.750	0.018	0.139	0.004	44.45	0.46	3.53	0.10	NBR/EPDM/CR
9385	1.811	0.015	0.139	0.005	46.00	0.38	3.53	0.13	NBR/EPDM/CR
9040	1.937		0.139		49.20		3.53		NBR/EPDM/CR
90263	2.000	0.018	0.139	0.004	50.80	0.46	3.53	0.10	NBR/EPDM/CR
90295	2.125	0.018	0.139	0.004	53.98	0.46	3.53	0.10	NBR/EPDM/CR
90201	2.187	0.020	0.139	0.004	55.56	0.51	3.53	0.10	NBR/EPDM/CR
90240	2.250	0.020	0.139	0.004	57.15	0.51	3.53	0.10	NBR/EPDM/CR
90254	2.250	0.020	0.139	0.004	57.15	0.51	3.53	0.10	NBR/EPDM/CR
90218	2.313	0.020	0.139	0.004	58.74	0.51	3.53	0.10	NBR/EPDM/CR
90224	2.313	0.020	0.139	0.004	58.74	0.51	3.53	0.10	NBR/EPDM/CR
90314	2.375	0.020	0.139	0.004	60.33	0.51	3.53	0.10	NBR/EPDM/CR
90485	2.437	0.020	0.139	0.004	61.90	0.51	3.53	0.10	NBR/EPDM/CR
90248	2.500	0.020	0.139	0.004	63.50	0.51	3.53	0.10	NBR/EPDM/CR
90617	2.625	0.020	0.139	0.004	66.67	0.51	3.53	0.10	NBR/EPDM/CR
90336	2.750	0.024	0.139	0.004	69.85	0.61	3.53	0.10	NBR/EPDM/CR
90589	2.750	0.024	0.139	0.004	69.85	0.61	3.53	0.10	NBR/EPDM/CR
90296	2.875	0.024	0.139	0.004	73.02	0.61	3.53	0.10	NBR/EPDM/CR
90451	2.937	0.024	0.139	0.004	74.60	0.61	3.53	0.10	NBR/EPDM/CR
90431	3.264	0.024	0.139	0.004	82.91	0.61	3.53	0.10	NBR/EPDM/CR
9299	3.680	0.028	0.139	0.004	93.47	0.71	3.53	0.10	NBR/EPDM/CR
9022	3.810		0.139		96.77		3.53		NBR/EPDM/CR
9146	3.840	0.020	0.139		97.54	0.51	3.53		NBR/EPDM/CR
90009	4.170	0.028	0.139	0.004	105.92	0.71	3.53	0.10	NBR/EPDM/CR
9132	4.930	0.035	0.139	0.004	125.22	0.89	3.53	0.10	NBR/EPDM/CR
9543	5.734	0.043	0.139	0.004	145.64	1.10	3.53	0.09	NBR/EPDM/CR
90019	7.159	0.045	0.139	0.004	181.84	1.14	3.53	0.10	NBR/EPDM/CR
90516	7.362	0.045	0.139	0.004	187.00	1.14	3.53	0.10	NBR/EPDM/CR
9815	10.205	0.055	0.139	0.005	259.21	1.40	3.53	0.13	NBR/EPDM/CR
90135	10.827	0.065	0.139	0.004	275.00	1.65	3.53	0.10	NBR/EPDM/CR
9857	11.750	0.005	0.139	0.006	298.45	0.13	3.53	0.15	NBR/EPDM/CR
9308	11.790	0.065	0.139	0.004	299.47	1.65	3.53	0.10	NBR/EPDM/CR
90316	12.567	0.065	0.139	0.004	319.20	1.65	3.53	0.10	NBR/EPDM/CR
90345	13.465	0.065	0.139	0.004	342.00	1.65	3.53	0.10	NBR/EPDM/CR
90005	13.490	0.065	0.139	0.004	342.65	1.65	3.53	0.10	NBR/EPDM/CR
9153	18.500	0.085	0.139	0.004	469.90	2.16	3.53	0.10	NBR/EPDM/CR
90289	18.583	0.088	0.139	0.004	472.00	2.24	3.53	0.10	NBR/EPDM/CR
90579	19.800	0.094	0.139	0.004	502.92	2.39	3.53	0.10	NBR/EPDM/CR
9221	4.170		0.139		105.92		3.54		NBR/EPDM/CR
90623	1.280	0.012	0.140	0.004	32.50	0.30	3.55	0.10	NBR/EPDM/CR
90338	1.437	0.012	0.140	0.004	36.50	0.30	3.55	0.10	NBR/EPDM/CR
90515	2.028	0.018	0.140	0.004	51.50	0.46	3.55	0.10	NBR/EPDM/CR
90601	2.146	0.018	0.140	0.004	54.50	0.46	3.55	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90278	2.421	0.020	0.140	0.004	61.50	0.51	3.55	0.10	NBR/EPDM/CR
90362	3.051	0.024	0.140	0.004	77.50	0.61	3.55	0.10	NBR/EPDM/CR
90285	3.642	0.028	0.140	0.004	92.50	0.71	3.55	0.10	NBR/EPDM/CR
90320	4.803	0.035	0.140	0.004	122.00	0.89	3.55	0.10	NBR/EPDM/CR
90380	5.039	0.035	0.140	0.004	128.00	0.89	3.55	0.10	NBR/EPDM/CR
9490	3.460	0.024	0.140	0.004	87.88	0.61	3.56	0.10	NBR/EPDM/CR
9683	4.656	0.030	0.140	0.004	118.26	0.76	3.56	0.10	NBR/EPDM/CR
90354	0.274		0.141		6.97		3.57		NBR/EPDM/CR
5018336	0.720	0.010	0.142	0.004	18.30	0.25	3.60	0.10	NBR/EPDM/CR
9514	0.780	0.010	0.142	0.004	19.80	0.25	3.60	0.10	NBR/EPDM/CR
5021336	0.839	0.010	0.142	0.004	21.30	0.25	3.60	0.10	NBR/EPDM/CR
9826	0.906	0.010	0.142	0.004	23.00	0.25	3.60	0.10	NBR/EPDM/CR
5024636	0.969	0.010	0.142	0.004	24.60	0.25	3.60	0.10	NBR/EPDM/CR
5026236	1.031	0.010	0.142	0.004	26.20	0.25	3.60	0.10	NBR/EPDM/CR
9547	1.094	0.012	0.142	0.004	27.80	0.31	3.60	0.10	NBR/EPDM/CR
5029336	1.154	0.010	0.142	0.004	29.30	0.25	3.60	0.10	NBR/EPDM/CR
5030836	1.213	0.012	0.142	0.004	30.80	0.30	3.60	0.10	NBR/EPDM/CR
5032536	1.280	0.012	0.142	0.004	32.50	0.30	3.60	0.10	NBR/EPDM/CR
5034136	1.343	0.012	0.142	0.004	34.10	0.30	3.60	0.10	NBR/EPDM/CR
5035636	1.402	0.013	0.142	0.004	35.60	0.33	3.60	0.10	NBR/EPDM/CR
5037336	1.469	0.015	0.142	0.004	37.30	0.38	3.60	0.10	NBR/EPDM/CR
9479	0.473	0.004	0.143	0.004	12.02	0.10	3.63	0.10	NBR/EPDM/CR
90441	1.000	0.010	0.143	0.004	25.40	0.25	3.63	0.10	NBR/EPDM/CR
90381	4.213	0.030	0.144	0.004	107.00	0.76	3.65	0.10	NBR/EPDM/CR
5033737	1.327	0.012	0.146	0.004	33.70	0.30	3.70	0.10	NBR/EPDM/CR
9563	5.669	0.043	0.146	0.004	144.00	1.09	3.70	0.10	NBR/EPDM/CR
9879	8.949	0.050	0.146	0.004	227.30	1.27	3.70	0.10	NBR/EPDM/CR
9817	2.203	0.018	0.146	0.004	55.96	0.46	3.71	0.10	NBR/EPDM/CR
9133	3.957	0.028	0.147	0.004	100.51	0.71	3.73	0.10	NBR/EPDM/CR
9326	4.555	0.030	0.147	0.004	115.70	0.76	3.73	0.10	NBR/EPDM/CR
5224038	8.819	0.050	0.150	0.004	224.00	1.27	3.80	0.10	NBR/EPDM/CR
9031	1.339		0.150	0.004	34.01		3.81	0.10	NBR/EPDM/CR
9161	3.850		0.150		97.79		3.81		NBR/EPDM/CR
9201	4.734	0.030	0.150	0.004	120.24	0.76	3.81	0.10	NBR/EPDM/CR
9582	3.325	0.024	0.155	0.004	84.46	0.61	3.94	0.10	NBR/EPDM/CR
9170	5.700	0.035	0.155	0.004	144.78	0.89	3.94	0.10	NBR/EPDM/CR
9204	0.453		0.156		11.51		3.96		NBR/EPDM/CR
9933	1.669	0.017	0.156	0.004	42.38	0.43	3.96	0.10	NBR/EPDM/CR
90627	1.732	0.018	0.157	0.004	43.99	0.46	3.99	0.10	NBR/EPDM/CR
9386	1.850	0.015	0.157	0.005	46.99	0.38	3.99	0.13	NBR/EPDM/CR
9050	1.969	0.018	0.157	0.004	50.01	0.46	3.99	0.10	NBR/EPDM/CR
9039	3.150	0.024	0.157	0.004	80.01	0.61	3.99	0.10	NBR/EPDM/CR
9134	5.677	0.035	0.157	0.004	144.20	0.89	3.99	0.10	NBR/EPDM/CR
5004040	0.157	0.005	0.157	0.004	4.00	0.13	4.00	0.10	NBR/EPDM/CR
5007040	0.276	0.005	0.157	0.004	7.00	0.13	4.00	0.10	NBR/EPDM/CR
5008040	0.315	0.005	0.157	0.004	8.00	0.13	4.00	0.10	NBR/EPDM/CR
5009040	0.354	0.005	0.157	0.004	9.00	0.13	4.00	0.10	NBR/EPDM/CR
5010040	0.394	0.005	0.157	0.004	10.00	0.13	4.00	0.10	NBR/EPDM/CR
9558	0.433	0.008	0.157	0.004	11.00	0.20	4.00	0.10	NBR/EPDM/CR
5013040	0.512	0.005	0.157	0.004	13.00	0.13	4.00	0.10	NBR/EPDM/CR
5014040	0.551	0.007	0.157	0.004	14.00	0.18	4.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5014540	0.571	0.007	0.157	0.004	14.50	0.18	4.00	0.10	NBR/EPDM/CR
9855	0.591	0.008	0.157	0.008	15.00	0.20	4.00	0.20	NBR/EPDM/CR
5016040	0.630	0.009	0.157	0.004	16.00	0.23	4.00	0.10	NBR/EPDM/CR
5017040	0.669	0.009	0.157	0.004	17.00	0.23	4.00	0.10	NBR/EPDM/CR
5018040	0.709	0.009	0.157	0.004	18.00	0.23	4.00	0.10	NBR/EPDM/CR
5019040	0.748	0.009	0.157	0.004	19.00	0.23	4.00	0.10	NBR/EPDM/CR
5020040	0.787	0.010	0.157	0.004	20.00	0.25	4.00	0.10	NBR/EPDM/CR
5021040	0.827	0.010	0.157	0.004	21.00	0.25	4.00	0.10	NBR/EPDM/CR
5022040	0.866	0.010	0.157	0.004	22.00	0.25	4.00	0.10	NBR/EPDM/CR
5024040	0.945	0.010	0.157	0.004	24.00	0.25	4.00	0.10	NBR/EPDM/CR
5025040	0.984	0.010	0.157	0.005	25.00	0.25	4.00	0.12	NBR/EPDM/CR
5026040	1.024	0.010	0.157	0.004	26.00	0.25	4.00	0.10	NBR/EPDM/CR
9498	1.063	0.012	0.157		27.00	0.30	4.00		NBR/EPDM/CR
5028040	1.102	0.010	0.157	0.004	28.00	0.25	4.00	0.10	NBR/EPDM/CR
5030040	1.181	0.012	0.157	0.004	30.00	0.30	4.00	0.10	NBR/EPDM/CR
5031040	1.220	0.012	0.157	0.004	31.00	0.30	4.00	0.10	NBR/EPDM/CR
5032040	1.260	0.012	0.157	0.004	32.00	0.30	4.00	0.10	NBR/EPDM/CR
5033040	1.299	0.012	0.157	0.004	33.00	0.30	4.00	0.10	NBR/EPDM/CR
5034040	1.339	0.012	0.157	0.004	34.00	0.30	4.00	0.10	NBR/EPDM/CR
5035040	1.378	0.013	0.157	0.004	35.00	0.33	4.00	0.10	NBR/EPDM/CR
5035540	1.398	0.013	0.157	0.004	35.50	0.33	4.00	0.10	NBR/EPDM/CR
5036040	1.417	0.013	0.157	0.004	36.00	0.33	4.00	0.10	NBR/EPDM/CR
5037040	1.457	0.013	0.157	0.004	37.00	0.33	4.00	0.10	NBR/EPDM/CR
5038040	1.496	0.015	0.157	0.004	38.00	0.38	4.00	0.10	NBR/EPDM/CR
5040040	1.575	0.015	0.157	0.004	40.00	0.38	4.00	0.10	NBR/EPDM/CR
5041040	1.614	0.015	0.157	0.004	41.00	0.38	4.00	0.10	NBR/EPDM/CR
5042040	1.654	0.015	0.157	0.004	42.00	0.38	4.00	0.10	NBR/EPDM/CR
9684	1.693	0.015	0.157	0.004	43.00	0.38	4.00	0.10	NBR/EPDM/CR
5044040	1.732	0.015	0.157	0.004	44.00	0.38	4.00	0.10	NBR/EPDM/CR
5046040	1.811	0.015	0.157	0.004	46.00	0.38	4.00	0.10	NBR/EPDM/CR
5046540	1.831	0.015	0.157	0.004	46.50	0.38	4.00	0.10	NBR/EPDM/CR
5047040	1.850	0.015	0.157	0.004	47.00	0.38	4.00	0.10	NBR/EPDM/CR
5048040	1.890	0.018	0.157	0.005	48.00	0.46	4.00	0.13	NBR/EPDM/CR
5049040	1.929	0.018	0.157	0.004	49.00	0.46	4.00	0.10	NBR/EPDM/CR
9841	1.969	0.019	0.157	0.005	50.00	0.48	4.00	0.13	NBR/EPDM/CR
5052040	2.047	0.018	0.157	0.005	52.00	0.46	4.00	0.13	NBR/EPDM/CR
9850	2.126	0.025	0.157	0.005	54.00	0.63	4.00	0.12	NBR/EPDM/CR
5056040	2.205	0.018	0.157	0.004	56.00	0.46	4.00	0.10	NBR/EPDM/CR
5057040	2.244	0.018	0.157	0.004	57.00	0.46	4.00	0.10	NBR/EPDM/CR
5058040	2.283	0.018	0.157	0.004	58.00	0.46	4.00	0.10	NBR/EPDM/CR
5059040	2.323	0.020	0.157	0.004	59.00	0.51	4.00	0.10	NBR/EPDM/CR
5061040	2.402	0.020	0.157	0.004	61.00	0.51	4.00	0.10	NBR/EPDM/CR
5062040	2.441	0.020	0.157	0.004	62.00	0.51	4.00	0.10	NBR/EPDM/CR
5063040	2.480	0.020	0.157	0.004	63.00	0.51	4.00	0.10	NBR/EPDM/CR
5064040	2.520	0.020	0.157	0.004	64.00	0.51	4.00	0.10	NBR/EPDM/CR
5065040	2.559	0.020	0.157	0.004	65.00	0.51	4.00	0.10	NBR/EPDM/CR
5066040	2.598	0.020	0.157	0.004	66.00	0.51	4.00	0.10	NBR/EPDM/CR
5067040	2.638	0.020	0.157	0.004	67.00	0.51	4.00	0.10	NBR/EPDM/CR
90061	2.677	0.024	0.157	0.004	68.00	0.61	4.00	0.10	NBR/EPDM/CR
5069040	2.717	0.020	0.157	0.004	69.00	0.51	4.00	0.10	NBR/EPDM/CR
5070040	2.756	0.022	0.157	0.004	70.00	0.56	4.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5071040	2.795	0.022	0.157	0.004	71.00	0.56	4.00	0.10	NBR/EPDM/CR
5073040	2.874	0.022	0.157	0.004	73.00	0.56	4.00	0.10	NBR/EPDM/CR
5074040	2.913	0.024	0.157	0.004	74.00	0.61	4.00	0.10	NBR/EPDM/CR
5075040	2.953	0.024	0.157	0.004	75.00	0.61	4.00	0.10	NBR/EPDM/CR
5076040	2.992	0.024	0.157	0.004	76.00	0.61	4.00	0.10	NBR/EPDM/CR
5077040	3.031	0.024	0.157	0.004	77.00	0.61	4.00	0.10	NBR/EPDM/CR
5078040	3.071	0.024	0.157	0.004	78.00	0.61	4.00	0.10	NBR/EPDM/CR
5079040	3.110	0.024	0.157	0.004	79.00	0.61	4.00	0.10	NBR/EPDM/CR
5080040	3.150	0.024	0.157	0.004	80.00	0.61	4.00	0.10	NBR/EPDM/CR
5081040	3.189	0.024	0.157	0.004	81.00	0.61	4.00	0.10	NBR/EPDM/CR
5082040	3.228	0.024	0.157	0.004	82.00	0.61	4.00	0.10	NBR/EPDM/CR
5083040	3.268	0.024	0.157	0.004	83.00	0.61	4.00	0.10	NBR/EPDM/CR
5084040	3.307	0.024	0.157	0.004	84.00	0.61	4.00	0.10	NBR/EPDM/CR
5085040	3.346	0.024	0.157	0.004	85.00	0.61	4.00	0.10	NBR/EPDM/CR
5086040	3.386	0.024	0.157	0.004	86.00	0.61	4.00	0.10	NBR/EPDM/CR
9429	3.386	0.024	0.157	0.004	86.00	0.61	4.00	0.10	NBR/EPDM/CR
5087040	3.425	0.024	0.157	0.004	87.00	0.61	4.00	0.10	NBR/EPDM/CR
5088040	3.465	0.024	0.157	0.004	88.00	0.61	4.00	0.10	NBR/EPDM/CR
5089040	3.504	0.025	0.157	0.004	89.00	0.64	4.00	0.10	NBR/EPDM/CR
90269	3.535	0.026	0.157	0.004	89.80	0.66	4.00	0.10	NBR/EPDM/CR
9488	3.543	0.024	0.157	0.004	90.00	0.61	4.00	0.10	NBR/EPDM/CR
5091040	3.583	0.028	0.157	0.004	91.00	0.71	4.00	0.10	NBR/EPDM/CR
9722	3.583	0.025	0.157	0.004	91.00	0.63	4.00	0.10	NBR/EPDM/CR
5092040	3.622	0.028	0.157	0.004	92.00	0.71	4.00	0.10	NBR/EPDM/CR
9573	3.622	0.028	0.157	0.004	92.00	0.71	4.00	0.11	NBR/EPDM/CR
5093040	3.661	0.028	0.157	0.004	93.00	0.71	4.00	0.10	NBR/EPDM/CR
5094040	3.701	0.028	0.157	0.004	94.00	0.71	4.00	0.10	NBR/EPDM/CR
5095040	3.740	0.028	0.157	0.004	95.00	0.71	4.00	0.10	NBR/EPDM/CR
5096040	3.780	0.028	0.157	0.005	96.00	0.71	4.00	0.13	NBR/EPDM/CR
5097040	3.819	0.028	0.157	0.004	97.00	0.71	4.00	0.10	NBR/EPDM/CR
5098040	3.858	0.028	0.157	0.004	98.00	0.71	4.00	0.10	NBR/EPDM/CR
5099040	3.898	0.028	0.157	0.004	99.00	0.71	4.00	0.10	NBR/EPDM/CR
5100040	3.937	0.028	0.157	0.004	100.00	0.71	4.00	0.10	NBR/EPDM/CR
5101040	3.976	0.028	0.157	0.004	101.00	0.71	4.00	0.10	NBR/EPDM/CR
5102040	4.016	0.028	0.157	0.004	102.00	0.71	4.00	0.10	NBR/EPDM/CR
5103040	4.055	0.028	0.157	0.004	103.00	0.71	4.00	0.10	NBR/EPDM/CR
5105040	4.134	0.030	0.157	0.004	105.00	0.76	4.00	0.10	NBR/EPDM/CR
5106040	4.173	0.030	0.157	0.004	106.00	0.76	4.00	0.10	NBR/EPDM/CR
5107040	4.213	0.030	0.157	0.004	107.00	0.76	4.00	0.10	NBR/EPDM/CR
5108040	4.252	0.030	0.157	0.004	108.00	0.76	4.00	0.10	NBR/EPDM/CR
5109040	4.291	0.030	0.157	0.004	109.00	0.76	4.00	0.10	NBR/EPDM/CR
5110040	4.331	0.030	0.157	0.004	110.00	0.76	4.00	0.10	NBR/EPDM/CR
5112040	4.409	0.030	0.157	0.004	112.00	0.76	4.00	0.10	NBR/EPDM/CR
5113040	4.449	0.030	0.157	0.004	113.00	0.76	4.00	0.10	NBR/EPDM/CR
5114040	4.488	0.030	0.157	0.004	114.00	0.76	4.00	0.10	NBR/EPDM/CR
5115040	4.528	0.030	0.157	0.004	115.00	0.76	4.00	0.10	NBR/EPDM/CR
5117040	4.606	0.030	0.157	0.004	117.00	0.76	4.00	0.10	NBR/EPDM/CR
5118040	4.646	0.030	0.157	0.004	118.00	0.76	4.00	0.10	NBR/EPDM/CR
5119040	4.685	0.030	0.157	0.004	119.00	0.76	4.00	0.10	NBR/EPDM/CR
5120040	4.724	0.030	0.157	0.004	120.00	0.76	4.00	0.10	NBR/EPDM/CR
5122040	4.803	0.030	0.157	0.004	122.00	0.76	4.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5125040	4.921	0.035	0.157	0.004	125.00	0.89	4.00	0.10	NBR/EPDM/CR
5126040	4.961	0.037	0.157	0.004	126.00	0.94	4.00	0.10	NBR/EPDM/CR
5127040	5.000	0.037	0.157	0.004	127.00	0.94	4.00	0.10	NBR/EPDM/CR
5128540	5.059	0.037	0.157	0.004	128.50	0.94	4.00	0.10	NBR/EPDM/CR
5130040	5.118	0.037	0.157	0.004	130.00	0.94	4.00	0.10	NBR/EPDM/CR
5131040	5.157	0.037	0.157	0.004	131.00	0.94	4.00	0.10	NBR/EPDM/CR
5133040	5.236	0.037	0.157	0.004	133.00	0.94	4.00	0.10	NBR/EPDM/CR
5134040	5.276	0.037	0.157	0.004	134.00	0.94	4.00	0.10	NBR/EPDM/CR
5135040	5.315	0.037	0.157	0.004	135.00	0.94	4.00	0.10	NBR/EPDM/CR
9816	5.354	0.037	0.157	0.005	136.00	0.93	4.00	0.13	NBR/EPDM/CR
5137040	5.394	0.037	0.157	0.004	137.00	0.94	4.00	0.10	NBR/EPDM/CR
5138040	5.433	0.037	0.157	0.004	138.00	0.94	4.00	0.10	NBR/EPDM/CR
9545	5.512	0.042	0.157	0.004	140.00	1.07	4.00	0.10	NBR/EPDM/CR
5142040	5.591	0.037	0.157	0.004	142.00	0.94	4.00	0.10	NBR/EPDM/CR
9455	5.616	0.024	0.157	0.005	142.64	0.60	4.00	0.12	NBR/EPDM/CR
5144040	5.669	0.037	0.157	0.004	144.00	0.94	4.00	0.10	NBR/EPDM/CR
9542	5.709	0.043	0.157	0.004	145.00	1.10	4.00	0.10	NBR/EPDM/CR
9129	5.748	0.035	0.157	0.004	146.00	0.89	4.00	0.10	NBR/EPDM/CR
5147040	5.787	0.037	0.157	0.004	147.00	0.94	4.00	0.10	NBR/EPDM/CR
5148040	5.827	0.037	0.157	0.004	148.00	0.94	4.00	0.10	NBR/EPDM/CR
5149040	5.866	0.037	0.157	0.004	149.00	0.94	4.00	0.10	NBR/EPDM/CR
5150040	5.906	0.037	0.157	0.004	150.00	0.94	4.00	0.10	NBR/EPDM/CR
5152040	5.984	0.037	0.157	0.004	152.00	0.94	4.00	0.10	NBR/EPDM/CR
5153040	6.024	0.037	0.157	0.003	153.00	0.94	4.00	0.08	NBR/EPDM/CR
5154040	6.063	0.037	0.157	0.004	154.00	0.94	4.00	0.10	NBR/EPDM/CR
5155040	6.102	0.037	0.157	0.005	155.00	0.94	4.00	0.13	NBR/EPDM/CR
5156040	6.142	0.040	0.157	0.004	156.00	1.02	4.00	0.10	NBR/EPDM/CR
5158040	6.220	0.040	0.157	0.004	158.00	1.02	4.00	0.10	NBR/EPDM/CR
5160040	6.299	0.040	0.157	0.004	160.00	1.02	4.00	0.10	NBR/EPDM/CR
5162040	6.378	0.040	0.157	0.004	162.00	1.02	4.00	0.10	NBR/EPDM/CR
5164040	6.457	0.040	0.157	0.004	164.00	1.02	4.00	0.10	NBR/EPDM/CR
5165040	6.496	0.040	0.157	0.004	165.00	1.02	4.00	0.10	NBR/EPDM/CR
5169040	6.654	0.040	0.157	0.004	169.00	1.02	4.00	0.10	NBR/EPDM/CR
5170040	6.693	0.040	0.157	0.005	170.00	1.02	4.00	0.13	NBR/EPDM/CR
5172040	6.772	0.040	0.157	0.005	172.00	1.02	4.00	0.13	NBR/EPDM/CR
5175040	6.890	0.040	0.157	0.004	175.00	1.02	4.00	0.10	NBR/EPDM/CR
5177040	6.969	0.040	0.157	0.004	177.00	1.02	4.00	0.10	NBR/EPDM/CR
5178040	7.008	0.040	0.157	0.004	178.00	1.02	4.00	0.10	NBR/EPDM/CR
5180040	7.087	0.040	0.157	0.004	180.00	1.02	4.00	0.10	NBR/EPDM/CR
5182040	7.165	0.045	0.157	0.004	182.00	1.14	4.00	0.10	NBR/EPDM/CR
5182540	7.185	0.045	0.157	0.004	182.50	1.14	4.00	0.10	NBR/EPDM/CR
5184040	7.244	0.045	0.157	0.004	184.00	1.14	4.00	0.10	NBR/EPDM/CR
9544	7.283	0.054	0.157	0.004	185.00	1.36	4.00	0.10	NBR/EPDM/CR
5188040	7.402	0.045	0.157	0.004	188.00	1.14	4.00	0.10	NBR/EPDM/CR
5190040	7.480	0.045	0.157	0.004	190.00	1.14	4.00	0.10	NBR/EPDM/CR
5192040	7.559	0.045	0.157	0.004	192.00	1.14	4.00	0.10	NBR/EPDM/CR
5194040	7.638	0.045	0.157	0.004	194.00	1.14	4.00	0.10	NBR/EPDM/CR
5195040	7.677	0.045	0.157	0.004	195.00	1.14	4.00	0.10	NBR/EPDM/CR
5196040	7.717	0.045	0.157	0.004	196.00	1.14	4.00	0.10	NBR/EPDM/CR
5197040	7.756	0.045	0.157	0.004	197.00	1.14	4.00	0.10	NBR/EPDM/CR
5198040	7.795	0.045	0.157	0.004	198.00	1.14	4.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5200040	7.874	0.045	0.157	0.004	200.00	1.14	4.00	0.10	NBR/EPDM/CR
5204040	8.031	0.045	0.157	0.004	204.00	1.14	4.00	0.10	NBR/EPDM/CR
5206040	8.110	0.045	0.157	0.004	206.00	1.14	4.00	0.10	NBR/EPDM/CR
5207040	8.150	0.050	0.157	0.004	207.00	1.27	4.00	0.10	NBR/EPDM/CR
5208040	8.189	0.050	0.157	0.004	208.00	1.27	4.00	0.10	NBR/EPDM/CR
5210040	8.268	0.050	0.157	0.004	210.00	1.27	4.00	0.10	NBR/EPDM/CR
5212040	8.346	0.050	0.157	0.004	212.00	1.27	4.00	0.10	NBR/EPDM/CR
5214040	8.425	0.050	0.157	0.004	214.00	1.27	4.00	0.10	NBR/EPDM/CR
5215040	8.465	0.050	0.157	0.004	215.00	1.27	4.00	0.10	NBR/EPDM/CR
9713	8.484	0.050	0.157	0.004	215.50	1.27	4.00	0.10	NBR/EPDM/CR
5216040	8.504	0.050	0.157	0.004	216.00	1.27	4.00	0.10	NBR/EPDM/CR
5220040	8.661	0.050	0.157	0.005	220.00	1.27	4.00	0.13	NBR/EPDM/CR
5222040	8.740	0.050	0.157	0.005	222.00	1.27	4.00	0.13	NBR/EPDM/CR
5224040	8.819	0.050	0.157	0.004	224.00	1.27	4.00	0.10	NBR/EPDM/CR
5225040	8.858	0.050	0.157	0.004	225.00	1.27	4.00	0.10	NBR/EPDM/CR
5226040	8.898	0.050	0.157	0.004	226.00	1.27	4.00	0.10	NBR/EPDM/CR
5230040	9.055	0.055	0.157	0.004	230.00	1.40	4.00	0.10	NBR/EPDM/CR
5232040	9.134	0.055	0.157	0.004	232.00	1.40	4.00	0.10	NBR/EPDM/CR
5233040	9.173	0.055	0.157	0.004	233.00	1.40	4.00	0.10	NBR/EPDM/CR
5235040	9.252	0.055	0.157	0.004	235.00	1.40	4.00	0.10	NBR/EPDM/CR
5236040	9.291	0.055	0.157	0.004	236.00	1.40	4.00	0.10	NBR/EPDM/CR
5237040	9.331	0.055	0.157	0.004	237.00	1.40	4.00	0.10	NBR/EPDM/CR
5238040	9.370	0.055	0.157	0.005	238.00	1.40	4.00	0.13	NBR/EPDM/CR
5242040	9.528	0.055	0.157	0.004	242.00	1.40	4.00	0.10	NBR/EPDM/CR
5244040	9.606	0.055	0.157	0.004	244.00	1.40	4.00	0.10	NBR/EPDM/CR
5245040	9.646	0.055	0.157	0.004	245.00	1.40	4.00	0.10	NBR/EPDM/CR
5246040	9.685	0.055	0.157	0.004	246.00	1.40	4.00	0.10	NBR/EPDM/CR
5250040	9.843	0.055	0.157	0.003	250.00	1.40	4.00	0.08	NBR/EPDM/CR
5252040	9.921	0.055	0.157	0.004	252.00	1.40	4.00	0.10	NBR/EPDM/CR
5254040	10.000	0.055	0.157	0.005	254.00	1.40	4.00	0.13	NBR/EPDM/CR
5255040	10.039	0.055	0.157	0.005	255.00	1.40	4.00	0.13	NBR/EPDM/CR
5258040	10.157	0.055	0.157	0.004	258.00	1.40	4.00	0.10	NBR/EPDM/CR
5260040	10.236	0.055	0.157	0.004	260.00	1.40	4.00	0.10	NBR/EPDM/CR
5262040	10.315	0.055	0.157	0.004	262.00	1.40	4.00	0.10	NBR/EPDM/CR
5263040	10.354	0.055	0.157	0.004	263.00	1.40	4.00	0.10	NBR/EPDM/CR
5265040	10.433	0.055	0.157	0.004	265.00	1.40	4.00	0.10	NBR/EPDM/CR
5268040	10.551	0.055	0.157	0.004	268.00	1.40	4.00	0.10	NBR/EPDM/CR
5270040	10.630	0.055	0.157	0.004	270.00	1.40	4.00	0.10	NBR/EPDM/CR
5278040	10.945	0.060	0.157	0.004	278.00	1.52	4.00	0.10	NBR/EPDM/CR
5279040	10.984	0.060	0.157	0.004	279.00	1.52	4.00	0.10	NBR/EPDM/CR
5280040	11.024	0.060	0.157	0.004	280.00	1.52	4.00	0.10	NBR/EPDM/CR
5283040	11.142	0.065	0.157	0.004	283.00	1.65	4.00	0.10	NBR/EPDM/CR
5284040	11.181	0.065	0.157	0.004	284.00	1.65	4.00	0.10	NBR/EPDM/CR
5285040	11.220	0.065	0.157	0.004	285.00	1.65	4.00	0.10	NBR/EPDM/CR
5290040	11.417	0.065	0.157	0.004	290.00	1.65	4.00	0.10	NBR/EPDM/CR
5292040	11.496	0.065	0.157	0.004	292.00	1.65	4.00	0.10	NBR/EPDM/CR
5295040	11.614	0.065	0.157	0.005	295.00	1.65	4.00	0.13	NBR/EPDM/CR
5296040	11.654	0.065	0.157	0.004	296.00	1.65	4.00	0.10	NBR/EPDM/CR
5297040	11.693	0.065	0.157	0.004	297.00	1.65	4.00	0.10	NBR/EPDM/CR
5300040	11.811	0.065	0.157	0.004	300.00	1.65	4.00	0.10	NBR/EPDM/CR
5305040	12.008	0.065	0.157	0.004	305.00	1.65	4.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5310040	12.205	0.065	0.157	0.005	310.00	1.65	4.00	0.12	NBR/EPDM/CR
5312040	12.283	0.065	0.157	0.004	312.00	1.65	4.00	0.10	NBR/EPDM/CR
5313040	12.323	0.065	0.157	0.004	313.00	1.65	4.00	0.10	NBR/EPDM/CR
5315040	12.402	0.065	0.157	0.004	315.00	1.65	4.00	0.10	NBR/EPDM/CR
5316040	12.441	0.065	0.157	0.004	316.00	1.65	4.00	0.10	NBR/EPDM/CR
5317040	12.480	0.065	0.157	0.005	317.00	1.65	4.00	0.13	NBR/EPDM/CR
5320040	12.598	0.065	0.157	0.004	320.00	1.65	4.00	0.10	NBR/EPDM/CR
5325040	12.795	0.065	0.157	0.004	325.00	1.65	4.00	0.10	NBR/EPDM/CR
5328040	12.913	0.065	0.157	0.004	328.00	1.65	4.00	0.10	NBR/EPDM/CR
5330040	12.992	0.065	0.157	0.004	330.00	1.65	4.00	0.10	NBR/EPDM/CR
5334040	13.150	0.065	0.157	0.004	334.00	1.65	4.00	0.10	NBR/EPDM/CR
5335040	13.189	0.065	0.157	0.004	335.00	1.65	4.00	0.10	NBR/EPDM/CR
5336040	13.228	0.065	0.157	0.004	336.00	1.65	4.00	0.10	NBR/EPDM/CR
5338040	13.307	0.065	0.157	0.004	338.00	1.65	4.00	0.10	NBR/EPDM/CR
5340040	13.386	0.065	0.157	0.004	340.00	1.65	4.00	0.10	NBR/EPDM/CR
5345040	13.583	0.065	0.157	0.004	345.00	1.65	4.00	0.10	NBR/EPDM/CR
5346040	13.622	0.065	0.157	0.004	346.00	1.65	4.00	0.10	NBR/EPDM/CR
5350040	13.780	0.065	0.157	0.005	350.00	1.65	4.00	0.13	NBR/EPDM/CR
5352040	13.858	0.065	0.157	0.004	352.00	1.65	4.00	0.10	NBR/EPDM/CR
5354040	13.937	0.065	0.157	0.004	354.00	1.65	4.00	0.10	NBR/EPDM/CR
5355040	13.976	0.065	0.157	0.004	355.00	1.65	4.00	0.10	NBR/EPDM/CR
5358040	14.094	0.065	0.157	0.004	358.00	1.65	4.00	0.10	NBR/EPDM/CR
5359040	14.134	0.065	0.157	0.004	359.00	1.65	4.00	0.10	NBR/EPDM/CR
5360040	14.173	0.065	0.157	0.004	360.00	1.65	4.00	0.10	NBR/EPDM/CR
5365040	14.370	0.065	0.157	0.004	365.00	1.65	4.00	0.10	NBR/EPDM/CR
5367040	14.449	0.065	0.157	0.004	367.00	1.65	4.00	0.10	NBR/EPDM/CR
5368040	14.488	0.065	0.157	0.004	368.00	1.65	4.00	0.10	NBR/EPDM/CR
5370040	14.567	0.065	0.157	0.004	370.00	1.65	4.00	0.10	NBR/EPDM/CR
5373040	14.685	0.070	0.157	0.004	373.00	1.78	4.00	0.10	NBR/EPDM/CR
5375040	14.764	0.070	0.157	0.004	375.00	1.78	4.00	0.10	NBR/EPDM/CR
5376040	14.803	0.070	0.157	0.004	376.00	1.78	4.00	0.10	NBR/EPDM/CR
5378040	14.882	0.070	0.157	0.004	378.00	1.78	4.00	0.10	NBR/EPDM/CR
5380040	14.961	0.070	0.157	0.004	380.00	1.78	4.00	0.10	NBR/EPDM/CR
5382040	15.039	0.070	0.157	0.004	382.00	1.78	4.00	0.10	NBR/EPDM/CR
5383040	15.079	0.070	0.157	0.004	383.00	1.78	4.00	0.10	NBR/EPDM/CR
5385040	15.157	0.070	0.157	0.004	385.00	1.78	4.00	0.10	NBR/EPDM/CR
5386040	15.197	0.070	0.157	0.004	386.00	1.78	4.00	0.10	NBR/EPDM/CR
5390040	15.354	0.070	0.157	0.004	390.00	1.78	4.00	0.10	NBR/EPDM/CR
5392040	15.433	0.070	0.157	0.004	392.00	1.78	4.00	0.10	NBR/EPDM/CR
5393040	15.472	0.070	0.157	0.004	393.00	1.78	4.00	0.10	NBR/EPDM/CR
5395040	15.551	0.070	0.157	0.004	395.00	1.78	4.00	0.10	NBR/EPDM/CR
5396040	15.591	0.070	0.157	0.004	396.00	1.78	4.00	0.10	NBR/EPDM/CR
5397040	15.630	0.070	0.157	0.004	397.00	1.78	4.00	0.10	NBR/EPDM/CR
5400040	15.748	0.075	0.157	0.004	400.00	1.91	4.00	0.10	NBR/EPDM/CR
5402040	15.827	0.075	0.157	0.004	402.00	1.91	4.00	0.10	NBR/EPDM/CR
5405040	15.945	0.075	0.157	0.004	405.00	1.91	4.00	0.10	NBR/EPDM/CR
5410040	16.142	0.075	0.157	0.004	410.00	1.91	4.00	0.10	NBR/EPDM/CR
5412040	16.220	0.075	0.157	0.004	412.00	1.91	4.00	0.10	NBR/EPDM/CR
5413040	16.260	0.075	0.157	0.004	413.00	1.91	4.00	0.10	NBR/EPDM/CR
5414040	16.299	0.075	0.157	0.004	414.00	1.91	4.00	0.10	NBR/EPDM/CR
5418040	16.457	0.075	0.157	0.004	418.00	1.91	4.00	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5420040	16.535	0.075	0.157	0.004	420.00	1.91	4.00	0.10	NBR/EPDM/CR
5425040	16.732	0.075	0.157	0.004	425.00	1.91	4.00	0.10	NBR/EPDM/CR
5430040	16.929	0.080	0.157	0.004	430.00	2.03	4.00	0.10	NBR/EPDM/CR
5432040	17.008	0.080	0.157	0.004	432.00	2.03	4.00	0.10	NBR/EPDM/CR
5433040	17.047	0.080	0.157	0.005	433.00	2.03	4.00	0.13	NBR/EPDM/CR
5435040	17.126	0.080	0.157	0.004	435.00	2.03	4.00	0.10	NBR/EPDM/CR
5440040	17.323	0.080	0.157	0.004	440.00	2.03	4.00	0.10	NBR/EPDM/CR
5445040	17.520	0.080	0.157	0.004	445.00	2.03	4.00	0.10	NBR/EPDM/CR
5447040	17.598	0.080	0.157	0.004	447.00	2.03	4.00	0.10	NBR/EPDM/CR
5450040	17.717	0.085	0.157	0.004	450.00	2.16	4.00	0.10	NBR/EPDM/CR
5455040	17.913	0.085	0.157	0.004	455.00	2.16	4.00	0.10	NBR/EPDM/CR
5470040	18.504	0.085	0.157	0.004	470.00	2.16	4.00	0.10	NBR/EPDM/CR
5472040	18.583	0.085	0.157	0.004	472.00	2.16	4.00	0.10	NBR/EPDM/CR
5475040	18.701	0.085	0.157	0.004	475.00	2.16	4.00	0.10	NBR/EPDM/CR
5485040	19.094	0.085	0.157	0.004	485.00	2.16	4.00	0.10	NBR/EPDM/CR
5490040	19.291	0.085	0.157	0.004	490.00	2.16	4.00	0.10	NBR/EPDM/CR
5492040	19.370	0.090	0.157	0.004	492.00	2.29	4.00	0.10	NBR/EPDM/CR
5495040	19.488	0.095	0.157	0.005	495.00	2.41	4.00	0.13	NBR/EPDM/CR
5500040	19.685	0.095	0.157	0.004	500.00	2.41	4.00	0.10	NBR/EPDM/CR
5505040	19.882	0.095	0.157	0.004	505.00	2.41	4.00	0.10	NBR/EPDM/CR
5510040	20.079	0.095	0.157	0.004	510.00	2.41	4.00	0.10	NBR/EPDM/CR
5512040	20.157	0.095	0.157	0.004	512.00	2.41	4.00	0.10	NBR/EPDM/CR
5515040	20.276	0.095	0.157	0.004	515.00	2.41	4.00	0.10	NBR/EPDM/CR
5527040	20.748	0.095	0.157	0.004	527.00	2.41	4.00	0.10	NBR/EPDM/CR
5530040	20.866	0.095	0.157	0.005	530.00	2.41	4.00	0.13	NBR/EPDM/CR
5535040	21.063	0.095	0.157	0.004	535.00	2.41	4.00	0.10	NBR/EPDM/CR
5550040	21.654	0.095	0.157	0.004	550.00	2.41	4.00	0.10	NBR/EPDM/CR
5560040	22.047	0.095	0.157	0.004	560.00	2.41	4.00	0.10	NBR/EPDM/CR
5565040	22.244	0.100	0.157	0.004	565.00	2.54	4.00	0.10	NBR/EPDM/CR
5577040	22.717	0.100	0.157	0.004	577.00	2.54	4.00	0.10	NBR/EPDM/CR
5582040	22.913	0.110	0.157	0.004	582.00	2.79	4.00	0.10	NBR/EPDM/CR
5627040	24.685	0.110	0.157	0.004	627.00	2.79	4.00	0.10	NBR/EPDM/CR
5640040	25.197	0.115	0.157	0.004	640.00	2.92	4.00	0.10	NBR/EPDM/CR
5658040	25.906	0.197	0.157	0.005	658.00	5.00	4.00	0.13	NBR/EPDM/CR
5682040	26.850	0.120	0.157	0.004	682.00	3.05	4.00	0.10	NBR/EPDM/CR
5747040	29.409	0.120	0.157	0.004	747.00	3.05	4.00	0.10	NBR/EPDM/CR
5915040	36.024	0.159	0.157	0.004	915.00	4.05	4.00	0.10	NBR/EPDM/CR
9150	3.700	0.028	0.158	0.004	93.98	0.71	4.01	0.10	NBR/EPDM/CR
9948	5.355	0.037	0.158	0.005	136.02	0.94	4.01	0.13	NBR/EPDM/CR
9794	5.315	0.035	0.159	0.004	135.00	0.89	4.05	0.10	NBR/EPDM/CR
9298	1.270	0.010	0.160	0.004	32.26	0.25	4.06	0.10	NBR/EPDM/CR
9334	1.654	0.010	0.161	0.004	42.01	0.25	4.09	0.10	NBR/EPDM/CR
9811	1.300	0.012	0.161		33.02	0.30	4.10		NBR/EPDM/CR
90498	1.642	0.012	0.163	0.004	41.70	0.30	4.13	0.10	NBR/EPDM/CR
90499	1.669	0.012	0.163	0.004	42.40	0.30	4.13	0.10	NBR/EPDM/CR
90500	2.142	0.016	0.163	0.004	54.40	0.40	4.13	0.10	NBR/EPDM/CR
9258	0.504		0.167		12.80		4.25		NBR/EPDM/CR
5034743	1.366	0.012	0.169	0.004	34.70	0.30	4.30	0.10	NBR/EPDM/CR
9163	3.906	0.028	0.169	0.005	99.20	0.71	4.30	0.12	NBR/EPDM/CR
9895	0.322	0.005	0.170	0.016	8.18	0.13	4.32	0.41	NBR/EPDM/CR
90044	5.511	0.037	0.170	0.003	139.98	0.94	4.32	0.08	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9763	5.520	0.037	0.170	0.005	140.21	0.94	4.32	0.13	NBR/EPDM/CR
9762	4.610	0.030	0.172	0.005	117.09	0.76	4.37	0.13	NBR/EPDM/CR
9076	4.500	0.030	0.173	0.004	114.30	0.76	4.39	0.10	NBR/EPDM/CR
9151	4.500	0.030	0.173	0.005	114.30	0.76	4.39	0.13	NBR/EPDM/CR
9459	4.406	0.016	0.173	0.005	111.91	0.40	4.40	0.12	NBR/EPDM/CR
9457	5.046	0.024	0.173	0.005	128.16	0.60	4.40	0.12	NBR/EPDM/CR
5133044	5.236	0.037	0.173	0.004	133.00	0.94	4.40	0.10	NBR/EPDM/CR
9199	5.320		0.175		135.13		4.45		NBR/EPDM/CR
5006045	0.236	0.005	0.177	0.004	6.00	0.13	4.50	0.10	NBR/EPDM/CR
9416	0.315	0.005	0.177	0.004	8.00	0.13	4.50	0.10	NBR/EPDM/CR
5009045	0.354	0.005	0.177	0.004	9.00	0.13	4.50	0.10	NBR/EPDM/CR
5016045	0.630	0.009	0.177	0.004	16.00	0.23	4.50	0.10	NBR/EPDM/CR
5018045	0.709	0.009	0.177	0.004	18.00	0.23	4.50	0.10	NBR/EPDM/CR
5020045	0.787	0.010	0.177	0.004	20.00	0.25	4.50	0.10	NBR/EPDM/CR
5022045	0.866	0.010	0.177	0.003	22.00	0.25	4.50	0.08	NBR/EPDM/CR
5029545	1.161	0.012	0.177	0.004	29.50	0.30	4.50	0.10	NBR/EPDM/CR
5033045	1.299	0.012	0.177	0.004	33.00	0.30	4.50	0.10	NBR/EPDM/CR
5043045	1.693	0.015	0.177	0.004	43.00	0.38	4.50	0.10	NBR/EPDM/CR
5044045	1.732	0.015	0.177	0.004	44.00	0.38	4.50	0.10	NBR/EPDM/CR
5047045	1.850	0.015	0.177	0.004	47.00	0.38	4.50	0.10	NBR/EPDM/CR
5048045	1.890	0.018	0.177	0.004	48.00	0.46	4.50	0.10	NBR/EPDM/CR
5050045	1.969	0.018	0.177	0.005	50.00	0.46	4.50	0.13	NBR/EPDM/CR
5053045	2.087	0.018	0.177	0.004	53.00	0.46	4.50	0.10	NBR/EPDM/CR
5055045	2.165	0.018	0.177	0.004	55.00	0.46	4.50	0.10	NBR/EPDM/CR
5060045	2.362	0.020	0.177	0.005	60.00	0.51	4.50	0.13	NBR/EPDM/CR
5061045	2.402	0.020	0.177	0.004	61.00	0.51	4.50	0.10	NBR/EPDM/CR
5064045	2.520	0.020	0.177	0.004	64.00	0.51	4.50	0.10	NBR/EPDM/CR
5065045	2.559	0.020	0.177	0.004	65.00	0.51	4.50	0.10	NBR/EPDM/CR
5066045	2.598	0.020	0.177	0.004	66.00	0.51	4.50	0.10	NBR/EPDM/CR
5070045	2.756	0.022	0.177	0.004	70.00	0.56	4.50	0.10	NBR/EPDM/CR
5071045	2.795	0.022	0.177	0.004	71.00	0.56	4.50	0.10	NBR/EPDM/CR
5073045	2.874	0.024	0.177	0.004	73.00	0.60	4.50	0.10	NBR/EPDM/CR
5074045	2.913	0.024	0.177	0.004	74.00	0.61	4.50	0.10	NBR/EPDM/CR
5075045	2.953	0.024	0.177	0.004	75.00	0.61	4.50	0.10	NBR/EPDM/CR
5080045	3.150	0.024	0.177	0.004	80.00	0.61	4.50	0.10	NBR/EPDM/CR
5081045	3.189	0.024	0.177	0.004	81.00	0.61	4.50	0.10	NBR/EPDM/CR
5083045	3.268	0.024	0.177	0.004	83.00	0.61	4.50	0.10	NBR/EPDM/CR
5084045	3.307	0.024	0.177	0.004	84.00	0.61	4.50	0.10	NBR/EPDM/CR
5085045	3.346	0.024	0.177	0.004	85.00	0.61	4.50	0.10	NBR/EPDM/CR
5086045	3.386	0.024	0.177	0.004	86.00	0.61	4.50	0.10	NBR/EPDM/CR
5089045	3.504	0.025	0.177	0.004	89.00	0.64	4.50	0.10	NBR/EPDM/CR
5090045	3.543	0.028	0.177	0.005	90.00	0.71	4.50	0.13	NBR/EPDM/CR
5092045	3.622	0.028	0.177	0.004	92.00	0.71	4.50	0.10	NBR/EPDM/CR
5093545	3.681	0.028	0.177	0.004	93.50	0.71	4.50	0.10	NBR/EPDM/CR
5095045	3.740	0.028	0.177	0.004	95.00	0.71	4.50	0.10	NBR/EPDM/CR
5096045	3.780	0.028	0.177	0.004	96.00	0.71	4.50	0.10	NBR/EPDM/CR
5097545	3.839	0.028	0.177	0.004	97.50	0.71	4.50	0.10	NBR/EPDM/CR
5098045	3.858	0.028	0.177	0.004	98.00	0.71	4.50	0.10	NBR/EPDM/CR
5100045	3.937	0.028	0.177	0.004	100.00	0.71	4.50	0.10	NBR/EPDM/CR
5100545	3.957	0.028	0.177	0.004	100.50	0.71	4.50	0.10	NBR/EPDM/CR
5102045	4.016	0.028	0.177	0.004	102.00	0.71	4.50	0.10	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5103545	4.075	0.028	0.177	0.004	103.50	0.71	4.50	0.10	NBR/EPDM/CR
5106045	4.173	0.030	0.177	0.004	106.00	0.76	4.50	0.10	NBR/EPDM/CR
5110045	4.331	0.030	0.177	0.004	110.00	0.76	4.50	0.10	NBR/EPDM/CR
5116545	4.587	0.030	0.177	0.004	116.50	0.76	4.50	0.10	NBR/EPDM/CR
5120045	4.724	0.030	0.177	0.004	120.00	0.76	4.50	0.10	NBR/EPDM/CR
5122045	4.803	0.030	0.177	0.004	122.00	0.76	4.50	0.10	NBR/EPDM/CR
5130045	5.118	0.037	0.177	0.004	130.00	0.94	4.50	0.10	NBR/EPDM/CR
5134545	5.295	0.037	0.177	0.004	134.50	0.94	4.50	0.10	NBR/EPDM/CR
5137045	5.394	0.037	0.177	0.004	137.00	0.94	4.50	0.10	NBR/EPDM/CR
5145045	5.709	0.037	0.177	0.004	145.00	0.94	4.50	0.10	NBR/EPDM/CR
5157045	6.181	0.040	0.177	0.004	157.00	1.02	4.50	0.10	NBR/EPDM/CR
5160045	6.299	0.040	0.177	0.004	160.00	1.02	4.50	0.10	NBR/EPDM/CR
5165045	6.496	0.040	0.177	0.004	165.00	1.02	4.50	0.10	NBR/EPDM/CR
90017	6.634	0.040	0.177	0.004	168.50	1.02	4.50	0.10	NBR/EPDM/CR
5172045	6.772	0.040	0.177	0.004	172.00	1.02	4.50	0.10	NBR/EPDM/CR
5178045	7.008	0.040	0.177	0.004	178.00	1.02	4.50	0.10	NBR/EPDM/CR
5180045	7.087	0.040	0.177	0.004	180.00	1.02	4.50	0.10	NBR/EPDM/CR
5185045	7.283	0.045	0.177	0.004	185.00	1.14	4.50	0.10	NBR/EPDM/CR
5186045	7.323	0.045	0.177	0.004	186.00	1.14	4.50	0.10	NBR/EPDM/CR
5190045	7.480	0.045	0.177	0.004	190.00	1.14	4.50	0.10	NBR/EPDM/CR
5192045	7.559	0.045	0.177	0.004	192.00	1.14	4.50	0.10	NBR/EPDM/CR
5200045	7.874	0.045	0.177	0.004	200.00	1.14	4.50	0.10	NBR/EPDM/CR
5215045	8.465	0.050	0.177	0.004	215.00	1.27	4.50	0.10	NBR/EPDM/CR
5220045	8.661	0.050	0.177	0.005	220.00	1.27	4.50	0.13	NBR/EPDM/CR
5225045	8.858	0.050	0.177	0.004	225.00	1.27	4.50	0.10	NBR/EPDM/CR
5227045	8.937	0.050	0.177	0.004	227.00	1.27	4.50	0.10	NBR/EPDM/CR
5250045	9.843	0.055	0.177	0.004	250.00	1.40	4.50	0.10	NBR/EPDM/CR
5280045	11.024	0.060	0.177	0.005	280.00	1.52	4.50	0.13	NBR/EPDM/CR
5305045	12.008	0.065	0.177	0.004	305.00	1.65	4.50	0.10	NBR/EPDM/CR
5034346	1.350	0.012	0.181	0.004	34.30	0.30	4.60	0.10	NBR/EPDM/CR
9102	0.472		0.185		12.00		4.70		NBR/EPDM/CR
9491	0.694	0.010	0.185	0.005	17.64	0.25	4.70	0.13	NBR/EPDM/CR
90570	4.783		0.186		121.50		4.73		NBR/EPDM/CR
9954	0.812	0.010	0.188	0.005	20.62	0.25	4.77	0.13	NBR/EPDM/CR
9202	15.415	0.075	0.188	0.005	391.54	1.91	4.78	0.13	NBR/EPDM/CR
5009648	0.378	0.005	0.189	0.004	9.60	0.13	4.80	0.10	NBR/EPDM/CR
5060048	2.362	0.020	0.189	0.004	60.00	0.51	4.80	0.10	NBR/EPDM/CR
9427	5.976	0.037	0.189	0.005	151.80	0.94	4.80	0.13	NBR/EPDM/CR
9905	0.630		0.190	0.005	16.00		4.83	0.13	NBR/EPDM/CR
9454	6.098	0.024	0.190	0.005	154.88	0.60	4.83	0.13	NBR/EPDM/CR
9254	4.409	0.006	0.191		111.99	0.15	4.85		NBR/EPDM/CR
90219	6.889	0.040	0.192	0.005	174.98	1.02	4.88	0.13	NBR/EPDM/CR
90040	8.750	0.050	0.196	0.004	222.25	1.27	4.98	0.10	NBR/EPDM/CR
5008050	0.315	0.005	0.197	0.005	8.00	0.13	5.00	0.13	NBR/EPDM/CR
90549	0.354	0.006	0.197	0.008	9.00	0.15	5.00	0.20	NBR/EPDM/CR
5010050	0.394	0.005	0.197	0.005	10.00	0.13	5.00	0.13	NBR/EPDM/CR
5011050	0.433	0.005	0.197	0.005	11.00	0.13	5.00	0.13	NBR/EPDM/CR
5012050	0.472	0.005	0.197	0.005	12.00	0.13	5.00	0.13	NBR/EPDM/CR
90540-U	0.512		0.197		13.00		5.00		NBR/EPDM/CR
9104	0.591		0.197		15.00		5.00		NBR/EPDM/CR
9259	0.591	0.009	0.197	0.005	15.01	0.23	5.00	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5016050	0.630	0.009	0.197	0.005	16.00	0.23	5.00	0.13	NBR/EPDM/CR
5018050	0.709	0.009	0.197	0.005	18.00	0.23	5.00	0.13	NBR/EPDM/CR
5020050	0.787	0.010	0.197	0.005	20.00	0.25	5.00	0.13	NBR/EPDM/CR
5023050	0.906	0.010	0.197	0.005	23.00	0.25	5.00	0.13	NBR/EPDM/CR
5024050	0.945	0.010	0.197	0.005	24.00	0.25	5.00	0.13	NBR/EPDM/CR
5025050	0.984	0.010	0.197	0.005	25.00	0.25	5.00	0.13	NBR/EPDM/CR
5026050	1.024	0.010	0.197	0.005	26.00	0.25	5.00	0.13	NBR/EPDM/CR
5027050	1.063	0.010	0.197	0.005	27.00	0.25	5.00	0.13	NBR/EPDM/CR
5030050	1.181	0.012	0.197	0.005	30.00	0.30	5.00	0.13	NBR/EPDM/CR
5031550	1.240	0.012	0.197	0.005	31.50	0.30	5.00	0.13	NBR/EPDM/CR
5032050	1.260	0.012	0.197	0.005	32.00	0.30	5.00	0.13	NBR/EPDM/CR
5033050	1.299	0.012	0.197	0.005	33.00	0.30	5.00	0.13	NBR/EPDM/CR
9534	1.339	0.012	0.197	0.005	34.00	0.30	5.00	0.13	NBR/EPDM/CR
5034850	1.370	0.012	0.197	0.005	34.80	0.30	5.00	0.13	NBR/EPDM/CR
5035050	1.378	0.013	0.197	0.005	35.00	0.33	5.00	0.13	NBR/EPDM/CR
5036050	1.417	0.013	0.197	0.005	36.00	0.33	5.00	0.13	NBR/EPDM/CR
5038050	1.496	0.015	0.197	0.005	38.00	0.38	5.00	0.13	NBR/EPDM/CR
5040050	1.575	0.015	0.197	0.005	40.00	0.38	5.00	0.13	NBR/EPDM/CR
5041050	1.614	0.015	0.197	0.005	41.00	0.38	5.00	0.13	NBR/EPDM/CR
9266	1.654		0.197	0.005	42.01		5.00	0.12	NBR/EPDM/CR
5044050	1.732	0.015	0.197	0.005	44.00	0.38	5.00	0.13	NBR/EPDM/CR
5045050	1.772	0.015	0.197	0.005	45.00	0.38	5.00	0.13	NBR/EPDM/CR
5046050	1.811	0.015	0.197	0.005	46.00	0.38	5.00	0.13	NBR/EPDM/CR
5046550	1.831	0.015	0.197	0.005	46.50	0.38	5.00	0.13	NBR/EPDM/CR
5047050	1.850	0.015	0.197	0.005	47.00	0.38	5.00	0.13	NBR/EPDM/CR
5048050	1.890	0.018	0.197	0.005	48.00	0.46	5.00	0.13	NBR/EPDM/CR
5050050	1.969	0.018	0.197	0.005	50.00	0.46	5.00	0.13	NBR/EPDM/CR
5054050	2.126	0.018	0.197	0.005	54.00	0.46	5.00	0.13	NBR/EPDM/CR
5055050	2.165	0.018	0.197	0.005	55.00	0.46	5.00	0.13	NBR/EPDM/CR
5060050	2.362	0.020	0.197	0.005	60.00	0.51	5.00	0.13	NBR/EPDM/CR
5062050	2.441	0.020	0.197	0.005	62.00	0.51	5.00	0.13	NBR/EPDM/CR
5063050	2.480	0.020	0.197	0.005	63.00	0.51	5.00	0.13	NBR/EPDM/CR
5065050	2.559	0.020	0.197	0.005	65.00	0.51	5.00	0.13	NBR/EPDM/CR
9581	2.678	0.020	0.197	0.005	68.01	0.51	5.00	0.13	NBR/EPDM/CR
5070050	2.756	0.022	0.197	0.005	70.00	0.56	5.00	0.13	NBR/EPDM/CR
5071050	2.795	0.022	0.197	0.005	71.00	0.56	5.00	0.13	NBR/EPDM/CR
5072050	2.835	0.022	0.197	0.005	72.00	0.56	5.00	0.13	NBR/EPDM/CR
5073050	2.874	0.024	0.197	0.005	73.00	0.60	5.00	0.13	NBR/EPDM/CR
5075050	2.953	0.024	0.197	0.005	75.00	0.61	5.00	0.13	NBR/EPDM/CR
5077050	3.031	0.024	0.197	0.005	77.00	0.61	5.00	0.13	NBR/EPDM/CR
5078050	3.071	0.024	0.197	0.005	78.00	0.61	5.00	0.13	NBR/EPDM/CR
5080050	3.150	0.024	0.197	0.005	80.00	0.61	5.00	0.13	NBR/EPDM/CR
5081050	3.189	0.024	0.197	0.005	81.00	0.61	5.00	0.13	NBR/EPDM/CR
5082050	3.228	0.024	0.197	0.005	82.00	0.61	5.00	0.13	NBR/EPDM/CR
5083050	3.268	0.024	0.197	0.005	83.00	0.61	5.00	0.13	NBR/EPDM/CR
5084050	3.307	0.024	0.197	0.005	84.00	0.61	5.00	0.13	NBR/EPDM/CR
5085050	3.346	0.024	0.197	0.005	85.00	0.61	5.00	0.13	NBR/EPDM/CR
5086050	3.386	0.024	0.197	0.005	86.00	0.61	5.00	0.13	NBR/EPDM/CR
5087050	3.425	0.024	0.197	0.005	87.00	0.61	5.00	0.13	NBR/EPDM/CR
5090050	3.543	0.028	0.197	0.005	90.00	0.71	5.00	0.13	NBR/EPDM/CR
5092050	3.622	0.028	0.197	0.005	92.00	0.71	5.00	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5094050	3.701	0.028	0.197	0.005	94.00	0.71	5.00	0.13	NBR/EPDM/CR
5095050	3.740	0.028	0.197	0.005	95.00	0.71	5.00	0.12	NBR/EPDM/CR
5096050	3.780	0.028	0.197	0.005	96.00	0.71	5.00	0.13	NBR/EPDM/CR
5097050	3.819	0.028	0.197	0.005	97.00	0.71	5.00	0.13	NBR/EPDM/CR
5098050	3.858	0.028	0.197	0.005	98.00	0.71	5.00	0.13	NBR/EPDM/CR
5100050	3.937	0.028	0.197	0.005	100.00	0.71	5.00	0.13	NBR/EPDM/CR
5102050	4.016	0.028	0.197	0.005	102.00	0.71	5.00	0.13	NBR/EPDM/CR
5103050	4.055	0.028	0.197	0.005	103.00	0.71	5.00	0.13	NBR/EPDM/CR
5104050	4.094	0.028	0.197	0.005	104.00	0.71	5.00	0.13	NBR/EPDM/CR
5105050	4.134	0.030	0.197	0.005	105.00	0.76	5.00	0.13	NBR/EPDM/CR
5106050	4.173	0.030	0.197	0.005	106.00	0.76	5.00	0.13	NBR/EPDM/CR
5108050	4.252	0.030	0.197	0.005	108.00	0.76	5.00	0.13	NBR/EPDM/CR
5109050	4.291	0.030	0.197	0.005	109.00	0.76	5.00	0.13	NBR/EPDM/CR
90100	4.331	0.030	0.197	0.005	110.00	0.76	5.00	0.13	NBR/EPDM/CR
5111550	4.390	0.030	0.197	0.005	111.50	0.76	5.00	0.13	NBR/EPDM/CR
5112050	4.409	0.030	0.197	0.005	112.00	0.76	5.00	0.13	NBR/EPDM/CR
5114050	4.488	0.030	0.197	0.004	114.00	0.76	5.00	0.10	NBR/EPDM/CR
5115050	4.528	0.030	0.197	0.005	115.00	0.76	5.00	0.13	NBR/EPDM/CR
5118050	4.646	0.030	0.197	0.005	118.00	0.76	5.00	0.13	NBR/EPDM/CR
5119050	4.685	0.030	0.197	0.005	119.00	0.76	5.00	0.13	NBR/EPDM/CR
5120050	4.724	0.030	0.197	0.005	120.00	0.76	5.00	0.13	NBR/EPDM/CR
5121050	4.764	0.030	0.197	0.005	121.00	0.76	5.00	0.13	NBR/EPDM/CR
5122050	4.803	0.030	0.197	0.005	122.00	0.76	5.00	0.13	NBR/EPDM/CR
5123050	4.843	0.030	0.197	0.005	123.00	0.76	5.00	0.13	NBR/EPDM/CR
5124050	4.882	0.030	0.197	0.005	124.00	0.76	5.00	0.13	NBR/EPDM/CR
5125050	4.921	0.037	0.197	0.005	125.00	0.94	5.00	0.13	NBR/EPDM/CR
5126050	4.961	0.037	0.197	0.005	126.00	0.94	5.00	0.13	NBR/EPDM/CR
5127050	5.000	0.037	0.197	0.005	127.00	0.94	5.00	0.13	NBR/EPDM/CR
5128050	5.039	0.037	0.197	0.005	128.00	0.94	5.00	0.13	NBR/EPDM/CR
5130050	5.118	0.037	0.197	0.005	130.00	0.94	5.00	0.13	NBR/EPDM/CR
5133050	5.236	0.037	0.197	0.005	133.00	0.94	5.00	0.13	NBR/EPDM/CR
5135050	5.315	0.037	0.197	0.005	135.00	0.94	5.00	0.12	NBR/EPDM/CR
5136050	5.354	0.037	0.197	0.005	136.00	0.94	5.00	0.13	NBR/EPDM/CR
5137050	5.394	0.037	0.197	0.005	137.00	0.94	5.00	0.13	NBR/EPDM/CR
5140050	5.512	0.037	0.197	0.005	140.00	0.94	5.00	0.13	NBR/EPDM/CR
5143050	5.630	0.037	0.197	0.005	143.00	0.94	5.00	0.13	NBR/EPDM/CR
5145050	5.709	0.037	0.197	0.005	145.00	0.94	5.00	0.13	NBR/EPDM/CR
5146050	5.748	0.037	0.197	0.005	146.00	0.94	5.00	0.13	NBR/EPDM/CR
5148050	5.827	0.037	0.197	0.004	148.00	0.94	5.00	0.10	NBR/EPDM/CR
5150050	5.906	0.037	0.197	0.005	150.00	0.94	5.00	0.12	NBR/EPDM/CR
5152050	5.984	0.037	0.197	0.005	152.00	0.94	5.00	0.13	NBR/EPDM/CR
5155050	6.102	0.037	0.197	0.005	155.00	0.94	5.00	0.13	NBR/EPDM/CR
5156050	6.142	0.040	0.197	0.005	156.00	1.02	5.00	0.13	NBR/EPDM/CR
5158050	6.220	0.040	0.197	0.005	158.00	1.02	5.00	0.13	NBR/EPDM/CR
5160050	6.299	0.040	0.197	0.005	160.00	1.02	5.00	0.13	NBR/EPDM/CR
5163050	6.417	0.040	0.197	0.005	163.00	1.02	5.00	0.13	NBR/EPDM/CR
5165050	6.496	0.040	0.197	0.005	165.00	1.02	5.00	0.13	NBR/EPDM/CR
5166050	6.535	0.040	0.197	0.005	166.00	1.02	5.00	0.13	NBR/EPDM/CR
5168050	6.614	0.040	0.197	0.005	168.00	1.02	5.00	0.13	NBR/EPDM/CR
5170050	6.693	0.040	0.197	0.005	170.00	1.02	5.00	0.13	NBR/EPDM/CR
5173050	6.811	0.040	0.197	0.005	173.00	1.02	5.00	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5174050	6.850	0.040	0.197	0.005	174.00	1.02	5.00	0.13	NBR/EPDM/CR
5175050	6.890	0.040	0.197	0.005	175.00	1.02	5.00	0.13	NBR/EPDM/CR
5176050	6.929	0.040	0.197	0.005	176.00	1.02	5.00	0.13	NBR/EPDM/CR
5178050	7.008	0.040	0.197	0.005	178.00	1.02	5.00	0.13	NBR/EPDM/CR
5180050	7.087	0.045	0.197	0.005	180.00	1.14	5.00	0.13	NBR/EPDM/CR
5181050	7.126	0.045	0.197	0.005	181.00	1.14	5.00	0.13	NBR/EPDM/CR
5184050	7.244	0.045	0.197	0.005	184.00	1.14	5.00	0.13	NBR/EPDM/CR
5185050	7.283	0.045	0.197	0.005	185.00	1.14	5.00	0.13	NBR/EPDM/CR
5188050	7.402	0.045	0.197	0.005	188.00	1.14	5.00	0.13	NBR/EPDM/CR
5190050	7.480	0.045	0.197	0.005	190.00	1.14	5.00	0.12	NBR/EPDM/CR
5192050	7.559	0.045	0.197	0.005	192.00	1.14	5.00	0.13	NBR/EPDM/CR
5193050	7.598	0.045	0.197	0.005	193.00	1.14	5.00	0.13	NBR/EPDM/CR
5194050	7.638	0.045	0.197	0.005	194.00	1.14	5.00	0.13	NBR/EPDM/CR
5195050	7.677	0.045	0.197	0.005	195.00	1.14	5.00	0.13	NBR/EPDM/CR
5197050	7.756	0.045	0.197	0.005	197.00	1.14	5.00	0.13	NBR/EPDM/CR
5200050	7.874	0.045	0.197	0.005	200.00	1.14	5.00	0.13	NBR/EPDM/CR
5205050	8.071	0.045	0.197	0.005	205.00	1.14	5.00	0.13	NBR/EPDM/CR
5208050	8.189	0.050	0.197	0.005	208.00	1.27	5.00	0.13	NBR/EPDM/CR
5210050	8.268	0.050	0.197	0.005	210.00	1.27	5.00	0.13	NBR/EPDM/CR
5214050	8.425	0.050	0.197	0.005	214.00	1.27	5.00	0.13	NBR/EPDM/CR
5215050	8.465	0.050	0.197	0.005	215.00	1.27	5.00	0.13	NBR/EPDM/CR
5217050	8.543	0.050	0.197	0.005	217.00	1.27	5.00	0.13	NBR/EPDM/CR
5218050	8.583	0.050	0.197	0.005	218.00	1.27	5.00	0.13	NBR/EPDM/CR
5220050	8.661	0.050	0.197	0.005	220.00	1.27	5.00	0.13	NBR/EPDM/CR
5223050	8.780	0.050	0.197	0.005	223.00	1.27	5.00	0.13	NBR/EPDM/CR
5225050	8.858	0.050	0.197	0.005	225.00	1.27	5.00	0.13	NBR/EPDM/CR
5228050	8.976	0.050	0.197	0.005	228.00	1.27	5.00	0.13	NBR/EPDM/CR
5230050	9.055	0.055	0.197	0.004	230.00	1.40	5.00	0.10	NBR/EPDM/CR
5232050	9.134	0.055	0.197	0.005	232.00	1.40	5.00	0.13	NBR/EPDM/CR
5235050	9.252	0.055	0.197	0.004	235.00	1.40	5.00	0.10	NBR/EPDM/CR
5236050	9.291	0.055	0.197	0.005	236.00	1.40	5.00	0.13	NBR/EPDM/CR
5238050	9.370	0.055	0.197	0.005	238.00	1.40	5.00	0.13	NBR/EPDM/CR
5240050	9.449	0.055	0.197	0.005	240.00	1.40	5.00	0.13	NBR/EPDM/CR
5242050	9.528	0.055	0.197	0.005	242.00	1.40	5.00	0.13	NBR/EPDM/CR
5243050	9.567	0.055	0.197	0.005	243.00	1.40	5.00	0.13	NBR/EPDM/CR
5245050	9.646	0.055	0.197	0.005	245.00	1.40	5.00	0.13	NBR/EPDM/CR
5248050	9.764	0.055	0.197	0.005	248.00	1.40	5.00	0.13	NBR/EPDM/CR
5250050	9.843	0.055	0.197	0.005	250.00	1.40	5.00	0.13	NBR/EPDM/CR
5255050	10.039	0.055	0.197	0.005	255.00	1.40	5.00	0.13	NBR/EPDM/CR
5260050	10.236	0.055	0.197	0.005	260.00	1.40	5.00	0.13	NBR/EPDM/CR
5265050	10.433	0.055	0.197	0.004	265.00	1.40	5.00	0.10	NBR/EPDM/CR
5270050	10.630	0.055	0.197	0.004	270.00	1.40	5.00	0.10	NBR/EPDM/CR
5274050	10.787	0.055	0.197	0.005	274.00	1.40	5.00	0.13	NBR/EPDM/CR
5275050	10.827	0.060	0.197	0.005	275.00	1.52	5.00	0.13	NBR/EPDM/CR
5276050	10.866	0.060	0.197	0.005	276.00	1.52	5.00	0.13	NBR/EPDM/CR
5280050	11.024	0.060	0.197	0.005	280.00	1.52	5.00	0.12	NBR/EPDM/CR
5285050	11.220	0.065	0.197	0.004	285.00	1.65	5.00	0.10	NBR/EPDM/CR
5290050	11.417	0.065	0.197	0.005	290.00	1.65	5.00	0.13	NBR/EPDM/CR
5295050	11.614	0.065	0.197	0.005	295.00	1.65	5.00	0.13	NBR/EPDM/CR
5300050	11.811	0.065	0.197	0.005	300.00	1.65	5.00	0.13	NBR/EPDM/CR
5303050	11.929	0.065	0.197	0.005	303.00	1.65	5.00	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5305050	12.008	0.065	0.197	0.005	305.00	1.65	5.00	0.13	NBR/EPDM/CR
5308050	12.126	0.065	0.197	0.005	308.00	1.65	5.00	0.13	NBR/EPDM/CR
5310050	12.205	0.065	0.197	0.005	310.00	1.65	5.00	0.13	NBR/EPDM/CR
5315050	12.402	0.065	0.197	0.004	315.00	1.65	5.00	0.10	NBR/EPDM/CR
5320050	12.598	0.065	0.197	0.005	320.00	1.65	5.00	0.13	NBR/EPDM/CR
5325050	12.795	0.065	0.197	0.005	325.00	1.65	5.00	0.13	NBR/EPDM/CR
5330050	12.992	0.065	0.197	0.005	330.00	1.65	5.00	0.13	NBR/EPDM/CR
5333050	13.110	0.065	0.197	0.005	333.00	1.65	5.00	0.13	NBR/EPDM/CR
5335050	13.189	0.065	0.197	0.005	335.00	1.65	5.00	0.13	NBR/EPDM/CR
5340050	13.386	0.065	0.197	0.005	340.00	1.65	5.00	0.13	NBR/EPDM/CR
5343050	13.504	0.065	0.197	0.005	343.00	1.65	5.00	0.13	NBR/EPDM/CR
5345050	13.583	0.065	0.197	0.005	345.00	1.65	5.00	0.13	NBR/EPDM/CR
5348050	13.701	0.065	0.197	0.005	348.00	1.65	5.00	0.13	NBR/EPDM/CR
5350050	13.780	0.065	0.197	0.005	350.00	1.65	5.00	0.13	NBR/EPDM/CR
5355050	13.976	0.065	0.197	0.005	355.00	1.65	5.00	0.13	NBR/EPDM/CR
5360050	14.173	0.065	0.197	0.005	360.00	1.65	5.00	0.13	NBR/EPDM/CR
5365050	14.370	0.065	0.197	0.005	365.00	1.65	5.00	0.13	NBR/EPDM/CR
5368050	14.488	0.065	0.197	0.005	368.00	1.65	5.00	0.13	NBR/EPDM/CR
5370050	14.567	0.070	0.197	0.005	370.00	1.78	5.00	0.13	NBR/EPDM/CR
5375050	14.764	0.070	0.197	0.005	375.00	1.78	5.00	0.13	NBR/EPDM/CR
5380050	14.961	0.070	0.197	0.005	380.00	1.78	5.00	0.13	NBR/EPDM/CR
5385050	15.157	0.070	0.197	0.005	385.00	1.78	5.00	0.13	NBR/EPDM/CR
5386050	15.197	0.070	0.197	0.005	386.00	1.78	5.00	0.13	NBR/EPDM/CR
5390050	15.354	0.070	0.197	0.005	390.00	1.78	5.00	0.13	NBR/EPDM/CR
5395050	15.551	0.070	0.197	0.005	395.00	1.78	5.00	0.13	NBR/EPDM/CR
5400050	15.748	0.075	0.197	0.005	400.00	1.91	5.00	0.13	NBR/EPDM/CR
5405050	15.945	0.075	0.197	0.005	405.00	1.91	5.00	0.13	NBR/EPDM/CR
5410050	16.142	0.075	0.197	0.005	410.00	1.91	5.00	0.13	NBR/EPDM/CR
5412050	16.220	0.075	0.197	0.005	412.00	1.91	5.00	0.13	NBR/EPDM/CR
5415050	16.339	0.075	0.197	0.005	415.00	1.91	5.00	0.13	NBR/EPDM/CR
5420050	16.535	0.075	0.197	0.005	420.00	1.91	5.00	0.13	NBR/EPDM/CR
5425050	16.732	0.075	0.197	0.005	425.00	1.91	5.00	0.13	NBR/EPDM/CR
5428050	16.850	0.080	0.197	0.005	428.00	2.03	5.00	0.13	NBR/EPDM/CR
5430050	16.929	0.080	0.197	0.005	430.00	2.03	5.00	0.13	NBR/EPDM/CR
5432050	17.008	0.080	0.197	0.005	432.00	2.03	5.00	0.13	NBR/EPDM/CR
5435050	17.126	0.080	0.197	0.005	435.00	2.03	5.00	0.13	NBR/EPDM/CR
5440050	17.323	0.080	0.197	0.005	440.00	2.03	5.00	0.13	NBR/EPDM/CR
5445050	17.520	0.080	0.197	0.005	445.00	2.03	5.00	0.13	NBR/EPDM/CR
5448050	17.638	0.085	0.197	0.005	448.00	2.16	5.00	0.13	NBR/EPDM/CR
5450050	17.717	0.085	0.197	0.005	450.00	2.16	5.00	0.13	NBR/EPDM/CR
5455050	17.913	0.085	0.197	0.005	455.00	2.16	5.00	0.13	NBR/EPDM/CR
5460050	18.110	0.085	0.197	0.005	460.00	2.16	5.00	0.13	NBR/EPDM/CR
5465050	18.307	0.085	0.197	0.005	465.00	2.16	5.00	0.13	NBR/EPDM/CR
5470050	18.504	0.085	0.197	0.005	470.00	2.16	5.00	0.13	NBR/EPDM/CR
5475050	18.701	0.085	0.197	0.005	475.00	2.16	5.00	0.13	NBR/EPDM/CR
5478050	18.819	0.085	0.197	0.005	478.00	2.16	5.00	0.13	NBR/EPDM/CR
5480050	18.898	0.085	0.197	0.005	480.00	2.16	5.00	0.13	NBR/EPDM/CR
5490050	19.291	0.090	0.197	0.005	490.00	2.29	5.00	0.13	NBR/EPDM/CR
5495050	19.488	0.095	0.197	0.005	495.00	2.41	5.00	0.13	NBR/EPDM/CR
5500050	19.685	0.095	0.197	0.005	500.00	2.41	5.00	0.13	NBR/EPDM/CR
5505050	19.882	0.095	0.197	0.005	505.00	2.41	5.00	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5510050	20.079	0.095	0.197	0.005	510.00	2.41	5.00	0.13	NBR/EPDM/CR
5515050	20.276	0.095	0.197	0.005	515.00	2.41	5.00	0.13	NBR/EPDM/CR
5520050	20.472	0.095	0.197	0.012	520.00	2.41	5.00	0.30	NBR/EPDM/CR
5525050	20.669	0.095	0.197	0.005	525.00	2.41	5.00	0.13	NBR/EPDM/CR
5530050	20.866	0.095	0.197	0.005	530.00	2.41	5.00	0.13	NBR/EPDM/CR
5535050	21.063	0.095	0.197	0.005	535.00	2.41	5.00	0.13	NBR/EPDM/CR
5540050	21.260	0.095	0.197	0.005	540.00	2.41	5.00	0.13	NBR/EPDM/CR
5550050	21.654	0.095	0.197	0.005	550.00	2.41	5.00	0.13	NBR/EPDM/CR
5560050	22.047	0.095	0.197	0.005	560.00	2.41	5.00	0.13	NBR/EPDM/CR
5565050	22.244	0.100	0.197	0.005	565.00	2.54	5.00	0.13	NBR/EPDM/CR
5570050	22.441	0.100	0.197	0.005	570.00	2.54	5.00	0.13	NBR/EPDM/CR
5580050	22.835	0.100	0.197	0.005	580.00	2.54	5.00	0.13	NBR/EPDM/CR
5590050	23.228	0.110	0.197	0.005	590.00	2.79	5.00	0.13	NBR/EPDM/CR
5595050	23.425	0.110	0.197	0.005	595.00	2.79	5.00	0.13	NBR/EPDM/CR
5600050	23.622	0.110	0.197	0.005	600.00	2.79	5.00	0.13	NBR/EPDM/CR
5620050	24.409	0.110	0.197	0.005	620.00	2.79	5.00	0.13	NBR/EPDM/CR
5622050	24.488	0.110	0.197	0.005	622.00	2.79	5.00	0.13	NBR/EPDM/CR
5632050	24.882	0.114	0.197	0.005	632.00	2.89	5.00	0.13	NBR/EPDM/CR
5652050	25.669	0.120	0.197	0.005	652.00	3.05	5.00	0.13	NBR/EPDM/CR
5682050	26.850	0.120	0.197	0.005	682.00	3.05	5.00	0.13	NBR/EPDM/CR
5768050	30.236	0.120	0.197	0.005	768.00	3.05	5.00	0.13	NBR/EPDM/CR
9565	1.000	0.010	0.200	0.005	25.40	0.25	5.08	0.13	NBR/EPDM/CR
5035053	1.378	0.013	0.209	0.005	35.00	0.33	5.30	0.13	NBR/EPDM/CR
5040053	1.575	0.015	0.209	0.005	40.00	0.38	5.30	0.13	NBR/EPDM/CR
5041253	1.622	0.015	0.209	0.005	41.20	0.38	5.30	0.13	NBR/EPDM/CR
5045053	1.772	0.015	0.209	0.005	45.00	0.38	5.30	0.13	NBR/EPDM/CR
5046253	1.819	0.015	0.209	0.005	46.20	0.38	5.30	0.13	NBR/EPDM/CR
5055053	2.165	0.018	0.209	0.005	55.00	0.46	5.30	0.13	NBR/EPDM/CR
5056053	2.205	0.018	0.209	0.005	56.00	0.46	5.30	0.13	NBR/EPDM/CR
5058053	2.283	0.018	0.209	0.005	58.00	0.46	5.30	0.13	NBR/EPDM/CR
5061553	2.421	0.020	0.209	0.005	61.50	0.51	5.30	0.13	NBR/EPDM/CR
5065053	2.559	0.020	0.209	0.005	65.00	0.51	5.30	0.13	NBR/EPDM/CR
5067053	2.638	0.020	0.209	0.005	67.00	0.51	5.30	0.13	NBR/EPDM/CR
5071053	2.795	0.022	0.209	0.005	71.00	0.56	5.30	0.13	NBR/EPDM/CR
9067	3.118		0.209		79.20		5.30		NBR/EPDM/CR
5085053	3.346	0.024	0.209	0.005	85.00	0.61	5.30	0.13	NBR/EPDM/CR
5106053	4.173	0.030	0.209	0.005	106.00	0.76	5.30	0.13	NBR/EPDM/CR
5109053	4.291	0.030	0.209	0.005	109.00	0.76	5.30	0.13	NBR/EPDM/CR
5112053	4.409	0.030	0.209	0.005	112.00	0.76	5.30	0.13	NBR/EPDM/CR
5128053	5.039	0.037	0.209	0.005	128.00	0.94	5.30	0.13	NBR/EPDM/CR
5132053	5.197	0.037	0.209	0.005	132.00	0.94	5.30	0.13	NBR/EPDM/CR
5139753	5.500	0.037	0.209	0.005	139.70	0.94	5.30	0.13	NBR/EPDM/CR
5150053	5.906	0.037	0.209	0.005	150.00	0.94	5.30	0.13	NBR/EPDM/CR
5165053	6.496	0.040	0.209	0.005	165.00	1.02	5.30	0.13	NBR/EPDM/CR
5170053	6.693	0.040	0.209	0.005	170.00	1.02	5.30	0.13	NBR/EPDM/CR
5175053	6.890	0.040	0.209	0.004	175.00	1.02	5.30	0.10	NBR/EPDM/CR
5185053	7.283	0.045	0.209	0.005	185.00	1.14	5.30	0.13	NBR/EPDM/CR
5200053	7.874	0.045	0.209	0.005	200.00	1.14	5.30	0.13	NBR/EPDM/CR
5206053	8.110	0.045	0.209	0.005	206.00	1.14	5.30	0.13	NBR/EPDM/CR
5224053	8.819	0.050	0.209	0.005	224.00	1.27	5.30	0.13	NBR/EPDM/CR
5225053	8.858	0.050	0.209	0.005	225.00	1.27	5.30	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5230053	9.055	0.055	0.209	0.005	230.00	1.40	5.30	0.13	NBR/EPDM/CR
5236053	9.291	0.055	0.209	0.005	236.00	1.40	5.30	0.13	NBR/EPDM/CR
5258053	10.157	0.055	0.209	0.005	258.00	1.40	5.30	0.13	NBR/EPDM/CR
5260053	10.236	0.055	0.209	0.005	260.00	1.40	5.30	0.13	NBR/EPDM/CR
5272053	10.709	0.055	0.209	0.005	272.00	1.40	5.30	0.13	NBR/EPDM/CR
5280053	11.024	0.060	0.209	0.005	280.00	1.52	5.30	0.13	NBR/EPDM/CR
5290053	11.417	0.065	0.209	0.005	290.00	1.65	5.30	0.13	NBR/EPDM/CR
5305053	12.008	0.065	0.209	0.005	305.00	1.65	5.30	0.13	NBR/EPDM/CR
5315053	12.402	0.065	0.209	0.005	315.00	1.65	5.30	0.13	NBR/EPDM/CR
5320053	12.598	0.065	0.209	0.005	320.00	1.65	5.30	0.13	NBR/EPDM/CR
5325053	12.795	0.065	0.209	0.005	325.00	1.65	5.30	0.13	NBR/EPDM/CR
5335053	13.189	0.065	0.209	0.005	335.00	1.65	5.30	0.13	NBR/EPDM/CR
5340053	13.386	0.065	0.209	0.005	340.00	1.65	5.30	0.13	NBR/EPDM/CR
5345053	13.583	0.065	0.209	0.005	345.00	1.65	5.30	0.13	NBR/EPDM/CR
5355053	13.976	0.065	0.209	0.005	355.00	1.65	5.30	0.13	NBR/EPDM/CR
5360053	14.173	0.065	0.209	0.005	360.00	1.65	5.30	0.13	NBR/EPDM/CR
5365053	14.370	0.065	0.209	0.005	365.00	1.65	5.30	0.13	NBR/EPDM/CR
5375053	14.764	0.070	0.209	0.005	375.00	1.78	5.30	0.13	NBR/EPDM/CR
5380053	14.961	0.070	0.209	0.005	380.00	1.78	5.30	0.13	NBR/EPDM/CR
5387053	15.236	0.070	0.209	0.005	387.00	1.78	5.30	0.13	NBR/EPDM/CR
5390053	15.354	0.070	0.209	0.005	390.00	1.78	5.30	0.13	NBR/EPDM/CR
5400053	15.748	0.075	0.209	0.005	400.00	1.91	5.30	0.13	NBR/EPDM/CR
5410053	16.142	0.075	0.209	0.005	410.00	1.91	5.30	0.13	NBR/EPDM/CR
5420053	16.535	0.075	0.209	0.005	420.00	1.91	5.30	0.13	NBR/EPDM/CR
5450053	17.717	0.085	0.209	0.005	450.00	2.16	5.30	0.13	NBR/EPDM/CR
90001	1.333	0.012	0.210	0.005	33.86	0.30	5.33	0.13	NBR/EPDM/CR
9345	1.665	0.015	0.210	0.005	42.29	0.38	5.33	0.13	NBR/EPDM/CR
9342	1.778	0.015	0.210	0.005	45.16	0.38	5.33	0.13	NBR/EPDM/CR
9446	1.778	0.015	0.210	0.005	45.16	0.38	5.33	0.13	NBR/EPDM/CR
90022	1.825	0.015	0.210	0.005	46.36	0.38	5.33	0.13	NBR/EPDM/CR
9347	1.881	0.018	0.210	0.005	47.78	0.46	5.33	0.13	NBR/EPDM/CR
9442	1.881	0.017	0.210	0.005	47.78	0.43	5.33	0.13	NBR/EPDM/CR
9785	1.881	0.017	0.210	0.005	47.78	0.43	5.33	0.13	NBR/EPDM/CR
90229	1.902	0.018	0.210	0.005	48.32	0.46	5.33	0.13	NBR/EPDM/CR
90323	3.141	0.024	0.210	0.005	79.77	0.61	5.33	0.13	NBR/EPDM/CR
9820	3.499	0.024	0.210	0.005	88.87	0.61	5.33	0.13	NBR/EPDM/CR
90511	3.642	0.028	0.210	0.005	92.50	0.71	5.33	0.13	NBR/EPDM/CR
90439	3.937	0.028	0.210	0.005	100.00	0.71	5.33	0.13	NBR/EPDM/CR
90250	4.313	0.030	0.210	0.005	109.54	0.76	5.33	0.13	NBR/EPDM/CR
90107	4.505	0.030	0.210	0.005	114.43	0.76	5.33	0.13	NBR/EPDM/CR
90530	4.752	0.030	0.210	0.005	120.70	0.76	5.33	0.13	NBR/EPDM/CR
90321	4.874	0.030	0.210	0.005	123.80	0.76	5.33	0.13	NBR/EPDM/CR
90425	5.000	0.037	0.210	0.005	127.00	0.94	5.33	0.13	NBR/EPDM/CR
90310	5.125	0.037	0.210	0.005	130.18	0.94	5.33	0.13	NBR/EPDM/CR
90510	5.250	0.037	0.210	0.005	133.35	0.94	5.33	0.13	NBR/EPDM/CR
90344	5.375	0.037	0.210	0.005	136.53	0.94	5.33	0.13	NBR/EPDM/CR
90411	5.500	0.037	0.210	0.005	139.70	0.94	5.33	0.13	NBR/EPDM/CR
90366	5.625	0.037	0.210	0.005	142.88	0.94	5.33	0.13	NBR/EPDM/CR
90249	5.750	0.037	0.210	0.005	146.05	0.94	5.33	0.13	NBR/EPDM/CR
90293	5.875	0.037	0.210	0.005	149.23	0.94	5.33	0.13	NBR/EPDM/CR
90405	6.102	0.037	0.210	0.005	155.00	0.94	5.33	0.13	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90548	6.142	0.040	0.210	0.005	156.00	1.02	5.33	0.13	NBR/EPDM/CR
90280	6.602	0.040	0.210	0.005	167.70	1.02	5.33	0.13	NBR/EPDM/CR
9765	7.850	0.045	0.210	0.005	199.39	1.14	5.33	0.13	NBR/EPDM/CR
90504	9.843	0.055	0.210	0.005	250.00	1.40	5.33	0.13	NBR/EPDM/CR
90591	11.220	0.065	0.210	0.005	285.00	1.65	5.33	0.13	NBR/EPDM/CR
90521	12.402	0.065	0.210	0.005	315.00	1.65	5.33	0.13	NBR/EPDM/CR
90597	13.386	0.070	0.210	0.005	340.00	1.78	5.33	0.13	NBR/EPDM/CR
9196	16.200	0.075	0.210	0.005	411.48	1.91	5.33	0.13	NBR/EPDM/CR
90522	17.350	0.085	0.210	0.005	440.69	2.16	5.33	0.13	NBR/EPDM/CR
9767	26.940	0.118	0.210	0.005	684.28	3.00	5.33	0.13	NBR/EPDM/CR
90525	31.083	0.156	0.210	0.005	789.50	3.95	5.33	0.13	NBR/EPDM/CR
90624	34.370	0.229	0.210	0.005	873.00	5.81	5.33	0.13	NBR/EPDM/CR
90466	4.626	0.030	0.210	0.005	117.50	0.76	5.34	0.13	NBR/EPDM/CR
90412	15.315	0.075	0.210	0.005	389.00	1.91	5.34	0.13	NBR/EPDM/CR
90027	2.958	0.020	0.211	0.002	75.13	0.51	5.36	0.05	NBR/EPDM/CR
5150054	5.906	0.037	0.213	0.005	150.00	0.94	5.40	0.13	NBR/EPDM/CR
9456	6.093	0.024	0.215	0.005	154.75	0.60	5.45	0.13	NBR/EPDM/CR
5024055	0.945	0.010	0.217	0.005	24.00	0.25	5.50	0.13	NBR/EPDM/CR
90580	0.988	0.010	0.217	0.005	25.10	0.25	5.50	0.13	NBR/EPDM/CR
5040055	1.575	0.015	0.217	0.005	40.00	0.38	5.50	0.13	NBR/EPDM/CR
5045055	1.772	0.015	0.217	0.005	45.00	0.38	5.50	0.13	NBR/EPDM/CR
5050055	1.969	0.018	0.217	0.005	50.00	0.46	5.50	0.13	NBR/EPDM/CR
5055055	2.165	0.018	0.217	0.005	55.00	0.46	5.50	0.13	NBR/EPDM/CR
5058055	2.283	0.018	0.217	0.005	58.00	0.46	5.50	0.13	NBR/EPDM/CR
5065055	2.559	0.020	0.217	0.005	65.00	0.51	5.50	0.13	NBR/EPDM/CR
5070055	2.756	0.022	0.217	0.005	70.00	0.56	5.50	0.13	NBR/EPDM/CR
5075055	2.953	0.024	0.217	0.005	75.00	0.61	5.50	0.13	NBR/EPDM/CR
5077055	3.031	0.024	0.217	0.005	77.00	0.61	5.50	0.13	NBR/EPDM/CR
5080055	3.150	0.024	0.217	0.005	80.00	0.61	5.50	0.13	NBR/EPDM/CR
5088055	3.465	0.024	0.217	0.005	88.00	0.61	5.50	0.13	NBR/EPDM/CR
5100055	3.937	0.028	0.217	0.005	100.00	0.71	5.50	0.13	NBR/EPDM/CR
5105055	4.134	0.030	0.217	0.005	105.00	0.76	5.50	0.13	NBR/EPDM/CR
5110055	4.331	0.030	0.217	0.005	110.00	0.76	5.50	0.13	NBR/EPDM/CR
9428	6.063	0.024	0.217	0.006	154.00	0.60	5.50	0.15	NBR/EPDM/CR
5155055	6.102	0.037	0.217	0.005	155.00	0.94	5.50	0.13	NBR/EPDM/CR
5160055	6.299	0.040	0.217	0.005	160.00	1.02	5.50	0.13	NBR/EPDM/CR
5165055	6.496	0.040	0.217	0.005	165.00	1.02	5.50	0.13	NBR/EPDM/CR
5190055	7.480	0.045	0.217	0.005	190.00	1.14	5.50	0.13	NBR/EPDM/CR
5200055	7.874	0.045	0.217	0.005	200.00	1.14	5.50	0.13	NBR/EPDM/CR
9217	3.250		0.218		82.55		5.54		NBR/EPDM/CR
9112	4.475		0.218		113.67		5.54		NBR/EPDM/CR
9106	0.140		0.220		3.56		5.59		NBR/EPDM/CR
5029557	1.161	0.012	0.224	0.005	29.50	0.30	5.70	0.13	NBR/EPDM/CR
5035257	1.386	0.013	0.224	0.005	35.20	0.33	5.70	0.13	NBR/EPDM/CR
5036257	1.425	0.013	0.224	0.005	36.20	0.33	5.70	0.13	NBR/EPDM/CR
5037257	1.465	0.015	0.224	0.005	37.20	0.38	5.70	0.13	NBR/EPDM/CR
5039257	1.543	0.015	0.224	0.005	39.20	0.38	5.70	0.13	NBR/EPDM/CR
5039657	1.559	0.015	0.224	0.005	39.60	0.38	5.70	0.13	NBR/EPDM/CR
5041257	1.622	0.015	0.224	0.005	41.20	0.38	5.70	0.13	NBR/EPDM/CR
5044257	1.740	0.015	0.224	0.005	44.20	0.38	5.70	0.13	NBR/EPDM/CR
5044357	1.744	0.015	0.224	0.005	44.30	0.38	5.70	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5045257	1.780	0.015	0.224	0.005	45.20	0.38	5.70	0.13	NBR/EPDM/CR
5045357	1.783	0.015	0.224	0.005	45.30	0.38	5.70	0.13	NBR/EPDM/CR
5047257	1.858	0.015	0.224	0.005	47.20	0.38	5.70	0.13	NBR/EPDM/CR
5049257	1.937	0.018	0.224	0.005	49.20	0.46	5.70	0.13	NBR/EPDM/CR
5049357	1.941	0.018	0.224	0.005	49.30	0.46	5.70	0.13	NBR/EPDM/CR
5051257	2.016	0.018	0.224	0.005	51.20	0.46	5.70	0.13	NBR/EPDM/CR
5052257	2.055	0.018	0.224	0.005	52.20	0.46	5.70	0.13	NBR/EPDM/CR
5052357	2.059	0.018	0.224	0.005	52.30	0.46	5.70	0.13	NBR/EPDM/CR
5054257	2.134	0.018	0.224	0.005	54.20	0.46	5.70	0.13	NBR/EPDM/CR
5054357	2.138	0.018	0.224	0.005	54.30	0.46	5.70	0.13	NBR/EPDM/CR
5055257	2.173	0.018	0.224	0.005	55.20	0.46	5.70	0.13	NBR/EPDM/CR
5055357	2.177	0.018	0.224	0.005	55.30	0.46	5.70	0.13	NBR/EPDM/CR
5057257	2.252	0.018	0.224	0.005	57.20	0.46	5.70	0.13	NBR/EPDM/CR
5059257	2.331	0.020	0.224	0.005	59.20	0.51	5.70	0.13	NBR/EPDM/CR
5059357	2.335	0.020	0.224	0.005	59.30	0.51	5.70	0.13	NBR/EPDM/CR
5061257	2.409	0.020	0.224	0.005	61.20	0.51	5.70	0.13	NBR/EPDM/CR
5062257	2.449	0.020	0.224	0.005	62.20	0.51	5.70	0.13	NBR/EPDM/CR
5064257	2.528	0.020	0.224	0.005	64.20	0.51	5.70	0.13	NBR/EPDM/CR
5064357	2.531	0.020	0.224	0.005	64.30	0.51	5.70	0.13	NBR/EPDM/CR
5067257	2.646	0.020	0.224	0.005	67.20	0.51	5.70	0.13	NBR/EPDM/CR
5069257	2.724	0.020	0.224	0.005	69.20	0.51	5.70	0.13	NBR/EPDM/CR
5069357	2.728	0.020	0.224	0.005	69.30	0.51	5.70	0.13	NBR/EPDM/CR
5070257	2.764	0.022	0.224	0.005	70.20	0.56	5.70	0.13	NBR/EPDM/CR
5071257	2.803	0.022	0.224	0.005	71.20	0.56	5.70	0.13	NBR/EPDM/CR
5072257	2.843	0.022	0.224	0.005	72.20	0.56	5.70	0.13	NBR/EPDM/CR
5074257	2.921	0.024	0.224	0.005	74.20	0.61	5.70	0.13	NBR/EPDM/CR
5074357	2.925	0.024	0.224	0.005	74.30	0.61	5.70	0.13	NBR/EPDM/CR
5077257	3.039	0.024	0.224	0.005	77.20	0.61	5.70	0.13	NBR/EPDM/CR
5079257	3.118	0.024	0.224	0.005	79.20	0.61	5.70	0.13	NBR/EPDM/CR
5079357	3.122	0.024	0.224	0.005	79.30	0.61	5.70	0.13	NBR/EPDM/CR
5081257	3.197	0.024	0.224	0.005	81.20	0.61	5.70	0.13	NBR/EPDM/CR
5082257	3.236	0.024	0.224	0.005	82.20	0.61	5.70	0.13	NBR/EPDM/CR
5087257	3.433	0.024	0.224	0.005	87.20	0.61	5.70	0.13	NBR/EPDM/CR
5089257	3.512	0.025	0.224	0.005	89.20	0.64	5.70	0.12	NBR/EPDM/CR
5089357	3.516	0.025	0.224	0.005	89.30	0.64	5.70	0.13	NBR/EPDM/CR
5092257	3.630	0.028	0.224	0.005	92.20	0.71	5.70	0.13	NBR/EPDM/CR
5094257	3.709	0.028	0.224	0.005	94.20	0.71	5.70	0.13	NBR/EPDM/CR
5094357	3.713	0.028	0.224	0.005	94.30	0.71	5.70	0.13	NBR/EPDM/CR
5097257	3.827	0.028	0.224	0.005	97.20	0.71	5.70	0.13	NBR/EPDM/CR
5099357	3.909	0.028	0.224	0.005	99.30	0.71	5.70	0.13	NBR/EPDM/CR
5104257	4.102	0.028	0.224	0.005	104.20	0.71	5.70	0.13	NBR/EPDM/CR
9993	4.268	0.030	0.224	0.006	108.40	0.76	5.70	0.15	NBR/EPDM/CR
5108657	4.276	0.030	0.224	0.005	108.60	0.76	5.70	0.13	NBR/EPDM/CR
5109257	4.299	0.030	0.224	0.005	109.20	0.76	5.70	0.13	NBR/EPDM/CR
5109357	4.303	0.030	0.224	0.005	109.30	0.76	5.70	0.13	NBR/EPDM/CR
5114357	4.500	0.030	0.224	0.005	114.30	0.76	5.70	0.13	NBR/EPDM/CR
9990	4.559	0.030	0.224	0.006	115.80	0.76	5.70	0.15	NBR/EPDM/CR
5119257	4.693	0.030	0.224	0.005	119.20	0.76	5.70	0.13	NBR/EPDM/CR
5124357	4.894	0.030	0.224	0.005	124.30	0.76	5.70	0.13	NBR/EPDM/CR
5129357	5.091	0.037	0.224	0.005	129.30	0.94	5.70	0.13	NBR/EPDM/CR
5134357	5.287	0.037	0.224	0.005	134.30	0.94	5.70	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5139357	5.484	0.037	0.224	0.005	139.30	0.94	5.70	0.13	NBR/EPDM/CR
90324	6.469	0.024	0.224	0.006	164.30	0.60	5.70	0.15	NBR/EPDM/CR
5167057	6.575	0.040	0.224	0.005	167.00	1.02	5.70	0.13	NBR/EPDM/CR
5174257	6.858	0.040	0.224	0.005	174.20	1.02	5.70	0.13	NBR/EPDM/CR
90325	7.059	0.024	0.224	0.006	179.30	0.60	5.70	0.15	NBR/EPDM/CR
5199257	7.843	0.045	0.224	0.005	199.20	1.14	5.70	0.13	NBR/EPDM/CR
5289257	11.386	0.065	0.224	0.005	289.20	1.65	5.70	0.13	NBR/EPDM/CR
5427057	16.811	0.080	0.224	0.005	427.00	2.03	5.70	0.13	NBR/EPDM/CR
5489257	19.260	0.085	0.224	0.005	489.20	2.16	5.70	0.13	NBR/EPDM/CR
90181	20.445		0.224		519.30		5.70		NBR/EPDM/CR
5547057	21.535	0.095	0.224	0.005	547.00	2.41	5.70	0.13	NBR/EPDM/CR
90176	21.626		0.224		549.30		5.70		NBR/EPDM/CR
5580057	22.835	0.100	0.224	0.005	580.00	2.54	5.70	0.13	NBR/EPDM/CR
5589357	23.201	0.110	0.224	0.006	589.30	2.79	5.70	0.15	NBR/EPDM/CR
5612057	24.094	0.110	0.224	0.005	612.00	2.79	5.70	0.13	NBR/EPDM/CR
5627057	24.685	0.114	0.224	0.005	627.00	2.89	5.70	0.13	NBR/EPDM/CR
90180	25.169		0.224		639.30		5.70		NBR/EPDM/CR
5657057	25.866	0.120	0.224	0.005	657.00	3.05	5.70	0.13	NBR/EPDM/CR
5667057	26.260	0.120	0.224	0.005	667.00	3.05	5.70	0.13	NBR/EPDM/CR
90179	26.980		0.224		685.30		5.70		NBR/EPDM/CR
90171	27.925		0.224		709.30		5.70		NBR/EPDM/CR
5727057	28.622	0.120	0.224	0.005	727.00	3.05	5.70	0.13	NBR/EPDM/CR
5796057	31.339	0.120	0.224	0.005	796.00	3.05	5.70	0.13	NBR/EPDM/CR
5887057	34.921	0.159	0.224	0.005	887.00	4.05	5.70	0.13	NBR/EPDM/CR
90227	3.390		0.225		86.10		5.71		NBR/EPDM/CR
90421	2.330	0.018	0.225	0.005	59.18	0.46	5.72	0.13	NBR/EPDM/CR
9922	8.750	0.050	0.230	0.005	222.25	1.27	5.84	0.13	NBR/EPDM/CR
9063	3.055		0.232		77.60		5.89		NBR/EPDM/CR
9994	5.256	0.037	0.232	0.006	133.50	0.94	5.90	0.15	NBR/EPDM/CR
9198	3.312	0.024	0.234	0.005	84.12	0.61	5.94	0.13	NBR/EPDM/CR
9205	5.609	0.037	0.234	0.005	142.47	0.94	5.94	0.13	NBR/EPDM/CR
90077	2.992	0.024	0.236	0.006	76.00	0.61	5.99	0.15	NBR/EPDM/CR
5008060	0.315	0.005	0.236	0.006	8.00	0.13	6.00	0.15	NBR/EPDM/CR
5009060	0.354	0.005	0.236	0.006	9.00	0.13	6.00	0.15	NBR/EPDM/CR
5010060	0.394	0.005	0.236	0.005	10.00	0.13	6.00	0.13	NBR/EPDM/CR
5013060	0.512	0.005	0.236	0.005	13.00	0.13	6.00	0.13	NBR/EPDM/CR
5014060	0.551	0.007	0.236	0.006	14.00	0.18	6.00	0.15	NBR/EPDM/CR
5015060	0.591	0.009	0.236	0.005	15.00	0.23	6.00	0.13	NBR/EPDM/CR
5018060	0.709	0.009	0.236	0.006	18.00	0.23	6.00	0.15	NBR/EPDM/CR
5019060	0.748	0.009	0.236	0.006	19.00	0.23	6.00	0.15	NBR/EPDM/CR
5020060	0.787	0.010	0.236	0.006	20.00	0.25	6.00	0.15	NBR/EPDM/CR
5022060	0.866	0.010	0.236	0.005	22.00	0.25	6.00	0.13	NBR/EPDM/CR
5024060	0.945	0.010	0.236	0.006	24.00	0.25	6.00	0.15	NBR/EPDM/CR
5025060	0.984	0.010	0.236	0.005	25.00	0.25	6.00	0.13	NBR/EPDM/CR
5026060	1.024	0.010	0.236	0.005	26.00	0.25	6.00	0.13	NBR/EPDM/CR
5027060	1.063	0.010	0.236	0.006	27.00	0.25	6.00	0.15	NBR/EPDM/CR
5028060	1.102	0.010	0.236	0.005	28.00	0.25	6.00	0.13	NBR/EPDM/CR
5029060	1.142	0.010	0.236	0.006	29.00	0.25	6.00	0.15	NBR/EPDM/CR
5030060	1.181	0.012	0.236	0.005	30.00	0.30	6.00	0.13	NBR/EPDM/CR
5031060	1.220	0.012	0.236	0.005	31.00	0.30	6.00	0.13	NBR/EPDM/CR
5032060	1.260	0.012	0.236	0.006	32.00	0.30	6.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5033060	1.299	0.012	0.236	0.005	33.00	0.30	6.00	0.13	NBR/EPDM/CR
5034060	1.339	0.012	0.236	0.006	34.00	0.30	6.00	0.15	NBR/EPDM/CR
5035060	1.378	0.013	0.236	0.005	35.00	0.33	6.00	0.13	NBR/EPDM/CR
5036060	1.417	0.013	0.236	0.006	36.00	0.33	6.00	0.15	NBR/EPDM/CR
5039060	1.535	0.015	0.236	0.005	39.00	0.38	6.00	0.13	NBR/EPDM/CR
5040060	1.575	0.015	0.236	0.006	40.00	0.38	6.00	0.15	NBR/EPDM/CR
5041560	1.634	0.015	0.236	0.005	41.50	0.38	6.00	0.13	NBR/EPDM/CR
9535	1.654	0.016	0.236	0.005	42.00	0.40	6.00	0.13	NBR/EPDM/CR
5043060	1.693	0.015	0.236	0.005	43.00	0.38	6.00	0.13	NBR/EPDM/CR
5044060	1.732	0.015	0.236	0.005	44.00	0.38	6.00	0.13	NBR/EPDM/CR
5045060	1.772	0.015	0.236	0.005	45.00	0.38	6.00	0.13	NBR/EPDM/CR
5046060	1.811	0.015	0.236	0.005	46.00	0.38	6.00	0.13	NBR/EPDM/CR
5047060	1.850	0.015	0.236	0.005	47.00	0.38	6.00	0.13	NBR/EPDM/CR
5048060	1.890	0.018	0.236	0.005	48.00	0.46	6.00	0.13	NBR/EPDM/CR
5050060	1.969	0.018	0.236	0.005	50.00	0.46	6.00	0.13	NBR/EPDM/CR
5051060	2.008	0.018	0.236	0.004	51.00	0.46	6.00	0.10	NBR/EPDM/CR
9645	2.047	0.010	0.236	0.006	52.00	0.25	6.00	0.15	NBR/EPDM/CR
5053060	2.087	0.018	0.236	0.005	53.00	0.46	6.00	0.13	NBR/EPDM/CR
5054060	2.126	0.018	0.236	0.005	54.00	0.46	6.00	0.13	NBR/EPDM/CR
5055060	2.165	0.018	0.236	0.005	55.00	0.46	6.00	0.13	NBR/EPDM/CR
5057060	2.244	0.018	0.236	0.006	57.00	0.46	6.00	0.15	NBR/EPDM/CR
9968	2.362	0.019	0.236	0.005	60.00	0.48	6.00	0.13	NBR/EPDM/CR
5062060	2.441	0.020	0.236	0.005	62.00	0.51	6.00	0.13	NBR/EPDM/CR
9647	2.520	0.010	0.236	0.006	64.00	0.25	6.00	0.15	NBR/EPDM/CR
5065060	2.559	0.020	0.236	0.005	65.00	0.51	6.00	0.13	NBR/EPDM/CR
5066060	2.598	0.020	0.236	0.005	66.00	0.51	6.00	0.13	NBR/EPDM/CR
5068060	2.677	0.020	0.236	0.006	68.00	0.51	6.00	0.15	NBR/EPDM/CR
5069060	2.717	0.020	0.236	0.005	69.00	0.51	6.00	0.13	NBR/EPDM/CR
5070060	2.756	0.022	0.236	0.006	70.00	0.56	6.00	0.15	NBR/EPDM/CR
5072060	2.835	0.022	0.236	0.005	72.00	0.56	6.00	0.13	NBR/EPDM/CR
5073060	2.874	0.024	0.236	0.005	73.00	0.60	6.00	0.13	NBR/EPDM/CR
9646	2.913	0.010	0.236	0.006	74.00	0.25	6.00	0.15	NBR/EPDM/CR
5075060	2.953	0.024	0.236	0.005	75.00	0.61	6.00	0.13	NBR/EPDM/CR
5076060	2.992	0.024	0.236	0.005	76.00	0.61	6.00	0.13	NBR/EPDM/CR
5078060	3.071	0.024	0.236	0.006	78.00	0.61	6.00	0.15	NBR/EPDM/CR
5078560	3.091	0.024	0.236	0.005	78.50	0.61	6.00	0.13	NBR/EPDM/CR
5079060	3.110	0.024	0.236	0.005	79.00	0.61	6.00	0.13	NBR/EPDM/CR
5080060	3.150	0.024	0.236	0.006	80.00	0.61	6.00	0.15	NBR/EPDM/CR
5081060	3.189	0.024	0.236	0.005	81.00	0.61	6.00	0.13	NBR/EPDM/CR
5084060	3.307	0.024	0.236	0.005	84.00	0.61	6.00	0.13	NBR/EPDM/CR
5085060	3.346	0.024	0.236	0.005	85.00	0.61	6.00	0.13	NBR/EPDM/CR
9648	3.425	0.016	0.236	0.006	87.00	0.40	6.00	0.15	NBR/EPDM/CR
9664	3.465	0.024	0.236	0.005	88.00	0.61	6.00	0.13	NBR/EPDM/CR
5089060	3.504	0.025	0.236	0.005	89.00	0.64	6.00	0.13	NBR/EPDM/CR
5090060	3.543	0.028	0.236	0.005	90.00	0.71	6.00	0.13	NBR/EPDM/CR
5094060	3.701	0.028	0.236	0.005	94.00	0.71	6.00	0.13	NBR/EPDM/CR
90105	3.740	0.032	0.236	0.006	95.00	0.81	6.00	0.15	NBR/EPDM/CR
5100060	3.937	0.028	0.236	0.006	100.00	0.71	6.00	0.15	NBR/EPDM/CR
5102060	4.016	0.028	0.236	0.006	102.00	0.71	6.00	0.15	NBR/EPDM/CR
5105060	4.134	0.030	0.236	0.006	105.00	0.76	6.00	0.15	NBR/EPDM/CR
5106060	4.173	0.030	0.236	0.006	106.00	0.76	6.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5110060	4.331	0.030	0.236	0.005	110.00	0.76	6.00	0.13	NBR/EPDM/CR
5111060	4.370	0.030	0.236	0.005	111.00	0.76	6.00	0.13	NBR/EPDM/CR
5114060	4.488	0.030	0.236	0.005	114.00	0.76	6.00	0.13	NBR/EPDM/CR
5115060	4.528	0.030	0.236	0.006	115.00	0.76	6.00	0.15	NBR/EPDM/CR
5120060	4.724	0.030	0.236	0.005	120.00	0.76	6.00	0.13	NBR/EPDM/CR
5122060	4.803	0.030	0.236	0.006	122.00	0.76	6.00	0.15	NBR/EPDM/CR
5124060	4.882	0.030	0.236	0.006	124.00	0.76	6.00	0.15	NBR/EPDM/CR
5125060	4.921	0.033	0.236	0.006	125.00	0.84	6.00	0.15	NBR/EPDM/CR
5126060	4.961	0.037	0.236	0.005	126.00	0.94	6.00	0.13	NBR/EPDM/CR
5128060	5.039	0.037	0.236	0.006	128.00	0.94	6.00	0.15	NBR/EPDM/CR
5130060	5.118	0.037	0.236	0.006	130.00	0.94	6.00	0.15	NBR/EPDM/CR
5134060	5.276	0.037	0.236	0.005	134.00	0.94	6.00	0.13	NBR/EPDM/CR
5135060	5.315	0.037	0.236	0.006	135.00	0.94	6.00	0.15	NBR/EPDM/CR
5140060	5.512	0.037	0.236	0.006	140.00	0.94	6.00	0.15	NBR/EPDM/CR
5142060	5.591	0.037	0.236	0.005	142.00	0.94	6.00	0.13	NBR/EPDM/CR
5144060	5.669	0.037	0.236	0.006	144.00	0.94	6.00	0.15	NBR/EPDM/CR
5145060	5.709	0.037	0.236	0.006	145.00	0.94	6.00	0.15	NBR/EPDM/CR
5148060	5.827	0.037	0.236	0.006	148.00	0.94	6.00	0.15	NBR/EPDM/CR
5150060	5.906	0.037	0.236	0.006	150.00	0.94	6.00	0.15	NBR/EPDM/CR
5152060	5.984	0.037	0.236	0.006	152.00	0.94	6.00	0.15	NBR/EPDM/CR
5153060	6.024	0.037	0.236	0.005	153.00	0.94	6.00	0.13	NBR/EPDM/CR
5153660	6.047	0.037	0.236	0.005	153.60	0.94	6.00	0.13	NBR/EPDM/CR
5154060	6.063	0.037	0.236	0.006	154.00	0.94	6.00	0.15	NBR/EPDM/CR
5159060	6.260	0.040	0.236	0.006	159.00	1.02	6.00	0.15	NBR/EPDM/CR
5160060	6.299	0.040	0.236	0.005	160.00	1.02	6.00	0.13	NBR/EPDM/CR
5165060	6.496	0.040	0.236	0.005	165.00	1.02	6.00	0.13	NBR/EPDM/CR
5166060	6.535	0.040	0.236	0.005	166.00	1.02	6.00	0.13	NBR/EPDM/CR
5169060	6.654	0.040	0.236	0.005	169.00	1.02	6.00	0.13	NBR/EPDM/CR
5170060	6.693	0.040	0.236	0.005	170.00	1.02	6.00	0.13	NBR/EPDM/CR
5172060	6.772	0.040	0.236	0.005	172.00	1.02	6.00	0.13	NBR/EPDM/CR
5174060	6.850	0.040	0.236	0.006	174.00	1.02	6.00	0.15	NBR/EPDM/CR
5175060	6.890	0.040	0.236	0.005	175.00	1.02	6.00	0.13	NBR/EPDM/CR
5176060	6.929	0.040	0.236	0.005	176.00	1.02	6.00	0.13	NBR/EPDM/CR
5178060	7.008	0.040	0.236	0.006	178.00	1.02	6.00	0.15	NBR/EPDM/CR
5180060	7.087	0.045	0.236	0.006	180.00	1.14	6.00	0.15	NBR/EPDM/CR
5182060	7.165	0.045	0.236	0.005	182.00	1.14	6.00	0.13	NBR/EPDM/CR
5185060	7.283	0.045	0.236	0.005	185.00	1.14	6.00	0.13	NBR/EPDM/CR
5188060	7.402	0.045	0.236	0.006	188.00	1.14	6.00	0.15	NBR/EPDM/CR
5190060	7.480	0.045	0.236	0.005	190.00	1.14	6.00	0.13	NBR/EPDM/CR
5193060	7.598	0.045	0.236	0.005	193.00	1.14	6.00	0.13	NBR/EPDM/CR
5195060	7.677	0.045	0.236	0.006	195.00	1.14	6.00	0.15	NBR/EPDM/CR
5200060	7.874	0.045	0.236	0.005	200.00	1.14	6.00	0.13	NBR/EPDM/CR
5204060	8.031	0.045	0.236	0.005	204.00	1.14	6.00	0.13	NBR/EPDM/CR
5205060	8.071	0.045	0.236	0.005	205.00	1.14	6.00	0.13	NBR/EPDM/CR
5208060	8.189	0.050	0.236	0.005	208.00	1.27	6.00	0.13	NBR/EPDM/CR
5210060	8.268	0.050	0.236	0.005	210.00	1.27	6.00	0.13	NBR/EPDM/CR
5212060	8.346	0.050	0.236	0.006	212.00	1.27	6.00	0.15	NBR/EPDM/CR
5214060	8.425	0.050	0.236	0.005	214.00	1.27	6.00	0.13	NBR/EPDM/CR
5218060	8.583	0.050	0.236	0.005	218.00	1.27	6.00	0.13	NBR/EPDM/CR
5220060	8.661	0.050	0.236	0.005	220.00	1.27	6.00	0.13	NBR/EPDM/CR
5224060	8.819	0.050	0.236	0.005	224.00	1.27	6.00	0.13	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5225060	8.858	0.050	0.236	0.005	225.00	1.27	6.00	0.13	NBR/EPDM/CR
5230060	9.055	0.055	0.236	0.005	230.00	1.40	6.00	0.13	NBR/EPDM/CR
5232060	9.134	0.055	0.236	0.006	232.00	1.40	6.00	0.15	NBR/EPDM/CR
5235060	9.252	0.055	0.236	0.005	235.00	1.40	6.00	0.13	NBR/EPDM/CR
5238060	9.370	0.055	0.236	0.006	238.00	1.40	6.00	0.15	NBR/EPDM/CR
5240060	9.449	0.055	0.236	0.005	240.00	1.40	6.00	0.13	NBR/EPDM/CR
5242060	9.528	0.055	0.236	0.005	242.00	1.40	6.00	0.13	NBR/EPDM/CR
5244060	9.606	0.055	0.236	0.005	244.00	1.40	6.00	0.13	NBR/EPDM/CR
5245060	9.646	0.055	0.236	0.006	245.00	1.40	6.00	0.15	NBR/EPDM/CR
5247060	9.724	0.055	0.236	0.006	247.00	1.40	6.00	0.15	NBR/EPDM/CR
5250060	9.843	0.055	0.236	0.006	250.00	1.40	6.00	0.15	NBR/EPDM/CR
5255060	10.039	0.055	0.236	0.006	255.00	1.40	6.00	0.15	NBR/EPDM/CR
5258060	10.157	0.055	0.236	0.005	258.00	1.40	6.00	0.13	NBR/EPDM/CR
9969	10.236	0.058	0.236	0.005	260.00	1.47	6.00	0.13	NBR/EPDM/CR
5262060	10.315	0.055	0.236	0.006	262.00	1.40	6.00	0.15	NBR/EPDM/CR
5265060	10.433	0.055	0.236	0.005	265.00	1.40	6.00	0.13	NBR/EPDM/CR
5270060	10.630	0.055	0.236	0.006	270.00	1.40	6.00	0.15	NBR/EPDM/CR
5276060	10.866	0.060	0.236	0.005	276.00	1.52	6.00	0.13	NBR/EPDM/CR
5278060	10.945	0.060	0.236	0.005	278.00	1.52	6.00	0.13	NBR/EPDM/CR
5280060	11.024	0.060	0.236	0.006	280.00	1.52	6.00	0.15	NBR/EPDM/CR
5285060	11.220	0.065	0.236	0.005	285.00	1.65	6.00	0.13	NBR/EPDM/CR
5290060	11.417	0.065	0.236	0.005	290.00	1.65	6.00	0.13	NBR/EPDM/CR
5295060	11.614	0.065	0.236	0.005	295.00	1.65	6.00	0.13	NBR/EPDM/CR
5300060	11.811	0.065	0.236	0.006	300.00	1.65	6.00	0.15	NBR/EPDM/CR
5305060	12.008	0.065	0.236	0.004	305.00	1.65	6.00	0.10	NBR/EPDM/CR
5308060	12.126	0.065	0.236	0.006	308.00	1.65	6.00	0.15	NBR/EPDM/CR
5310060	12.205	0.065	0.236	0.005	310.00	1.65	6.00	0.13	NBR/EPDM/CR
5315060	12.402	0.065	0.236	0.005	315.00	1.65	6.00	0.13	NBR/EPDM/CR
5320060	12.598	0.065	0.236	0.005	320.00	1.65	6.00	0.13	NBR/EPDM/CR
5324060	12.756	0.065	0.236	0.005	324.00	1.65	6.00	0.13	NBR/EPDM/CR
5325060	12.795	0.065	0.236	0.006	325.00	1.65	6.00	0.15	NBR/EPDM/CR
9970	12.992	0.055	0.236	0.005	330.00	1.40	6.00	0.13	NBR/EPDM/CR
5335060	13.189	0.065	0.236	0.005	335.00	1.65	6.00	0.13	NBR/EPDM/CR
5340060	13.386	0.065	0.236	0.006	340.00	1.65	6.00	0.15	NBR/EPDM/CR
5345060	13.583	0.065	0.236	0.005	345.00	1.65	6.00	0.13	NBR/EPDM/CR
5346060	13.622	0.065	0.236	0.005	346.00	1.65	6.00	0.13	NBR/EPDM/CR
5347060	13.661	0.065	0.236	0.006	347.00	1.65	6.00	0.15	NBR/EPDM/CR
5348060	13.701	0.065	0.236	0.006	348.00	1.65	6.00	0.15	NBR/EPDM/CR
5350060	13.780	0.065	0.236	0.005	350.00	1.65	6.00	0.13	NBR/EPDM/CR
5355060	13.976	0.065	0.236	0.006	355.00	1.65	6.00	0.15	NBR/EPDM/CR
5360060	14.173	0.065	0.236	0.005	360.00	1.65	6.00	0.13	NBR/EPDM/CR
5365060	14.370	0.065	0.236	0.005	365.00	1.65	6.00	0.13	NBR/EPDM/CR
5368060	14.488	0.065	0.236	0.005	368.00	1.65	6.00	0.13	NBR/EPDM/CR
5370060	14.567	0.070	0.236	0.005	370.00	1.78	6.00	0.13	NBR/EPDM/CR
5372060	14.646	0.070	0.236	0.006	372.00	1.78	6.00	0.15	NBR/EPDM/CR
5375060	14.764	0.070	0.236	0.005	375.00	1.78	6.00	0.13	NBR/EPDM/CR
5380060	14.961	0.070	0.236	0.006	380.00	1.78	6.00	0.15	NBR/EPDM/CR
5382060	15.039	0.070	0.236	0.006	382.00	1.78	6.00	0.15	NBR/EPDM/CR
5385060	15.157	0.070	0.236	0.005	385.00	1.78	6.00	0.13	NBR/EPDM/CR
5390060	15.354	0.070	0.236	0.005	390.00	1.78	6.00	0.13	NBR/EPDM/CR
5392060	15.433	0.070	0.236	0.006	392.00	1.78	6.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5395060	15.551	0.070	0.236	0.006	395.00	1.78	6.00	0.15	NBR/EPDM/CR
5400060	15.748	0.075	0.236	0.006	400.00	1.91	6.00	0.15	NBR/EPDM/CR
5410060	16.142	0.075	0.236	0.006	410.00	1.91	6.00	0.15	NBR/EPDM/CR
5415060	16.339	0.075	0.236	0.005	415.00	1.91	6.00	0.13	NBR/EPDM/CR
5420060	16.535	0.075	0.236	0.005	420.00	1.91	6.00	0.13	NBR/EPDM/CR
5422060	16.614	0.075	0.236	0.005	422.00	1.91	6.00	0.13	NBR/EPDM/CR
5429060	16.890	0.080	0.236	0.006	429.00	2.03	6.00	0.15	NBR/EPDM/CR
5430060	16.929	0.080	0.236	0.006	430.00	2.03	6.00	0.15	NBR/EPDM/CR
5440060	17.323	0.080	0.236	0.006	440.00	2.03	6.00	0.15	NBR/EPDM/CR
5446060	17.559	0.080	0.236	0.005	446.00	2.03	6.00	0.13	NBR/EPDM/CR
5450060	17.717	0.085	0.236	0.006	450.00	2.16	6.00	0.15	NBR/EPDM/CR
5453060	17.835	0.085	0.236	0.006	453.00	2.16	6.00	0.15	NBR/EPDM/CR
5460060	18.110	0.085	0.236	0.005	460.00	2.16	6.00	0.13	NBR/EPDM/CR
5465060	18.307	0.085	0.236	0.006	465.00	2.16	6.00	0.15	NBR/EPDM/CR
5470060	18.504	0.085	0.236	0.004	470.00	2.16	6.00	0.10	NBR/EPDM/CR
5478060	18.819	0.085	0.236	0.006	478.00	2.16	6.00	0.15	NBR/EPDM/CR
5480060	18.898	0.085	0.236	0.006	480.00	2.16	6.00	0.15	NBR/EPDM/CR
5486060	19.134	0.085	0.236	0.006	486.00	2.16	6.00	0.15	NBR/EPDM/CR
5500060	19.685	0.095	0.236	0.004	500.00	2.41	6.00	0.10	NBR/EPDM/CR
5505060	19.882	0.095	0.236	0.006	505.00	2.41	6.00	0.15	NBR/EPDM/CR
5522060	20.551	0.095	0.236	0.006	522.00	2.41	6.00	0.15	NBR/EPDM/CR
5525060	20.669	0.095	0.236	0.005	525.00	2.41	6.00	0.13	NBR/EPDM/CR
5530060	20.866	0.095	0.236	0.005	530.00	2.41	6.00	0.13	NBR/EPDM/CR
5540060	21.260	0.095	0.236	0.005	540.00	2.41	6.00	0.13	NBR/EPDM/CR
5545060	21.457	0.095	0.236	0.005	545.00	2.41	6.00	0.13	NBR/EPDM/CR
5550060	21.654	0.095	0.236	0.006	550.00	2.41	6.00	0.15	NBR/EPDM/CR
5555060	21.850	0.095	0.236	0.005	555.00	2.41	6.00	0.13	NBR/EPDM/CR
5560060	22.047	0.095	0.236	0.005	560.00	2.41	6.00	0.13	NBR/EPDM/CR
5569060	22.402	0.100	0.236	0.005	569.00	2.54	6.00	0.13	NBR/EPDM/CR
5570060	22.441	0.100	0.236	0.005	570.00	2.54	6.00	0.13	NBR/EPDM/CR
5575060	22.638	0.100	0.236	0.006	575.00	2.54	6.00	0.15	NBR/EPDM/CR
5577060	22.717	0.100	0.236	0.005	577.00	2.54	6.00	0.13	NBR/EPDM/CR
5580060	22.835	0.100	0.236	0.005	580.00	2.54	6.00	0.13	NBR/EPDM/CR
5595060	23.425	0.110	0.236	0.005	595.00	2.79	6.00	0.13	NBR/EPDM/CR
5599060	23.583	0.110	0.236	0.005	599.00	2.79	6.00	0.13	NBR/EPDM/CR
5600060	23.622	0.110	0.236	0.005	600.00	2.79	6.00	0.13	NBR/EPDM/CR
5605060	23.819	0.110	0.236	0.005	605.00	2.79	6.00	0.13	NBR/EPDM/CR
5622060	24.488	0.110	0.236	0.005	622.00	2.79	6.00	0.13	NBR/EPDM/CR
5625060	24.606	0.110	0.236	0.005	625.00	2.79	6.00	0.13	NBR/EPDM/CR
5627060	24.685	0.114	0.236	0.005	627.00	2.89	6.00	0.13	NBR/EPDM/CR
5630060	24.803	0.114	0.236	0.005	630.00	2.89	6.00	0.13	NBR/EPDM/CR
5632060	24.882	0.115	0.236	0.005	632.00	2.92	6.00	0.13	NBR/EPDM/CR
5650060	25.591	0.120	0.236	0.005	650.00	3.05	6.00	0.13	NBR/EPDM/CR
5656060	25.827	0.120	0.236	0.006	656.00	3.05	6.00	0.15	NBR/EPDM/CR
5665060	26.181	0.120	0.236	0.006	665.00	3.05	6.00	0.15	NBR/EPDM/CR
5667060	26.260	0.120	0.236	0.006	667.00	3.05	6.00	0.15	NBR/EPDM/CR
5692060	27.244	0.120	0.236	0.006	692.00	3.05	6.00	0.15	NBR/EPDM/CR
5712060	28.031	0.120	0.236	0.005	712.00	3.05	6.00	0.13	NBR/EPDM/CR
5803060	31.614	0.120	0.236	0.005	803.00	3.05	6.00	0.13	NBR/EPDM/CR
5824060	32.441	0.159	0.236	0.005	824.00	4.05	6.00	0.13	NBR/EPDM/CR
9821	2.290	0.025	0.240	0.008	58.17	0.63	6.10	0.20	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9819	4.430	0.050	0.240	0.008	112.52	1.27	6.10	0.20	NBR/EPDM/CR
9450	1.000		0.250		25.40		6.35		NBR/EPDM/CR
90021	1.590	0.015	0.250	0.006	40.39	0.38	6.35	0.15	NBR/EPDM/CR
90024	2.260	0.018	0.250	0.006	57.40	0.46	6.35	0.15	NBR/EPDM/CR
9054	2.277		0.250		57.84		6.35		NBR/EPDM/CR
90023	2.550	0.020	0.250	0.006	64.77	0.51	6.35	0.15	NBR/EPDM/CR
9055	2.715	0.020	0.250	0.006	68.96	0.51	6.35	0.15	NBR/EPDM/CR
9918	2.720	0.015	0.250	0.006	69.08	0.38	6.35	0.15	NBR/EPDM/CR
9027	2.812		0.250		71.42		6.35		NBR/EPDM/CR
90025	3.000	0.024	0.250	0.006	76.20	0.61	6.35	0.15	NBR/EPDM/CR
9056	3.500	0.024	0.250	0.005	88.90	0.61	6.35	0.13	NBR/EPDM/CR
9057	4.465	0.030	0.250	0.005	113.41	0.76	6.35	0.13	NBR/EPDM/CR
9546	6.906	0.040	0.250	0.012	175.41	1.02	6.35	0.30	NBR/EPDM/CR
9263	10.500	0.006	0.250	0.006	266.70	0.15	6.35	0.14	NBR/EPDM/CR
90166	11.024		0.250		280.00		6.35		NBR/EPDM/CR
90167	16.488		0.250		418.80		6.35		NBR/EPDM/CR
90169	20.236		0.250		514.00		6.35		NBR/EPDM/CR
90168	21.614		0.250		549.00		6.35		NBR/EPDM/CR
90170	23.504		0.250		597.00		6.35		NBR/EPDM/CR
9551	7.573	0.040	0.255	0.012	192.35	1.02	6.48	0.30	NBR/EPDM/CR
5010065	0.394	0.005	0.256	0.006	10.00	0.13	6.50	0.15	NBR/EPDM/CR
5025065	0.984	0.010	0.256	0.006	25.00	0.25	6.50	0.15	NBR/EPDM/CR
9715	1.555	0.020	0.256	0.008	39.50	0.50	6.50	0.20	NBR/EPDM/CR
90031	1.693	0.015	0.256	0.006	43.00	0.38	6.50	0.15	NBR/EPDM/CR
5048065	1.890	0.018	0.256	0.006	48.00	0.46	6.50	0.15	NBR/EPDM/CR
90032	1.969	0.018	0.256	0.006	50.00	0.46	6.50	0.15	NBR/EPDM/CR
9810	2.555		0.256		64.90		6.50		NBR/EPDM/CR
5145065	5.709	0.037	0.256	0.006	145.00	0.94	6.50	0.15	NBR/EPDM/CR
5260065	10.236	0.055	0.256	0.006	260.00	1.40	6.50	0.15	NBR/EPDM/CR
5430065	16.929	0.080	0.256	0.006	430.00	2.03	6.50	0.15	NBR/EPDM/CR
5737065	29.016	0.120	0.256	0.006	737.00	3.05	6.50	0.15	NBR/EPDM/CR
9899	1.817	0.016	0.257	0.006	46.15	0.41	6.53	0.15	NBR/EPDM/CR
9348	4.925	0.035	0.260	0.006	125.10	0.89	6.60	0.15	NBR/EPDM/CR
90226	7.425		0.260		188.60		6.60		NBR/EPDM/CR
9947	0.630		0.264		16.00		6.70		NBR/EPDM/CR
9583	6.350	0.040	0.270	0.006	161.29	1.02	6.86	0.15	NBR/EPDM/CR
9128	0.975	0.010	0.275	0.006	24.76	0.25	6.99	0.15	NBR/EPDM/CR
9020	1.729	0.015	0.275	0.006	43.92	0.38	6.99	0.15	NBR/EPDM/CR
90302	3.189	0.024	0.275	0.006	81.00	0.61	6.99	0.15	NBR/EPDM/CR
90363	3.288	0.024	0.275	0.006	83.52	0.61	6.99	0.15	NBR/EPDM/CR
9300	3.725	0.028	0.275	0.006	94.61	0.71	6.99	0.15	NBR/EPDM/CR
9006	3.975		0.275		100.96		6.99		NBR/EPDM/CR
90255	4.516	0.033	0.275	0.006	114.70	0.84	6.99	0.15	NBR/EPDM/CR
90337	4.909	0.033	0.275	0.006	124.70	0.84	6.99	0.15	NBR/EPDM/CR
90436	5.295	0.037	0.275	0.006	134.50	0.94	6.99	0.15	NBR/EPDM/CR
90523	5.520	0.037	0.275	0.006	140.21	0.94	6.99	0.15	NBR/EPDM/CR
90239	6.126	0.040	0.275	0.006	155.60	1.02	6.99	0.15	NBR/EPDM/CR
90204	6.280	0.040	0.275	0.006	159.50	1.02	6.99	0.15	NBR/EPDM/CR
90452	6.374	0.040	0.275	0.006	161.90	1.02	6.99	0.15	NBR/EPDM/CR
90286	6.563	0.040	0.275	0.006	166.70	1.02	6.99	0.15	NBR/EPDM/CR
9194	6.626	0.040	0.275	0.006	168.30	1.01	6.99	0.15	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90453	7.126	0.045	0.275	0.006	181.00	1.14	6.99	0.15	NBR/EPDM/CR
90428	7.374	0.045	0.275	0.006	187.30	1.14	6.99	0.15	NBR/EPDM/CR
90384	7.626	0.045	0.275	0.006	193.70	1.14	6.99	0.15	NBR/EPDM/CR
90503	7.866	0.045	0.275	0.006	199.80	1.14	6.99	0.15	NBR/EPDM/CR
90003	8.225	0.045	0.275	0.006	208.92	1.14	6.99	0.15	NBR/EPDM/CR
9034	8.445	0.030	0.275	0.006	214.50	0.76	6.99	0.15	NBR/EPDM/CR
90462	8.725	0.055	0.275	0.006	221.62	1.40	6.99	0.15	NBR/EPDM/CR
90376	9.225	0.055	0.275	0.006	234.32	1.40	6.99	0.15	NBR/EPDM/CR
90596	9.724	0.055	0.275	0.006	247.00	1.40	6.99	0.15	NBR/EPDM/CR
90287	9.983	0.055	0.275	0.006	253.57	1.40	6.99	0.15	NBR/EPDM/CR
90195	10.224	0.060	0.275	0.006	259.70	1.52	6.99	0.15	NBR/EPDM/CR
90517	10.724	0.060	0.275	0.006	272.40	1.52	6.99	0.15	NBR/EPDM/CR
90571	11.225	0.060	0.275	0.006	285.12	1.52	6.99	0.15	NBR/EPDM/CR
90288	11.724	0.060	0.275	0.006	297.80	1.52	6.99	0.15	NBR/EPDM/CR
90527	13.224	0.066	0.275	0.006	335.90	1.68	6.99	0.15	NBR/EPDM/CR
5012070	0.472	0.005	0.276	0.006	12.00	0.13	7.00	0.15	NBR/EPDM/CR
5016070	0.630	0.009	0.276	0.006	16.00	0.23	7.00	0.15	NBR/EPDM/CR
5020070	0.787	0.010	0.276	0.006	20.00	0.25	7.00	0.15	NBR/EPDM/CR
5024070	0.945	0.010	0.276	0.006	24.00	0.25	7.00	0.15	NBR/EPDM/CR
5025070	0.984	0.010	0.276	0.006	25.00	0.25	7.00	0.15	NBR/EPDM/CR
5026070	1.024	0.010	0.276	0.006	26.00	0.25	7.00	0.15	NBR/EPDM/CR
5030070	1.181	0.012	0.276	0.006	30.00	0.30	7.00	0.15	NBR/EPDM/CR
5033070	1.299	0.012	0.276	0.006	33.00	0.30	7.00	0.15	NBR/EPDM/CR
5035070	1.378	0.013	0.276	0.006	35.00	0.33	7.00	0.15	NBR/EPDM/CR
5036070	1.417	0.013	0.276	0.006	36.00	0.33	7.00	0.15	NBR/EPDM/CR
5038070	1.496	0.015	0.276	0.006	38.00	0.38	7.00	0.15	NBR/EPDM/CR
5040070	1.575	0.015	0.276	0.006	40.00	0.38	7.00	0.15	NBR/EPDM/CR
5045070	1.772	0.015	0.276	0.006	45.00	0.38	7.00	0.15	NBR/EPDM/CR
5046070	1.811	0.015	0.276	0.006	46.00	0.38	7.00	0.15	NBR/EPDM/CR
5049070	1.929	0.018	0.276	0.006	49.00	0.46	7.00	0.15	NBR/EPDM/CR
5052070	2.047	0.018	0.276	0.006	52.00	0.46	7.00	0.15	NBR/EPDM/CR
9536	2.047	0.016	0.276	0.006	52.00	0.40	7.00	0.15	NBR/EPDM/CR
5054070	2.126	0.018	0.276	0.006	54.00	0.46	7.00	0.15	NBR/EPDM/CR
5055070	2.165	0.018	0.276	0.006	55.00	0.46	7.00	0.15	NBR/EPDM/CR
5057070	2.244	0.018	0.276	0.006	57.00	0.46	7.00	0.15	NBR/EPDM/CR
5058070	2.283	0.018	0.276	0.006	58.00	0.46	7.00	0.15	NBR/EPDM/CR
5059070	2.323	0.020	0.276	0.006	59.00	0.51	7.00	0.15	NBR/EPDM/CR
5060070	2.362	0.020	0.276	0.006	60.00	0.51	7.00	0.15	NBR/EPDM/CR
5065070	2.559	0.020	0.276	0.006	65.00	0.51	7.00	0.15	NBR/EPDM/CR
9537	2.559	0.016	0.276	0.006	65.00	0.40	7.00	0.15	NBR/EPDM/CR
5067070	2.638	0.020	0.276	0.006	67.00	0.51	7.00	0.15	NBR/EPDM/CR
5068070	2.677	0.020	0.276	0.006	68.00	0.51	7.00	0.15	NBR/EPDM/CR
5070070	2.756	0.022	0.276	0.006	70.00	0.56	7.00	0.15	NBR/EPDM/CR
5075070	2.953	0.024	0.276	0.006	75.00	0.61	7.00	0.15	NBR/EPDM/CR
5078070	3.071	0.024	0.276	0.006	78.00	0.61	7.00	0.15	NBR/EPDM/CR
5083070	3.268	0.024	0.276	0.006	83.00	0.61	7.00	0.15	NBR/EPDM/CR
5085070	3.346	0.024	0.276	0.006	85.00	0.61	7.00	0.15	NBR/EPDM/CR
5085770	3.374	0.024	0.276	0.006	85.70	0.61	7.00	0.15	NBR/EPDM/CR
5086070	3.386	0.024	0.276	0.006	86.00	0.61	7.00	0.15	NBR/EPDM/CR
5087070	3.425	0.024	0.276	0.006	87.00	0.61	7.00	0.15	NBR/EPDM/CR
5088370	3.476	0.024	0.276	0.006	88.30	0.61	7.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5089070	3.504	0.025	0.276	0.006	89.00	0.64	7.00	0.15	NBR/EPDM/CR
5090070	3.543	0.028	0.276	0.006	90.00	0.71	7.00	0.15	NBR/EPDM/CR
5094070	3.701	0.028	0.276	0.006	94.00	0.71	7.00	0.15	NBR/EPDM/CR
5095070	3.740	0.028	0.276	0.006	95.00	0.71	7.00	0.15	NBR/EPDM/CR
5096070	3.780	0.028	0.276	0.006	96.00	0.71	7.00	0.15	NBR/EPDM/CR
5098070	3.858	0.028	0.276	0.006	98.00	0.71	7.00	0.15	NBR/EPDM/CR
5099070	3.898	0.028	0.276	0.006	99.00	0.71	7.00	0.15	NBR/EPDM/CR
5100070	3.937	0.028	0.276	0.006	100.00	0.71	7.00	0.15	NBR/EPDM/CR
5103070	4.055	0.028	0.276	0.006	103.00	0.71	7.00	0.15	NBR/EPDM/CR
5105070	4.134	0.030	0.276	0.006	105.00	0.76	7.00	0.15	NBR/EPDM/CR
5106070	4.173	0.030	0.276	0.006	106.00	0.76	7.00	0.15	NBR/EPDM/CR
5108070	4.252	0.030	0.276	0.006	108.00	0.76	7.00	0.15	NBR/EPDM/CR
5109070	4.291	0.030	0.276	0.006	109.00	0.76	7.00	0.15	NBR/EPDM/CR
5110070	4.331	0.030	0.276	0.006	110.00	0.76	7.00	0.15	NBR/EPDM/CR
5115070	4.528	0.030	0.276	0.006	115.00	0.76	7.00	0.15	NBR/EPDM/CR
5122070	4.803	0.030	0.276	0.006	122.00	0.76	7.00	0.15	NBR/EPDM/CR
5124070	4.882	0.030	0.276	0.006	124.00	0.76	7.00	0.15	NBR/EPDM/CR
5125070	4.921	0.037	0.276	0.006	125.00	0.94	7.00	0.15	NBR/EPDM/CR
5128070	5.039	0.037	0.276	0.006	128.00	0.94	7.00	0.15	NBR/EPDM/CR
5135070	5.315	0.037	0.276	0.006	135.00	0.94	7.00	0.15	NBR/EPDM/CR
5150070	5.906	0.037	0.276	0.006	150.00	0.94	7.00	0.15	NBR/EPDM/CR
5154070	6.063	0.037	0.276	0.006	154.00	0.94	7.00	0.15	NBR/EPDM/CR
5160070	6.299	0.040	0.276	0.006	160.00	1.02	7.00	0.15	NBR/EPDM/CR
5170070	6.693	0.040	0.276	0.006	170.00	1.02	7.00	0.15	NBR/EPDM/CR
5174670	6.874	0.040	0.276	0.006	174.60	1.02	7.00	0.15	NBR/EPDM/CR
5180070	7.087	0.045	0.276	0.006	180.00	1.14	7.00	0.15	NBR/EPDM/CR
5192070	7.559	0.045	0.276	0.006	192.00	1.14	7.00	0.15	NBR/EPDM/CR
5210070	8.268	0.050	0.276	0.006	210.00	1.27	7.00	0.15	NBR/EPDM/CR
5212070	8.346	0.050	0.276	0.006	212.00	1.27	7.00	0.15	NBR/EPDM/CR
5218070	8.583	0.050	0.276	0.006	218.00	1.27	7.00	0.15	NBR/EPDM/CR
5220070	8.661	0.050	0.276	0.006	220.00	1.27	7.00	0.15	NBR/EPDM/CR
5224070	8.819	0.050	0.276	0.006	224.00	1.27	7.00	0.15	NBR/EPDM/CR
5230070	9.055	0.055	0.276	0.006	230.00	1.40	7.00	0.15	NBR/EPDM/CR
5236070	9.291	0.055	0.276	0.006	236.00	1.40	7.00	0.15	NBR/EPDM/CR
5237070	9.331	0.055	0.276	0.006	237.00	1.40	7.00	0.15	NBR/EPDM/CR
5243070	9.567	0.055	0.276	0.006	243.00	1.40	7.00	0.15	NBR/EPDM/CR
9971	9.843	0.055	0.276	0.006	250.00	1.40	7.00	0.15	NBR/EPDM/CR
5258070	10.157	0.055	0.276	0.006	258.00	1.40	7.00	0.15	NBR/EPDM/CR
5260070	10.236	0.055	0.276	0.006	260.00	1.40	7.00	0.15	NBR/EPDM/CR
5265070	10.433	0.055	0.276	0.006	265.00	1.40	7.00	0.15	NBR/EPDM/CR
5270070	10.630	0.055	0.276	0.006	270.00	1.40	7.00	0.15	NBR/EPDM/CR
5280070	11.024	0.060	0.276	0.006	280.00	1.52	7.00	0.15	NBR/EPDM/CR
5285070	11.220	0.065	0.276	0.006	285.00	1.65	7.00	0.15	NBR/EPDM/CR
5290070	11.417	0.065	0.276	0.006	290.00	1.65	7.00	0.15	NBR/EPDM/CR
90520	11.594	0.065	0.276	0.006	294.48	1.65	7.00	0.15	NBR/EPDM/CR
5300070	11.811	0.065	0.276	0.006	300.00	1.65	7.00	0.15	NBR/EPDM/CR
5310070	12.205	0.065	0.276	0.006	310.00	1.65	7.00	0.15	NBR/EPDM/CR
5315070	12.402	0.065	0.276	0.006	315.00	1.65	7.00	0.15	NBR/EPDM/CR
5323070	12.717	0.065	0.276	0.006	323.00	1.65	7.00	0.15	NBR/EPDM/CR
5325070	12.795	0.065	0.276	0.006	325.00	1.65	7.00	0.15	NBR/EPDM/CR
5330070	12.992	0.065	0.276	0.006	330.00	1.65	7.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5335070	13.189	0.065	0.276	0.006	335.00	1.65	7.00	0.15	NBR/EPDM/CR
5350070	13.780	0.065	0.276	0.006	350.00	1.65	7.00	0.15	NBR/EPDM/CR
5355070	13.976	0.065	0.276	0.006	355.00	1.65	7.00	0.15	NBR/EPDM/CR
5360070	14.173	0.065	0.276	0.006	360.00	1.65	7.00	0.15	NBR/EPDM/CR
5365070	14.370	0.065	0.276	0.006	365.00	1.65	7.00	0.15	NBR/EPDM/CR
5375070	14.764	0.070	0.276	0.006	375.00	1.78	7.00	0.15	NBR/EPDM/CR
5380070	14.961	0.070	0.276	0.006	380.00	1.78	7.00	0.15	NBR/EPDM/CR
5385070	15.157	0.070	0.276	0.006	385.00	1.78	7.00	0.15	NBR/EPDM/CR
5387070	15.236	0.070	0.276	0.006	387.00	1.78	7.00	0.15	NBR/EPDM/CR
5388070	15.276	0.070	0.276	0.006	388.00	1.78	7.00	0.15	NBR/EPDM/CR
5390070	15.354	0.070	0.276	0.006	390.00	1.78	7.00	0.15	NBR/EPDM/CR
5400070	15.748	0.075	0.276	0.006	400.00	1.91	7.00	0.15	NBR/EPDM/CR
5410070	16.142	0.075	0.276	0.006	410.00	1.91	7.00	0.15	NBR/EPDM/CR
5412070	16.220	0.075	0.276	0.006	412.00	1.91	7.00	0.15	NBR/EPDM/CR
5415070	16.339	0.075	0.276	0.006	415.00	1.91	7.00	0.15	NBR/EPDM/CR
5420070	16.535	0.075	0.276	0.006	420.00	1.91	7.00	0.15	NBR/EPDM/CR
5425070	16.732	0.075	0.276	0.006	425.00	1.91	7.00	0.15	NBR/EPDM/CR
5440070	17.323	0.080	0.276	0.006	440.00	2.03	7.00	0.15	NBR/EPDM/CR
5450070	17.717	0.085	0.276	0.006	450.00	2.16	7.00	0.15	NBR/EPDM/CR
5455070	17.913	0.085	0.276	0.006	455.00	2.16	7.00	0.15	NBR/EPDM/CR
5463370	18.240	0.085	0.276	0.006	463.30	2.16	7.00	0.15	NBR/EPDM/CR
5475070	18.701	0.085	0.276	0.006	475.00	2.16	7.00	0.15	NBR/EPDM/CR
5487070	19.173	0.085	0.276	0.006	487.00	2.16	7.00	0.15	NBR/EPDM/CR
5490070	19.291	0.090	0.276	0.006	490.00	2.29	7.00	0.15	NBR/EPDM/CR
5500070	19.685	0.095	0.276	0.006	500.00	2.41	7.00	0.15	NBR/EPDM/CR
5502070	19.764	0.095	0.276	0.006	502.00	2.41	7.00	0.15	NBR/EPDM/CR
5515070	20.276	0.095	0.276	0.006	515.00	2.41	7.00	0.15	NBR/EPDM/CR
5525070	20.669	0.095	0.276	0.006	525.00	2.41	7.00	0.15	NBR/EPDM/CR
5527070	20.748	0.095	0.276	0.006	527.00	2.41	7.00	0.15	NBR/EPDM/CR
5530070	20.866	0.095	0.276	0.006	530.00	2.41	7.00	0.15	NBR/EPDM/CR
5540070	21.260	0.095	0.276	0.006	540.00	2.41	7.00	0.15	NBR/EPDM/CR
5545070	21.457	0.095	0.276	0.006	545.00	2.41	7.00	0.15	NBR/EPDM/CR
5547070	21.535	0.095	0.276	0.006	547.00	2.41	7.00	0.15	NBR/EPDM/CR
5560070	22.047	0.100	0.276	0.006	560.00	2.54	7.00	0.15	NBR/EPDM/CR
5572070	22.520	0.100	0.276	0.006	572.00	2.54	7.00	0.15	NBR/EPDM/CR
5575070	22.638	0.100	0.276	0.006	575.00	2.54	7.00	0.15	NBR/EPDM/CR
5580070	22.835	0.100	0.276	0.006	580.00	2.54	7.00	0.15	NBR/EPDM/CR
5585070	23.031	0.110	0.276	0.006	585.00	2.79	7.00	0.15	NBR/EPDM/CR
5597070	23.504	0.110	0.276	0.006	597.00	2.79	7.00	0.15	NBR/EPDM/CR
5600070	23.622	0.110	0.276	0.006	600.00	2.79	7.00	0.15	NBR/EPDM/CR
5615070	24.213	0.110	0.276	0.006	615.00	2.79	7.00	0.15	NBR/EPDM/CR
5618070	24.331	0.110	0.276	0.006	618.00	2.79	7.00	0.15	NBR/EPDM/CR
5622070	24.488	0.110	0.276	0.006	622.00	2.79	7.00	0.15	NBR/EPDM/CR
5637070	25.079	0.115	0.276	0.006	637.00	2.92	7.00	0.15	NBR/EPDM/CR
5647070	25.472	0.115	0.276	0.006	647.00	2.92	7.00	0.15	NBR/EPDM/CR
5650070	25.591	0.120	0.276	0.006	650.00	3.05	7.00	0.15	NBR/EPDM/CR
5652070	25.669	0.120	0.276	0.006	652.00	3.05	7.00	0.15	NBR/EPDM/CR
5677070	26.654	0.120	0.276	0.006	677.00	3.05	7.00	0.15	NBR/EPDM/CR
5687070	27.047	0.120	0.276	0.006	687.00	3.05	7.00	0.15	NBR/EPDM/CR
5690070	27.165	0.120	0.276	0.006	690.00	3.05	7.00	0.15	NBR/EPDM/CR
5700070	27.559	0.120	0.276	0.006	700.00	3.05	7.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5732070	28.819	0.120	0.276	0.006	732.00	3.05	7.00	0.15	NBR/EPDM/CR
5760070	29.921	0.120	0.276	0.006	760.00	3.05	7.00	0.15	NBR/EPDM/CR
5761070	29.961	0.120	0.276	0.006	761.00	3.05	7.00	0.15	NBR/EPDM/CR
5770070	30.315	0.120	0.276	0.006	770.00	3.05	7.00	0.15	NBR/EPDM/CR
5838070	32.992	0.159	0.276	0.006	838.00	4.05	7.00	0.15	NBR/EPDM/CR
5873070	34.370	0.159	0.276	0.006	873.00	4.05	7.00	0.15	NBR/EPDM/CR
5875070	34.449	0.159	0.276	0.006	875.00	4.05	7.00	0.15	NBR/EPDM/CR
5983070	38.701	0.159	0.276	0.006	983.00	4.05	7.00	0.15	NBR/EPDM/CR
9579	1.500	0.015	0.281	0.006	38.10	0.37	7.14	0.15	NBR/EPDM/CR
9538	3.039	0.028	0.295	0.005	77.20	0.70	7.50	0.13	NBR/EPDM/CR
5095075	3.740	0.028	0.295	0.006	95.00	0.71	7.50	0.15	NBR/EPDM/CR
5155075	6.102	0.037	0.295	0.006	155.00	0.94	7.50	0.15	NBR/EPDM/CR
5195075	7.677	0.045	0.295	0.006	195.00	1.14	7.50	0.15	NBR/EPDM/CR
5340075	13.386	0.065	0.295	0.006	340.00	1.65	7.50	0.15	NBR/EPDM/CR
5065777	2.587	0.020	0.303	0.006	65.70	0.51	7.70	0.15	NBR/EPDM/CR
5165377	6.508	0.040	0.303	0.006	165.30	1.02	7.70	0.15	NBR/EPDM/CR
90209	7.225	0.045	0.310	0.006	183.51	1.14	7.87	0.15	NBR/EPDM/CR
9059	8.625	0.055	0.312	0.006	219.07	1.40	7.92	0.15	NBR/EPDM/CR
90270	4.704	0.033	0.313	0.006	119.48	0.84	7.95	0.15	NBR/EPDM/CR
9818	6.550	0.050	0.313	0.010	166.37	1.27	7.95	0.25	NBR/EPDM/CR
90387	6.874	0.040	0.313	0.006	174.60	1.02	7.95	0.15	NBR/EPDM/CR
5020080	0.787	0.010	0.315	0.006	20.00	0.25	8.00	0.15	NBR/EPDM/CR
5022080	0.866	0.010	0.315	0.006	22.00	0.25	8.00	0.15	NBR/EPDM/CR
5025080	0.984	0.015	0.315	0.006	25.00	0.38	8.00	0.15	NBR/EPDM/CR
5030080	1.181	0.012	0.315	0.006	30.00	0.30	8.00	0.15	NBR/EPDM/CR
5033080	1.299	0.012	0.315	0.006	33.00	0.30	8.00	0.15	NBR/EPDM/CR
5035080	1.378	0.013	0.315	0.006	35.00	0.33	8.00	0.15	NBR/EPDM/CR
5040080	1.575	0.015	0.315	0.006	40.00	0.38	8.00	0.15	NBR/EPDM/CR
5042080	1.654	0.015	0.315	0.006	42.00	0.38	8.00	0.15	NBR/EPDM/CR
5045080	1.772	0.015	0.315	0.006	45.00	0.38	8.00	0.15	NBR/EPDM/CR
5048080	1.890	0.018	0.315	0.006	48.00	0.46	8.00	0.15	NBR/EPDM/CR
5050080	1.969	0.018	0.315	0.006	50.00	0.46	8.00	0.15	NBR/EPDM/CR
5054080	2.126	0.018	0.315	0.006	54.00	0.46	8.00	0.15	NBR/EPDM/CR
5055080	2.165	0.018	0.315	0.006	55.00	0.46	8.00	0.15	NBR/EPDM/CR
5060080	2.362	0.020	0.315	0.006	60.00	0.51	8.00	0.15	NBR/EPDM/CR
5065080	2.559	0.020	0.315	0.006	65.00	0.51	8.00	0.15	NBR/EPDM/CR
5066080	2.598	0.020	0.315	0.006	66.00	0.51	8.00	0.15	NBR/EPDM/CR
5070080	2.756	0.022	0.315	0.006	70.00	0.56	8.00	0.15	NBR/EPDM/CR
5074080	2.913	0.024	0.315	0.006	74.00	0.61	8.00	0.15	NBR/EPDM/CR
5075080	2.953	0.020	0.315	0.006	75.00	0.51	8.00	0.15	NBR/EPDM/CR
5080080	3.150	0.024	0.315	0.006	80.00	0.61	8.00	0.15	NBR/EPDM/CR
5085080	3.346	0.024	0.315	0.006	85.00	0.61	8.00	0.15	NBR/EPDM/CR
5088080	3.465	0.024	0.315	0.006	88.00	0.61	8.00	0.15	NBR/EPDM/CR
5088980	3.500	0.024	0.315	0.006	88.90	0.61	8.00	0.15	NBR/EPDM/CR
5090080	3.543	0.028	0.315	0.006	90.00	0.71	8.00	0.15	NBR/EPDM/CR
9539	3.642	0.028	0.315	0.005	92.50	0.70	8.00	0.13	NBR/EPDM/CR
5095080	3.740	0.028	0.315	0.006	95.00	0.71	8.00	0.15	NBR/EPDM/CR
5096080	3.780	0.028	0.315	0.006	96.00	0.71	8.00	0.15	NBR/EPDM/CR
5100080	3.937	0.028	0.315	0.006	100.00	0.71	8.00	0.15	NBR/EPDM/CR
5104080	4.094	0.028	0.315	0.006	104.00	0.71	8.00	0.15	NBR/EPDM/CR
5105080	4.134	0.030	0.315	0.006	105.00	0.76	8.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5108080	4.252	0.030	0.315	0.006	108.00	0.76	8.00	0.15	NBR/EPDM/CR
5110080	4.331	0.030	0.315	0.006	110.00	0.76	8.00	0.15	NBR/EPDM/CR
5114080	4.488	0.030	0.315	0.006	114.00	0.76	8.00	0.15	NBR/EPDM/CR
5115080	4.528	0.030	0.315	0.006	115.00	0.76	8.00	0.15	NBR/EPDM/CR
5120080	4.724	0.030	0.315	0.006	120.00	0.76	8.00	0.15	NBR/EPDM/CR
5122080	4.803	0.030	0.315	0.006	122.00	0.76	8.00	0.15	NBR/EPDM/CR
5125080	4.921	0.037	0.315	0.006	125.00	0.94	8.00	0.15	NBR/EPDM/CR
5128080	5.039	0.037	0.315	0.006	128.00	0.94	8.00	0.15	NBR/EPDM/CR
5130080	5.118	0.037	0.315	0.006	130.00	0.94	8.00	0.15	NBR/EPDM/CR
5132080	5.197	0.037	0.315	0.006	132.00	0.94	8.00	0.15	NBR/EPDM/CR
5135080	5.315	0.037	0.315	0.006	135.00	0.94	8.00	0.15	NBR/EPDM/CR
5140080	5.512	0.037	0.315	0.006	140.00	0.94	8.00	0.15	NBR/EPDM/CR
5145080	5.709	0.037	0.315	0.006	145.00	0.94	8.00	0.15	NBR/EPDM/CR
5150080	5.906	0.037	0.315	0.006	150.00	0.94	8.00	0.15	NBR/EPDM/CR
5158080	6.220	0.040	0.315	0.006	158.00	1.02	8.00	0.15	NBR/EPDM/CR
5160080	6.299	0.040	0.315	0.006	160.00	1.02	8.00	0.15	NBR/EPDM/CR
5165080	6.496	0.040	0.315	0.006	165.00	1.02	8.00	0.15	NBR/EPDM/CR
5170080	6.693	0.040	0.315	0.006	170.00	1.02	8.00	0.15	NBR/EPDM/CR
5175080	6.890	0.040	0.315	0.006	175.00	1.02	8.00	0.15	NBR/EPDM/CR
5180080	7.087	0.045	0.315	0.006	180.00	1.14	8.00	0.15	NBR/EPDM/CR
5185080	7.283	0.045	0.315	0.006	185.00	1.14	8.00	0.15	NBR/EPDM/CR
5190080	7.480	0.045	0.315	0.006	190.00	1.14	8.00	0.15	NBR/EPDM/CR
5195080	7.677	0.045	0.315	0.006	195.00	1.14	8.00	0.15	NBR/EPDM/CR
5200080	7.874	0.045	0.315	0.006	200.00	1.14	8.00	0.15	NBR/EPDM/CR
5205080	8.071	0.045	0.315	0.006	205.00	1.14	8.00	0.15	NBR/EPDM/CR
90543	8.161	0.050	0.315	0.007	207.29	1.27	8.00	0.18	NBR/EPDM/CR
5208080	8.189	0.050	0.315	0.006	208.00	1.27	8.00	0.15	NBR/EPDM/CR
90260	8.268	0.051	0.315	0.006	210.00	1.30	8.00	0.15	NBR/EPDM/CR
5215080	8.465	0.050	0.315	0.006	215.00	1.27	8.00	0.15	NBR/EPDM/CR
5217080	8.543	0.050	0.315	0.006	217.00	1.27	8.00	0.15	NBR/EPDM/CR
5220080	8.661	0.050	0.315	0.006	220.00	1.27	8.00	0.15	NBR/EPDM/CR
5225080	8.858	0.050	0.315	0.059	225.00	1.27	8.00	1.50	NBR/EPDM/CR
5226080	8.898	0.050	0.315	0.006	226.00	1.27	8.00	0.15	NBR/EPDM/CR
5230080	9.055	0.055	0.315	0.006	230.00	1.40	8.00	0.15	NBR/EPDM/CR
5235080	9.252	0.055	0.315	0.006	235.00	1.40	8.00	0.15	NBR/EPDM/CR
5240080	9.449	0.055	0.315	0.006	240.00	1.40	8.00	0.15	NBR/EPDM/CR
5245080	9.646	0.055	0.315	0.006	245.00	1.40	8.00	0.15	NBR/EPDM/CR
5250080	9.843	0.055	0.315	0.006	250.00	1.40	8.00	0.15	NBR/EPDM/CR
5255080	10.039	0.055	0.315	0.006	255.00	1.40	8.00	0.15	NBR/EPDM/CR
5260080	10.236	0.055	0.315	0.006	260.00	1.40	8.00	0.15	NBR/EPDM/CR
5264080	10.394	0.055	0.315	0.006	264.00	1.40	8.00	0.15	NBR/EPDM/CR
5270080	10.630	0.055	0.315	0.006	270.00	1.40	8.00	0.15	NBR/EPDM/CR
5275080	10.827	0.060	0.315	0.006	275.00	1.52	8.00	0.15	NBR/EPDM/CR
5280080	11.024	0.060	0.315	0.006	280.00	1.52	8.00	0.15	NBR/EPDM/CR
5286080	11.260	0.065	0.315	0.006	286.00	1.65	8.00	0.15	NBR/EPDM/CR
5286880	11.291	0.065	0.315	0.006	286.80	1.65	8.00	0.15	NBR/EPDM/CR
5290080	11.417	0.065	0.315	0.006	290.00	1.65	8.00	0.15	NBR/EPDM/CR
5300080	11.811	0.065	0.315	0.006	300.00	1.65	8.00	0.15	NBR/EPDM/CR
5305080	12.008	0.065	0.315	0.006	305.00	1.65	8.00	0.15	NBR/EPDM/CR
5310080	12.205	0.065	0.315	0.006	310.00	1.65	8.00	0.15	NBR/EPDM/CR
5315080	12.402	0.065	0.315	0.006	315.00	1.65	8.00	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5320080	12.598	0.065	0.315	0.006	320.00	1.65	8.00	0.15	NBR/EPDM/CR
5325080	12.795	0.065	0.315	0.006	325.00	1.65	8.00	0.15	NBR/EPDM/CR
5330080	12.992	0.065	0.315	0.006	330.00	1.65	8.00	0.15	NBR/EPDM/CR
5340080	13.386	0.065	0.315	0.059	340.00	1.65	8.00	1.50	NBR/EPDM/CR
5342080	13.465	0.065	0.315	0.006	342.00	1.65	8.00	0.15	NBR/EPDM/CR
5345080	13.583	0.065	0.315	0.006	345.00	1.65	8.00	0.15	NBR/EPDM/CR
5350080	13.780	0.065	0.315	0.006	350.00	1.65	8.00	0.15	NBR/EPDM/CR
5360080	14.173	0.065	0.315	0.006	360.00	1.65	8.00	0.15	NBR/EPDM/CR
5365080	14.370	0.065	0.315	0.006	365.00	1.65	8.00	0.15	NBR/EPDM/CR
5370080	14.567	0.070	0.315	0.006	370.00	1.78	8.00	0.15	NBR/EPDM/CR
5375080	14.764	0.070	0.315	0.006	375.00	1.78	8.00	0.15	NBR/EPDM/CR
5380080	14.961	0.070	0.315	0.006	380.00	1.78	8.00	0.15	NBR/EPDM/CR
5385080	15.157	0.070	0.315	0.006	385.00	1.78	8.00	0.15	NBR/EPDM/CR
5389080	15.315	0.070	0.315	0.006	389.00	1.78	8.00	0.15	NBR/EPDM/CR
5390080	15.354	0.070	0.315	0.006	390.00	1.78	8.00	0.15	NBR/EPDM/CR
5400080	15.748	0.075	0.315	0.006	400.00	1.91	8.00	0.15	NBR/EPDM/CR
5405080	15.945	0.075	0.315	0.006	405.00	1.91	8.00	0.15	NBR/EPDM/CR
5410080	16.142	0.075	0.315	0.006	410.00	1.91	8.00	0.15	NBR/EPDM/CR
5420080	16.535	0.075	0.315	0.006	420.00	1.91	8.00	0.15	NBR/EPDM/CR
5425080	16.732	0.075	0.315	0.006	425.00	1.91	8.00	0.15	NBR/EPDM/CR
5430080	16.929	0.080	0.315	0.006	430.00	2.03	8.00	0.15	NBR/EPDM/CR
5435080	17.126	0.080	0.315	0.006	435.00	2.03	8.00	0.15	NBR/EPDM/CR
5440080	17.323	0.080	0.315	0.006	440.00	2.03	8.00	0.15	NBR/EPDM/CR
5441080	17.362	0.080	0.315	0.006	441.00	2.03	8.00	0.15	NBR/EPDM/CR
5445080	17.520	0.080	0.315	0.006	445.00	2.03	8.00	0.15	NBR/EPDM/CR
5450080	17.717	0.085	0.315	0.006	450.00	2.16	8.00	0.15	NBR/EPDM/CR
5460080	18.110	0.085	0.315	0.006	460.00	2.16	8.00	0.15	NBR/EPDM/CR
5465080	18.307	0.085	0.315	0.006	465.00	2.16	8.00	0.15	NBR/EPDM/CR
5470080	18.504	0.085	0.315	0.006	470.00	2.16	8.00	0.15	NBR/EPDM/CR
5480080	18.898	0.085	0.315	0.006	480.00	2.16	8.00	0.15	NBR/EPDM/CR
5485080	19.094	0.085	0.315	0.006	485.00	2.16	8.00	0.15	NBR/EPDM/CR
5490080	19.291	0.090	0.315	0.006	490.00	2.29	8.00	0.15	NBR/EPDM/CR
5500080	19.685	0.095	0.315	0.006	500.00	2.41	8.00	0.15	NBR/EPDM/CR
5507080	19.961	0.095	0.315	0.006	507.00	2.41	8.00	0.15	NBR/EPDM/CR
5508080	20.000	0.095	0.315	0.006	508.00	2.41	8.00	0.15	NBR/EPDM/CR
5518080	20.394	0.095	0.315	0.006	518.00	2.41	8.00	0.15	NBR/EPDM/CR
5522080	20.551	0.095	0.315	0.006	522.00	2.41	8.00	0.15	NBR/EPDM/CR
5532080	20.945	0.095	0.315	0.006	532.00	2.41	8.00	0.15	NBR/EPDM/CR
5542080	21.339	0.095	0.315	0.006	542.00	2.41	8.00	0.15	NBR/EPDM/CR
5642080	25.276	0.115	0.315	0.006	642.00	2.92	8.00	0.15	NBR/EPDM/CR
5652080	25.669	0.120	0.315	0.006	652.00	3.05	8.00	0.15	NBR/EPDM/CR
5653080	25.709	0.120	0.315	0.006	653.00	3.05	8.00	0.15	NBR/EPDM/CR
5672080	26.457	0.120	0.315	0.006	672.00	3.05	8.00	0.15	NBR/EPDM/CR
5707080	27.835	0.120	0.315	0.006	707.00	3.05	8.00	0.15	NBR/EPDM/CR
5810080	31.890	0.159	0.315	0.006	810.00	4.05	8.00	0.15	NBR/EPDM/CR
5908080	35.748	0.159	0.315	0.006	908.00	4.05	8.00	0.15	NBR/EPDM/CR
5144184	5.673	0.037	0.331	0.006	144.10	0.94	8.40	0.15	NBR/EPDM/CR
5154184	6.067	0.037	0.331	0.006	154.10	0.94	8.40	0.15	NBR/EPDM/CR
5179184	7.051	0.040	0.331	0.006	179.10	1.02	8.40	0.15	NBR/EPDM/CR
5249184	9.807	0.055	0.331	0.006	249.10	1.40	8.40	0.15	NBR/EPDM/CR
5268884	10.583	0.055	0.331	0.006	268.80	1.40	8.40	0.15	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
5304084	11.969	0.065	0.331	0.006	304.00	1.65	8.40	0.15	NBR/EPDM/CR
5375084	14.764	0.070	0.331	0.006	375.00	1.78	8.40	0.15	NBR/EPDM/CR
5409584	16.122	0.075	0.331	0.006	409.50	1.91	8.40	0.15	NBR/EPDM/CR
5419184	16.500	0.075	0.331	0.006	419.10	1.91	8.40	0.15	NBR/EPDM/CR
5419584	16.516	0.075	0.331	0.006	419.50	1.91	8.40	0.15	NBR/EPDM/CR
5434584	17.106	0.080	0.331	0.006	434.50	2.03	8.40	0.15	NBR/EPDM/CR
5459584	18.071	0.085	0.331	0.006	459.00	2.16	8.40	0.15	NBR/EPDM/CR
5464184	18.272	0.085	0.331	0.006	464.10	2.16	8.40	0.15	NBR/EPDM/CR
5584184	22.996	0.110	0.331	0.006	584.10	2.79	8.40	0.15	NBR/EPDM/CR
5742084	29.213	0.120	0.331	0.006	742.00	3.05	8.40	0.15	NBR/EPDM/CR
5768084	30.236	0.120	0.331	0.006	768.00	3.05	8.40	0.15	NBR/EPDM/CR
5810084	31.890	0.159	0.331	0.006	810.00	4.05	8.40	0.15	NBR/EPDM/CR
5490085	19.291	0.090	0.335	0.006	490.00	2.29	8.50	0.15	NBR/EPDM/CR
5352886	13.890	0.065	0.339	0.006	352.80	1.65	8.60	0.15	NBR/EPDM/CR
9419	4.875	0.035	0.344	0.006	123.83	0.89	8.74	0.15	NBR/EPDM/CR
90242	0.476	0.010	0.354	0.008	12.10	0.25	9.00	0.20	NBR/EPDM/CR
5039090	1.535	0.015	0.354	0.006	39.00	0.38	9.00	0.15	NBR/EPDM/CR
5049090	1.929	0.018	0.354	0.006	49.00	0.46	9.00	0.15	NBR/EPDM/CR
5055090	2.165	0.018	0.354	0.006	55.00	0.46	9.00	0.15	NBR/EPDM/CR
5075090	2.953	0.020	0.354	0.006	75.00	0.51	9.00	0.15	NBR/EPDM/CR
5108090	4.252	0.030	0.354	0.006	108.00	0.76	9.00	0.15	NBR/EPDM/CR
9540	4.449	0.030	0.354	0.005	113.00	0.76	9.00	0.13	NBR/EPDM/CR
5300090	11.811	0.065	0.354	0.006	300.00	1.65	9.00	0.15	NBR/EPDM/CR
5315090	12.402	0.065	0.354	0.006	315.00	1.65	9.00	0.15	NBR/EPDM/CR
5355090	13.976	0.065	0.354	0.006	355.00	1.65	9.00	0.15	NBR/EPDM/CR
5375090	14.764	0.070	0.354	0.006	375.00	1.78	9.00	0.15	NBR/EPDM/CR
5582090	22.913	0.110	0.354	0.006	582.00	2.79	9.00	0.15	NBR/EPDM/CR
5210095	8.268	0.050	0.374	0.008	210.00	1.27	9.50	0.20	NBR/EPDM/CR
90284	3.800		0.375		96.52		9.52		NBR/EPDM/CR
90283	5.475		0.375		139.06		9.52		NBR/EPDM/CR
9155	12.700	0.091	0.375	0.006	322.58	2.30	9.52	0.15	NBR/EPDM/CR
90049	2.719	0.024	0.375	0.008	69.06	0.61	9.53	0.20	NBR/EPDM/CR
90389	3.500	0.024	0.375	0.008	88.90	0.61	9.53	0.20	NBR/EPDM/CR
9797	8.159	0.055	0.375	0.010	207.24	1.40	9.53	0.25	NBR/EPDM/CR
90334	8.600	0.060	0.375	0.010	218.44	1.52	9.53	0.25	NBR/EPDM/CR
9147	9.375	0.071	0.375	0.006	238.13	1.81	9.53	0.15	NBR/EPDM/CR
90350	0.984	0.010	0.394	0.008	25.00	0.25	10.00	0.20	NBR/EPDM/CR
90361	1.457	0.015	0.394	0.008	37.00	0.38	10.00	0.20	NBR/EPDM/CR
90305	1.575	0.015	0.394	0.008	40.00	0.38	10.00	0.20	NBR/EPDM/CR
90465	1.969	0.018	0.394	0.008	50.00	0.46	10.00	0.20	NBR/EPDM/CR
90236	2.677	0.022	0.394	0.008	68.00	0.56	10.00	0.20	NBR/EPDM/CR
90404	2.913	0.024	0.394	0.008	74.00	0.61	10.00	0.20	NBR/EPDM/CR
90339	2.953	0.024	0.394	0.008	75.00	0.61	10.00	0.20	NBR/EPDM/CR
90309	3.543	0.028	0.394	0.008	90.00	0.71	10.00	0.20	NBR/EPDM/CR
90234	3.622	0.033	0.394	0.008	92.00	0.84	10.00	0.20	NBR/EPDM/CR
90364	3.740	0.028	0.394	0.008	95.00	0.71	10.00	0.20	NBR/EPDM/CR
90442	3.740	0.028	0.394	0.008	95.00	0.71	10.00	0.20	NBR/EPDM/CR
90235	3.937	0.033	0.394	0.008	100.00	0.84	10.00	0.20	NBR/EPDM/CR
90247	4.331	0.030	0.394	0.008	110.00	0.76	10.00	0.20	NBR/EPDM/CR
90393	4.528	0.033	0.394	0.008	115.00	0.84	10.00	0.20	NBR/EPDM/CR
90259	4.921	0.037	0.394	0.008	125.00	0.94	10.00	0.20	NBR/EPDM/CR



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
90437	5.315	0.037	0.394	0.008	135.00	0.94	10.00	0.20	NBR/EPDM/CR
90297	5.512	0.037	0.394	0.008	140.00	0.94	10.00	0.20	NBR/EPDM/CR
90327	5.709	0.046	0.394	0.008	145.00	1.17	10.00	0.20	NBR/EPDM/CR
90427	5.827	0.037	0.394	0.008	148.00	0.94	10.00	0.20	NBR/EPDM/CR
90418	5.906	0.037	0.394	0.008	150.00	0.94	10.00	0.20	NBR/EPDM/CR
90392	6.102	0.037	0.394	0.008	155.00	0.94	10.00	0.20	NBR/EPDM/CR
9649	6.220	0.024	0.394	0.012	158.00	0.60	10.00	0.30	NBR/EPDM/CR
90446	6.496	0.040	0.394	0.008	165.00	1.02	10.00	0.20	NBR/EPDM/CR
90355	7.087		0.394		180.00		10.00		NBR/EPDM/CR
90432	7.480	0.045	0.394	0.008	190.00	1.14	10.00	0.20	NBR/EPDM/CR
90385	7.677	0.045	0.394	0.008	195.00	1.14	10.00	0.20	NBR/EPDM/CR
90429	7.874	0.045	0.394	0.008	200.00	1.14	10.00	0.20	NBR/EPDM/CR
90440	8.110	0.055	0.394	0.008	206.00	1.40	10.00	0.20	NBR/EPDM/CR
9651	8.268	0.031	0.394	0.012	210.00	0.80	10.00	0.30	NBR/EPDM/CR
90357	9.055		0.394		230.00		10.00		NBR/EPDM/CR
90435	9.252	0.055	0.394	0.008	235.00	1.40	10.00	0.20	NBR/EPDM/CR
9650	9.449	0.031	0.394	0.008	240.00	0.80	10.00	0.20	NBR/EPDM/CR
90444	9.646	0.055	0.394	0.008	245.00	1.40	10.00	0.20	NBR/EPDM/CR
90290	9.843	0.055	0.394	0.008	250.00	1.40	10.00	0.20	NBR/EPDM/CR
90456	10.236	0.055	0.394	0.008	260.00	1.40	10.00	0.20	NBR/EPDM/CR
90245	10.433	0.060	0.394	0.008	265.00	1.52	10.00	0.20	NBR/EPDM/CR
90391	10.630	0.060	0.394	0.008	270.00	1.52	10.00	0.20	NBR/EPDM/CR
90351	11.024	0.065	0.394	0.008	280.00	1.65	10.00	0.20	NBR/EPDM/CR
90434	11.220	0.060	0.394	0.008	285.00	1.52	10.00	0.20	NBR/EPDM/CR
9653	11.339	0.031	0.394	0.012	288.00	0.80	10.00	0.30	NBR/EPDM/CR
90352	11.811	0.065	0.394	0.008	300.00	1.65	10.00	0.20	NBR/EPDM/CR
90455	12.008	0.060	0.394	0.008	305.00	1.52	10.00	0.20	NBR/EPDM/CR
90322	12.205	0.065	0.394	0.008	310.00	1.65	10.00	0.20	NBR/EPDM/CR
90390	12.598	0.060	0.394	0.008	320.00	1.52	10.00	0.20	NBR/EPDM/CR
90433	12.992	0.070	0.394	0.008	330.00	1.78	10.00	0.20	NBR/EPDM/CR
90365	13.386	0.070	0.394	0.008	340.00	1.78	10.00	0.20	NBR/EPDM/CR
90454	13.780	0.070	0.394	0.008	350.00	1.78	10.00	0.20	NBR/EPDM/CR
90386	14.173	0.070	0.394	0.008	360.00	1.78	10.00	0.20	NBR/EPDM/CR
90447	14.567	0.070	0.394	0.008	370.00	1.78	10.00	0.20	NBR/EPDM/CR
90308	14.961	0.070	0.394	0.008	380.00	1.78	10.00	0.20	NBR/EPDM/CR
90483	15.748	0.112	0.394	0.008	400.00	2.84	10.00	0.20	NBR/EPDM/CR
90450	16.535	0.080	0.394	0.008	420.00	2.03	10.00	0.20	NBR/EPDM/CR
90307	16.929	0.080	0.394	0.008	430.00	2.03	10.00	0.20	NBR/EPDM/CR
90482	17.126	0.121	0.394	0.008	435.00	3.07	10.00	0.20	NBR/EPDM/CR
9949	17.520	0.085	0.394	0.012	445.00	2.16	10.00	0.30	NBR/EPDM/CR
90449	18.504	0.090	0.394	0.008	470.00	2.29	10.00	0.20	NBR/EPDM/CR
90481	18.701	0.130	0.394	0.008	475.00	3.30	10.00	0.20	NBR/EPDM/CR
90298	18.898	0.090	0.394	0.008	480.00	2.29	10.00	0.20	NBR/EPDM/CR
9657	20.079	0.063	0.394	0.012	510.00	1.60	10.00	0.30	NBR/EPDM/CR
90480	20.472	0.143	0.394	0.008	520.00	3.63	10.00	0.20	NBR/EPDM/CR
90448	20.866	0.095	0.394	0.008	530.00	2.41	10.00	0.20	NBR/EPDM/CR
90479	22.441	0.155	0.394	0.008	570.00	3.93	10.00	0.20	NBR/EPDM/CR
90445	22.835	0.105	0.394	0.008	580.00	2.67	10.00	0.20	NBR/EPDM/CR
90478	24.094	0.163	0.394	0.008	612.00	4.13	10.00	0.20	NBR/EPDM/CR
9913	9.773	0.055	0.395	0.011	248.23	1.40	10.03	0.28	NBR/EPDM/CR
9652	10.433	0.031	0.398	0.004	265.00	0.80	10.10	0.10	NBR/EPDM/CR





## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
9656	16.535	0.063	0.398	0.004	420.00	1.60	10.10	0.10	NBR/EPDM/CR
9654	17.717	0.047	0.398	0.004	450.00	1.20	10.10	0.10	NBR/EPDM/CR
9655	21.654	0.063	0.398	0.004	550.00	1.60	10.10	0.10	NBR/EPDM/CR
9696	27.362	0.126	0.398	0.004	695.00	3.20	10.10	0.10	NBR/EPDM/CR
9697	32.283	0.177	0.398	0.004	820.00	4.50	10.10	0.10	NBR/EPDM/CR
9698	36.220	0.199	0.398	0.004	920.00	5.06	10.10	0.10	NBR/EPDM/CR
90271	8.980	0.055	0.400	0.008	228.09	1.40	10.16	0.20	NBR/EPDM/CR
9448	9.168	0.055	0.406	0.012	232.87	1.40	10.31	0.30	NBR/EPDM/CR
90388	11.024	0.060	0.438	0.008	280.01	1.52	11.13	0.20	NBR/EPDM/CR
90272	13.154	0.070	0.438	0.008	334.11	1.78	11.13	0.20	NBR/EPDM/CR
9062	1.535		0.453		39.00		11.50		NBR/EPDM/CR
9871	18.700		0.465		474.98		11.81		NBR/EPDM/CR
90264	3.150	0.024	0.472	0.008	80.00	0.61	12.00	0.20	NBR/EPDM/CR
90340	4.921	0.037	0.472	0.008	125.00	0.94	12.00	0.20	NBR/EPDM/CR
90555	15.630	0.073	0.472	0.008	397.00	1.85	12.00	0.20	NBR/EPDM/CR
90299	21.260	0.098	0.472	0.008	540.00	2.50	12.00	0.20	NBR/EPDM/CR
9873	2.125	0.018	0.500	0.010	53.98	0.46	12.70	0.25	NBR/EPDM/CR
90368	30.000	0.150	0.500	0.008	762.00	3.81	12.70	0.20	NBR/EPDM/CR
90599	1.043		0.512		26.50		13.00		NBR/EPDM/CR
9910	17.450	0.080	0.551	0.011	443.23	2.03	13.99	0.28	NBR/EPDM/CR
7007	0.086				2.18		0.00		Silicone
7038	0.192	0.005	0.022	0.003	4.88	0.13	0.56	0.08	Silicone
7032	0.146	0.005	0.031	0.003	3.71	0.13	0.79	0.07	Silicone
7041	0.224	0.005	0.031	0.003	5.70	0.13	0.80	0.08	Silicone
7170	0.306	0.005	0.036	0.003	7.77	0.13	0.91	0.08	Silicone
7034	1.158	0.010	0.038	0.003	29.41	0.25	0.96	0.07	Silicone
7064	0.272	0.005	0.039	0.003	6.90	0.13	1.00	0.08	Silicone
7128	0.472		0.039		12.00		1.00		Silicone
7089	0.535	0.007	0.039	0.003	13.59	0.18	1.00	0.08	Silicone
7110	0.571	0.007	0.039	0.003	14.50	0.18	1.00	0.08	Silicone
7109	0.100	0.005	0.040	0.003	2.54	0.13	1.02	0.08	Silicone
7049	0.180	0.004	0.040	0.003	4.57	0.10	1.02	0.08	Silicone
7138	0.239	0.005	0.040	0.003	6.07	0.13	1.02	0.08	Silicone
7122	1.958		0.040		49.73		1.02		Silicone
7003	0.080		0.042		2.03		1.07		Silicone
7178	3.455		0.046		87.75		1.17		Silicone
7020	0.139	0.005	0.047	0.003	3.53	0.13	1.19	0.08	Silicone
7077	1.106	0.010	0.047	0.003	28.09	0.25	1.19	0.08	Silicone
7019	0.168		0.050		4.27		1.27		Silicone
7001	2.974		0.050		75.54		1.27		Silicone
7093	0.547	0.007	0.051	0.003	13.89	0.18	1.30	0.08	Silicone
7009	0.301	0.005	0.054	0.003	7.64	0.13	1.37	0.08	Silicone
7033	0.610	0.007	0.058	0.003	15.49	0.18	1.47	0.07	Silicone
7076	0.079	0.005	0.059	0.003	2.00	0.13	1.50	0.08	Silicone
7152	0.394		0.059		10.00		1.50		Silicone
7037	0.551	0.006	0.059	0.003	13.99	0.15	1.50	0.08	Silicone
7180	0.591		0.059		15.01		1.50		Silicone
7036	0.787	0.004	0.059		19.99	0.10	1.50		Silicone
7060	0.827	0.006	0.059	0.003	21.00	0.15	1.50	0.08	Silicone
7119	2.028		0.059		51.50		1.50		Silicone
7139	0.994	0.010	0.060	0.003	25.25	0.25	1.52	0.08	Silicone



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
7029	0.427	0.005	0.062	0.003	10.85	0.13	1.57	0.08	Silicone
7059	0.087	0.005	0.063	0.003	2.20	0.12	1.60	0.08	Silicone
7086	0.240		0.063		6.10		1.60		Silicone
7149	4.194		0.064		106.53		1.63		Silicone
7046	0.518	0.005	0.070	0.003	13.15	0.13	1.78	0.08	Silicone
7151	2.535		0.070		64.39		1.78		Silicone
7147	5.470		0.070		138.94		1.78		Silicone
7056	5.923	0.035	0.070	0.003	150.44	0.89	1.78	0.08	Silicone
7173	0.110	0.004	0.071	0.002	2.80	0.10	1.80	0.05	Silicone
7085	0.270		0.071		6.85		1.80		Silicone
7084	0.433		0.071		11.00		1.80		Silicone
7210	0.172	0.005	0.074	0.003	4.37	0.13	1.88	0.08	Silicone
7040	0.350	0.005	0.075	0.003	8.89	0.13	1.90	0.08	Silicone
7148	6.515	0.045	0.075	0.003	165.48	1.14	1.91	0.08	Silicone
7166	1.496	0.013	0.079	0.003	38.00	0.33	2.00	0.08	Silicone
7129	1.535		0.079		39.00		2.00		Silicone
7155	2.205	0.018	0.079	0.003	56.00	0.46	2.00	0.08	Silicone
7175	4.921	0.037	0.079	0.003	125.00	0.94	2.00	0.08	Silicone
7004	2.234	0.018	0.079	0.003	56.74	0.46	2.01	0.08	Silicone
7005	0.300		0.088		7.63		2.24		Silicone
7189	0.455		0.090		11.55		2.28		Silicone
7057	0.252	0.005	0.091	0.003	6.40	0.13	2.30	0.08	Silicone
7208	0.730	0.014	0.091	0.006	18.53	0.35	2.30	0.15	Silicone
7209	0.764	0.014	0.091	0.006	19.40	0.35	2.30	0.15	Silicone
7171	0.799		0.094		20.30		2.40		Silicone
7196	4.380		0.095	0.003	111.25		2.41	0.08	Silicone
7104	4.840	0.030	0.095	0.003	122.94	0.76	2.41	0.08	Silicone
7008	0.299		0.103		7.59		2.62		Silicone
7025	5.689	0.035	0.108	0.003	144.50	0.89	2.75	0.08	Silicone
7163	0.756		0.118		19.20		3.00		Silicone
7165	0.795		0.118		20.20		3.00		Silicone
7162	0.953		0.118		24.20		3.00		Silicone
7164	1.189		0.118		30.20		3.00		Silicone
7108	2.791	0.028	0.118	0.010	70.90	0.70	3.00	0.25	Silicone
7047	5.315	0.024	0.118	0.004	135.00	0.60	3.00	0.10	Silicone
7143	6.555		0.118		166.50		3.00		Silicone
7048	5.628	0.024	0.122	0.004	142.94	0.60	3.10	0.10	Silicone
7006	0.500	0.005	0.124	0.003	12.70	0.13	3.15	0.07	Silicone
7045	1.120	0.012	0.125	0.004	28.45	0.30	3.17	0.10	Silicone
7044	1.220	0.012	0.125	0.004	30.98	0.30	3.17	0.10	Silicone
7012	0.984	0.010	0.126	0.006	24.99	0.25	3.20	0.15	Silicone
7062	5.188	0.035	0.134	0.004	131.77	0.89	3.41	0.11	Silicone
7027	0.098		0.138		2.50		3.50		Silicone
7017	1.425	0.004	0.138	0.003	36.19	0.10	3.50	0.08	Silicone
7115	2.339	0.020	0.139	0.004	59.42	0.51	3.53	0.10	Silicone
7193	2.875		0.139	0.004	73.02		3.53	0.10	Silicone
7024	3.797	0.028	0.139	0.004	96.44	0.71	3.53	0.10	Silicone
7028	4.170	0.028	0.139	0.004	105.92	0.71	3.53	0.10	Silicone
7141	4.412		0.139		112.06		3.53		Silicone
7014	4.930	0.035	0.139	0.004	125.22	0.89	3.53	0.10	Silicone
7068	21.181		0.139		538.00		3.53		Silicone



## NON STANDARD SIZE O-RINGS (METRIC & CUSTOM SIZES)

Dash Number	Inches				mm				Instructed materials
	ID	+/-	CS	+/-	ID	+/-	CS	+/-	
7016	4.484	0.030	0.147	0.004	113.89	0.76	3.73	0.10	Silicone
7144	4.484		0.147		113.89		3.73		Silicone
7010	0.858	0.010	0.148	0.004	21.80	0.25	3.75	0.10	Silicone
7212	0.906	0.010	0.157	0.004	23.01	0.25	3.99	0.10	Silicone
7223	13.968		0.157		354.79		3.99		Silicone
7125	1.772		0.157		45.00		4.00		Silicone
7026	10.186	0.055	0.167	0.004	258.72	1.40	4.24	0.10	Silicone
7013	4.635		0.173		117.73		4.39		Silicone
7018	0.984	0.012	0.189	0.008	25.00	0.30	4.80	0.20	Silicone
7035	1.000	0.010	0.200	0.005	25.40	0.25	5.08	0.13	Silicone
7226	2.108		0.200		53.54		5.08		Silicone
7015	5.781		0.206		146.84		5.23		Silicone
7023	2.875	0.020	0.210	0.005	73.03	0.51	5.33	0.13	Silicone
7074	1.004		0.217		25.50		5.50		Silicone
7002	1.004	0.010	0.218	0.005	25.50	0.25	5.54	0.13	Silicone
7184	1.500	0.012	0.237	0.006	38.10	0.30	6.02	0.15	Silicone
7052	0.378	0.006	0.250	0.006	9.60	0.15	6.35	0.15	Silicone
7185	9.983	0.055	0.275	0.006	253.57	1.40	6.99	0.15	Silicone
7067	19.455		0.275		494.16		6.99		Silicone
7011	3.748	0.020	0.287	0.006	95.20	0.50	7.30	0.15	Silicone
7190	11.583	0.060	0.313	0.006	294.21	1.52	7.95	0.15	Silicone
7213	10.690	0.060	0.375	0.007	271.53	1.52	9.53	0.18	Silicone
7200	3.150	0.024	0.394	0.008	80.00	0.61	10.00	0.20	Silicone
7081	18.000	0.085	0.406	0.011	457.20	2.16	10.31	0.28	Silicone
7207	14.567	0.070	0.439	0.008	370.00	1.78	11.15	0.20	Silicone
7203	0.709		0.472		18.00		12.00		Silicone
7167	4.750		0.500		120.65		12.70		Silicone